

NOTICE OF PRODUCT CERTIFICATION




CERTIFICATION NO: NI015849
DATE: 08/17/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Atrium
CODE: 2187-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Atrium Windows & Doors 300 Welcome Center Blvd. Welcome, NC 27374	Series "4880IR" Impact Rated Aluminum Sliding Glass Door Configuration: XXXX Glazing: IG-Laminate-3/16" Heat Strengthened Glass/ 0.075" Saflex Vanceva Interlayer/3/16" Heat Strengthened Glass/5/32" Tempered Glass Frame: W-4715mm(185.63") H-2432mm(95.75") Panel: W-1238mm(48.75") H-2394mm(94.25")

SPECIFICATION	PRODUCT RATING
AAMA 506-06/16 ASTM E1886-05/19/E1996-09/20 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Design Pressure: ±3352 Pa (70 psf) Wind Zone 3-Missile Level D Class LC-PG70 4715 x 2432 (186 x 96)-SD Water Penetration Resistance Test Pressure: Sill Riser #12457: 504 Pa(10.5 psf)

Product Tested By: Construction Consulting Laboratory, International
Report No: CCLI-12-173/W-2010
Expiration Date: September 30, 2027

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com