

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015853  
**DATE:** 08/24/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** KBP Distribution  
**CODE:** 2937-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>KBP Distribution, Inc.</b> <b>dba High Rock Doors</b> <b>54 Denver Road</b> <b>Denver, PA 17517</b>	<b>Series "3068 TT" Glazed</b> <b>Inswing Fiberglass Entrance</b> <b>Door Assembly</b>  Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-959mm(37.75") H-2083mm(82") Panel: W-933mm(36.75") H-2013mm(79.25") DLO: W-530mm(20.88") H-1597mm(62.88")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class R-PG40 959 x 2083 (38 x 82)-LWSHD</b> <b>Design Pressure: ±1920 Pa (±40 psf)</b> <b>Water Penetration Resistance Test Pressure: 140 Pa (2.92 psf)</b>

Product Tested By: Intertek, PLC  
Report No: P6986.01-109-44  
Expiration Date: **January 31, 2027**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)