

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015862
DATE: 08/30/2023
CERTIFICATION PROGRAM: Fire
COMPANY: Gator Build Sup
CODE: 2152-1
EXPIRATION DATE: 08/31/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Gator Building Supply, Inc. 9555 North US 1 Sebastian, FL 32958	TruStile 20-Minute Wood Side Hinged Door Manufacture Specific Fire Door for Single & Double Swing Installation in 20-Minute Locations Single Door Maximum Size: 4'0" x 8'0" Single Door Maximum Size: 3'0" x 8'6" Double Door Maximum Size: 8'0" x 8'0"

SPECIFICATION	PRODUCT RATING
CAN / ULC S104 (2015 (R2020)) NFPA 252 (2008)(2012) UL 10C (2016) UL 10B (2015) NFPA 252 (2017)	20-Minute Positive/Neutral Pressure With or Without Hose Stream Category A - No Additional Edge-Sealing Required

TEST REPORT

Intertek Test Report No(s): 3105015COQ-003, 3156666COQ-002

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S.M.D.", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com