

Notice of Product Certification

CERTIFICATION NO.: 1181-002
INITIAL CERTIFICATION DATE: September 19, 2023
REVISION DATE: N/A
REPORT NUMBER: TPE22003-2-C_FIXD-1
SPECIFICATION: CSA A440.2-19

COMPANY: Gerard Milette, Inc.
CODE: 1181-1
EXPIRATION DATE: October 28, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-04587-H1

PRODUCT/SERIES NAME: C6000 Fixe PVC-Hybride **OPERATOR TYPE:** FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1181-002-0001-01	PVC, 3mm_7/8_PCl-arg95-8071#3, iu	0.082(#3)	1.56	0.58	0.64	0.1	39
1181-002-0002-01	PVC, 3mm_7/8_PCl-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.56	0.52	0.57	0.1	36
1181-002-0003-01	PVC, 3mm_7/8_PCl-arg95-PTLX#3, iu	0.082(#3)	1.56	0.59	0.63	0.1	40
1181-002-0004-01	PVC, 3mm_7/8_PCl-arg95-PTLX#3, iu, Grids<1"	0.082(#3)	1.56	0.53	0.57	0.1	36
1181-002-0005-01	PVC, 3mm_7/8_70/36#2-arg95-PCl, iu	0.036(#2)	1.48	0.31	0.56	0.1	25
1181-002-0006-01	PVC, 3mm_7/8_70/36#2-arg95-PCl, iu, Grids<1"	0.036(#2)	1.48	0.28	0.50	0.1	24
1181-002-0007-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-PCl, iu	0.036(#2)	1.24	0.29	0.51	0.1	29
1181-002-0008-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-PCl, iu, Grids<1"	0.036(#2)	1.24	0.26	0.46	0.1	28
1181-002-0009-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-70/36#5, iu	0.036(#2) 0.036(#5)	0.99	0.27	0.44	0.1	34
1181-002-0010-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-70/36#5, iu, Grids<1"	0.036(#2) 0.036(#5)	0.99	0.24	0.39	0.1	32
1181-002-0011-01	PVC, 3mm_1 1/8_80/71#2-arg95-PCl-arg95-80/71#5, iu	0.082(#2) 0.082(#5)	1.05	0.47	0.57	0.1	44
1181-002-0012-01	PVC, 3mm_1 1/8_80/71#2-arg95-PCl-arg95-80/71#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.05	0.42	0.51	0.1	41
1181-002-0013-01	PVC, 3mm_1 1/8_PCl-arg95-PCl-arg95-80/71#5, iu	0.082(#5)	1.27	0.52	0.59	0.1	42
1181-002-0014-01	PVC, 3mm_1 1/8_PCl-arg95-PCl-arg95-80/71#5, iu, Grids<1"	0.082(#5)	1.27	0.47	0.52	0.1	39
1181-002-0015-01	PVC, 3mm_7/8_PCl-arg95-8071#3, ms	0.082(#3)	1.57	0.58	0.64	0.1	39
1181-002-0016-01	PVC, 3mm_7/8_PCl-arg95-8071#3, ms, Grids<1"	0.082(#3)	1.57	0.52	0.57	0.1	35
1181-002-0017-01	PVC, 3mm_7/8_PCl-arg95-PTLX#3, ms	0.082(#3)	1.57	0.59	0.63	0.1	39
1181-002-0018-01	PVC, 3mm_7/8_PCl-arg95-PTLX#3, ms, Grids<1"	0.082(#3)	1.57	0.53	0.57	0.1	36
1181-002-0019-01	PVC, 3mm_7/8_70/36#2-arg95-PCl, ms	0.036(#2)	1.49	0.31	0.56	0.1	25
1181-002-0020-01	PVC, 3mm_7/8_70/36#2-arg95-PCl, ms, Grids<1"	0.036(#2)	1.49	0.28	0.50	0.1	23
1181-002-0021-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-PCl, ms	0.036(#2)	1.26	0.29	0.51	0.1	29
1181-002-0022-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-PCl, ms, Grids<1"	0.036(#2)	1.26	0.26	0.46	0.1	27
1181-002-0023-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-70/36#5, ms	0.036(#2) 0.036(#5)	1.01	0.27	0.44	0.1	33
1181-002-0024-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCl-arg95-70/36#5, ms, Grids<1"	0.036(#2) 0.036(#5)	1.01	0.24	0.39	0.1	32
1181-002-0025-01	PVC, 3mm_1 1/8_80/71#2-arg95-PCl-arg95-80/71#5, ms	0.082(#2) 0.082(#5)	1.07	0.47	0.57	0.1	44

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1181-002-0026-01	PVC, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, ms, Grids<1"	0.082(#2) 0.082(#5)	1.07	0.42	0.51	0.1	41
1181-002-0027-01	PVC, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, ms	0.082(#5)	1.29	0.52	0.59	0.1	42
1181-002-0028-01	PVC, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, ms, Grids<1"	0.082(#5)	1.29	0.47	0.52	0.1	39
1181-002-0029-01	PVC, 3mm_7/8_PCI-arg95-8071#3, sw	0.082(#3)	1.53	0.58	0.64	0.1	40
1181-002-0030-01	PVC, 3mm_7/8_PCI-arg95-8071#3, sw, Grids<1"	0.082(#3)	1.53	0.52	0.57	0.1	36
1181-002-0031-01	PVC, 3mm_7/8_PCI-arg95-PTLX#3, sw	0.082(#3)	1.53	0.59	0.63	0.1	40
1181-002-0032-01	PVC, 3mm_7/8_PCI-arg95-PTLX#3, sw, Grids<1"	0.082(#3)	1.53	0.53	0.57	0.1	37
1181-002-0033-01	PVC, 3mm_7/8_70/36#2-arg95-PCI, sw	0.036(#2)	1.45	0.31	0.56	0.1	26
1181-002-0034-01	PVC, 3mm_7/8_70/36#2-arg95-PCI, sw, Grids<1"	0.036(#2)	1.45	0.28	0.50	0.1	24
1181-002-0035-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PTLX, sw	0.036(#2)	1.22	0.29	0.51	0.1	30
1181-002-0036-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PTLX, sw, Grids<1"	0.036(#2)	1.22	0.26	0.46	0.1	28
1181-002-0037-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, sw	0.036(#2) 0.036(#5)	0.96	0.27	0.44	0.1	34
1181-002-0038-01	PVC, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, sw, Grids<1"	0.036(#2) 0.036(#5)	0.96	0.24	0.39	0.1	33
1181-002-0039-01	PVC, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, sw	0.082(#2) 0.082(#5)	1.02	0.47	0.57	0.1	45
1181-002-0040-01	PVC, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, sw, Grids<1"	0.082(#2) 0.082(#5)	1.02	0.42	0.51	0.1	42
1181-002-0041-01	PVC, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, sw	0.082(#5)	1.24	0.52	0.59	0.1	43
1181-002-0042-01	PVC, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, sw, Grids<1"	0.082(#5)	1.24	0.47	0.52	0.1	40
1181-002-0043-01	PVC, 3mm_1 1/8_PTLX#2-arg95-PCI-arg95-PTLX#5, sw	0.082(#2) 0.082(#5)	1.02	0.48	0.56	0.1	45
1181-002-0044-01	PVC, 3mm_1 1/8_PTLX#2-arg95-PCI-arg95-PTLX#5, sw, Grids<1"	0.082(#2) 0.082(#5)	1.02	0.43	0.50	0.1	42
1181-002-0045-01	PVC, 3mm_1 1/8_PCI-arg95-PCI-arg95-PTLX#5, sw	0.082(#5)	1.25	0.54	0.58	0.1	44
1181-002-0046-01	PVC, 3mm_1 1/8_PCI-arg95-PCI-arg95-PTLX#5, sw, Grids<1"	0.082(#5)	1.25	0.48	0.52	0.1	40
1181-002-0047-01	HYB, 3mm_7/8_PCI-arg95-8071#3, iu	0.082(#3)	1.56	0.58	0.64	0.1	39
1181-002-0048-01	HYB, 3mm_7/8_PCI-arg95-8071#3, iu, Grids<1"	0.082(#3)	1.56	0.52	0.57	0.1	36
1181-002-0049-01	HYB, 3mm_7/8_PCI-arg95-PTLX#3, iu	0.082(#3)	1.56	0.59	0.63	0.1	40
1181-002-0050-01	HYB, 3mm_7/8_PCI-arg95-PTLX#3, iu, Grids<1"	0.082(#3)	1.56	0.53	0.57	0.1	36
1181-002-0051-01	HYB, 3mm_7/8_70/36#2-arg95-PCI, iu	0.036(#2)	1.48	0.31	0.56	0.1	25
1181-002-0052-01	HYB, 3mm_7/8_70/36#2-arg95-PCI, iu, Grids<1"	0.036(#2)	1.48	0.28	0.50	0.1	24
1181-002-0053-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PTLX, iu	0.036(#2)	1.24	0.29	0.51	0.1	29
1181-002-0054-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PTLX, iu, Grids<1"	0.036(#2)	1.24	0.26	0.46	0.1	28
1181-002-0055-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, iu	0.036(#2) 0.036(#5)	0.99	0.27	0.44	0.1	34
1181-002-0056-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, iu, Grids<1"	0.036(#2) 0.036(#5)	0.99	0.24	0.39	0.1	32
1181-002-0057-01	HYB, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, iu	0.082(#2) 0.082(#5)	1.05	0.47	0.57	0.1	44
1181-002-0058-01	HYB, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, iu, Grids<1"	0.082(#2) 0.082(#5)	1.05	0.42	0.51	0.1	41
1181-002-0059-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, iu	0.082(#5)	1.27	0.52	0.59	0.1	42
1181-002-0060-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, iu, Grids<1"	0.082(#5)	1.27	0.47	0.52	0.1	39
1181-002-0061-01	HYB, 3mm_7/8_PCI-arg95-8071#3, ms	0.082(#3)	1.57	0.58	0.64	0.1	39
1181-002-0062-01	HYB, 3mm_7/8_PCI-arg95-8071#3, ms, Grids<1"	0.082(#3)	1.57	0.52	0.57	0.1	35
1181-002-0063-01	HYB, 3mm_7/8_PCI-arg95-PTLX#3, ms	0.082(#3)	1.57	0.59	0.63	0.1	39
1181-002-0064-01	HYB, 3mm_7/8_PCI-arg95-PTLX#3, ms, Grids<1"	0.082(#3)	1.57	0.53	0.57	0.1	36
1181-002-0065-01	HYB, 3mm_7/8_70/36#2-arg95-PCI, ms	0.036(#2)	1.49	0.31	0.56	0.1	25

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1181-002-0066-01	HYB, 3mm_7/8_70/36#2-arg95-PCI, ms, Grids<1"	0.036(#2)	1.49	0.28	0.50	0.1	23
1181-002-0067-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PCI, ms	0.036(#2)	1.26	0.29	0.51	0.1	29
1181-002-0068-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PCI, ms, Grids<1"	0.036(#2)	1.26	0.26	0.46	0.1	27
1181-002-0069-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, ms	0.036(#2) 0.036(#5)	1.01	0.27	0.44	0.1	33
1181-002-0070-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, ms, Grids<1"	0.036(#2) 0.036(#5)	1.01	0.24	0.39	0.1	32
1181-002-0071-01	HYB, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, ms	0.082(#2) 0.082(#5)	1.07	0.47	0.57	0.1	44
1181-002-0072-01	HYB, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, ms, Grids<1"	0.082(#2) 0.082(#5)	1.07	0.42	0.51	0.1	41
1181-002-0073-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, ms	0.082(#5)	1.29	0.52	0.59	0.1	42
1181-002-0074-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, ms, Grids<1"	0.082(#5)	1.29	0.47	0.52	0.1	39
1181-002-0075-01	HYB, 3mm_7/8_PCI-arg95-8071#3, sw	0.082(#3)	1.53	0.58	0.64	0.1	40
1181-002-0076-01	HYB, 3mm_7/8_PCI-arg95-8071#3, sw, Grids<1"	0.082(#3)	1.53	0.52	0.57	0.1	36
1181-002-0077-01	HYB, 3mm_7/8_PCI-arg95-PTLX#3, sw	0.082(#3)	1.53	0.59	0.63	0.1	40
1181-002-0078-01	HYB, 3mm_7/8_PCI-arg95-PTLX#3, sw, Grids<1"	0.082(#3)	1.53	0.53	0.57	0.1	37
1181-002-0079-01	HYB, 3mm_7/8_70/36#2-arg95-PCI, sw	0.036(#2)	1.45	0.31	0.56	0.1	26
1181-002-0080-01	HYB, 3mm_7/8_70/36#2-arg95-PCI, sw, Grids<1"	0.036(#2)	1.45	0.28	0.50	0.1	24
1181-002-0081-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PCI, sw	0.036(#2)	1.22	0.29	0.51	0.1	30
1181-002-0082-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-PCI, sw, Grids<1"	0.036(#2)	1.22	0.26	0.46	0.1	28
1181-002-0083-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, sw	0.036(#2) 0.036(#5)	0.96	0.27	0.44	0.1	34
1181-002-0084-01	HYB, 3mm_1 1/8_70/36#2-arg95-PCI-arg95-70/36#5, sw, Grids<1"	0.036(#2) 0.036(#5)	0.96	0.24	0.39	0.1	33
1181-002-0085-01	HYB, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, sw	0.082(#2) 0.082(#5)	1.02	0.47	0.57	0.1	45
1181-002-0086-01	HYB, 3mm_1 1/8_80/71#2-arg95-PCI-arg95-80/71#5, sw, Grids<1"	0.082(#2) 0.082(#5)	1.02	0.42	0.51	0.1	42
1181-002-0087-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, sw	0.082(#5)	1.24	0.52	0.59	0.1	43
1181-002-0088-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-80/71#5, sw, Grids<1"	0.082(#5)	1.24	0.47	0.52	0.1	40
1181-002-0089-01	HYB, 3mm_1 1/8_PTLX#2-arg95-PCI-arg95-PTLX#5, sw	0.082(#2) 0.082(#5)	1.02	0.48	0.56	0.1	45
1181-002-0090-01	HYB, 3mm_1 1/8_PTLX#2-arg95-PCI-arg95-PTLX#5, sw, Grids<1"	0.082(#2) 0.082(#5)	1.02	0.43	0.50	0.1	42
1181-002-0091-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-PTLX#5, sw	0.082(#5)	1.25	0.54	0.58	0.1	44
1181-002-0092-01	HYB, 3mm_1 1/8_PCI-arg95-PCI-arg95-PTLX#5, sw, Grids<1"	0.082(#5)	1.25	0.48	0.52	0.1	40

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com