

Notice of Product Certification

CERTIFICATION NO.: 1684-016
INITIAL CERTIFICATION DATE: September 6, 2023
REVISION DATE: N/A
REPORT NUMBER: CAR234897.1215-c
SPECIFICATION: CSA A440.2-19

COMPANY: Aluminium Caruso
CODE: 1684-1
EXPIRATION DATE: June 2, 2028
PRODUCT SIMULATED BY: WSP
AIR LEAKAGE REPORT NO.: AI-03523-C5

PRODUCT/SERIES NAME: S-4400 Single Slider OPERATOR TYPE: HSOX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1684-016-0001-01	GCI-arg95-8071, im	0.082(#3)	1.64	0.54	0.61	0.3	35
1684-016-0001-02	GCI-arg95-8071, im, Grids<1 Inch	0.082(#3)	1.64	0.48	0.54	0.3	31
1684-016-0002-01	SDCI-arg95-8071, im	0.082(#3)	1.64	0.57	0.61	0.3	36
1684-016-0002-02	SDCI-arg95-8071, im, Grids<1 Inch	0.082(#3)	1.64	0.51	0.55	0.3	33
1684-016-0003-01	8071-arg95-GCI-arg95-8071, im	0.082(#2, #5)	1.35	0.44	0.54	0.3	35

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com