

Notice of Product Certification

CERTIFICATION NO.: 2941-001
INITIAL CERTIFICATION DATE: September 6, 2023
REVISION DATE: N/A
REPORT NUMBER: AT-01055
SPECIFICATION: CSA A440.2-19

COMPANY: NORDSTAR
CODE: 2941-1
EXPIRATION DATE: June 29, 2028
PRODUCT SIMULATED BY: UL Laboratory Canada Inc.
AIR LEAKAGE REPORT NO.: AI-04533-E1

PRODUCT/SERIES NAME: Large Fixed Serie B3000/B4000 **OPERATOR TYPE:** FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2941-001-0001-01	SM_ClrGIG-Arg95-8071#3	0.082(#3)	1.56	0.55	0.62	0.0	38
2941-001-0001-02	SM_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.56	0.49	0.55	0.0	34
2941-001-0001-03	SM_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.56	0.44	0.49	0.0	31
2941-001-0002-01	SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5	0.082(#5)	1.21	0.49	0.56	0.0	42
2941-001-0002-02	SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#5)	1.21	0.44	0.50	0.0	39
2941-001-0002-03	SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#5)	1.21	0.40	0.44	0.0	37
2941-001-0003-01	SM_8071#2-Arg95-ClrGIG-Arg95-8071#5	0.082(#2, #5)	1.00	0.45	0.55	0.0	44
2941-001-0003-02	SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#2, #5)	1.00	0.41	0.49	0.0	42
2941-001-0003-03	SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#2, #5)	1.00	0.36	0.43	0.0	39
2941-001-0004-01	TP_ClrGIG-Arg95-8071#3	0.082(#3)	1.52	0.55	0.62	0.0	38
2941-001-0004-02	TP_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.52	0.49	0.55	0.0	35
2941-001-0004-03	TP_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.52	0.44	0.49	0.0	32
2941-001-0005-01	CLAD_SM_ClrGIG-Arg95-8071#3	0.082(#3)	1.58	0.54	0.61	0.0	37
2941-001-0005-02	CLAD_SM_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.58	0.49	0.54	0.0	34
2941-001-0005-03	CLAD_SM_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.58	0.43	0.48	0.0	30
2941-001-0006-01	CLAD_SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5	0.082(#5)	1.23	0.49	0.56	0.0	41
2941-001-0006-02	CLAD_SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#5)	1.23	0.44	0.50	0.0	38
2941-001-0006-03	CLAD_SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#5)	1.23	0.39	0.44	0.0	36
2941-001-0007-01	CLAD_SM_8071#2-Arg95-ClrGIG-Arg95-8071#5	0.082(#2, #5)	1.02	0.45	0.55	0.0	44
2941-001-0007-02	CLAD_SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#2, #5)	1.02	0.40	0.49	0.0	41
2941-001-0007-03	CLAD_SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#2, #5)	1.02	0.36	0.43	0.0	38
2941-001-0008-01	CLAD_TP_ClrGIG-Arg95-8071#3	0.082(#3)	1.55	0.54	0.61	0.0	37

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2941-001-0008-02	CLAD_TP_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.55	0.49	0.54	0.0	34
2941-001-0008-03	CLAD_TP_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.55	0.43	0.48	0.0	31

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com