

Notice of Product Certification

CERTIFICATION NO.: 2941-002
INITIAL CERTIFICATION DATE: September 6, 2023
REVISION DATE: N/A
REPORT NUMBER: TPE22008-7-C_FIXD
SPECIFICATION: CSA A440.2-22

COMPANY: NORDSTAR
CODE: 2941-1
EXPIRATION DATE: September 22, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-04196-M1

PRODUCT/SERIES NAME: B3000/B3000G/B4000 PVC/HYB (PANO) **OPERATOR TYPE:** FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2941-002-0001-01	SM_ClrGIG-Arg95-8071#3	0.082(#3)	1.57	0.59	0.67	0.0	40
2941-002-0002-01	SM_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.57	0.53	0.60	0.0	36
2941-002-0003-01	SM_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.57	0.48	0.53	0.0	33
2941-002-0004-01	SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5	0.082(#5)	1.18	0.53	0.61	0.0	45
2941-002-0005-01	SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#5)	1.18	0.48	0.55	0.0	42
2941-002-0006-01	SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#5)	1.18	0.43	0.49	0.0	39
2941-002-0007-01	SM_8071#2-Arg95-ClrGIG-Arg95-8071#5	0.082(#2, #5)	0.95	0.49	0.59	0.0	47
2941-002-0008-01	SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#2, #5)	0.95	0.44	0.53	0.0	45
2941-002-0009-01	SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#2, #5)	0.95	0.39	0.47	0.0	42
2941-002-0010-01	TP_ClrGIG-Arg95-8071#3	0.082(#3)	1.54	0.59	0.67	0.0	40
2941-002-0011-01	TP_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.54	0.53	0.60	0.0	37
2941-002-0012-01	TP_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.54	0.48	0.53	0.0	34
2941-002-0013-01	CLAD_SM_ClrGIG-Arg95-8071#3	0.082(#3)	1.57	0.59	0.67	0.0	40
2941-002-0014-01	CLAD_SM_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.57	0.53	0.60	0.0	36
2941-002-0015-01	CLAD_SM_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.57	0.48	0.53	0.0	33
2941-002-0016-01	CLAD_SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5	0.082(#5)	1.18	0.53	0.61	0.0	45
2941-002-0017-01	CLAD_SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#5)	1.18	0.48	0.55	0.0	42
2941-002-0018-01	CLAD_SM_ClrGIG-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#5)	1.18	0.43	0.49	0.0	39
2941-002-0019-01	CLAD_SM_8071#2-Arg95-ClrGIG-Arg95-8071#5	0.082(#2, #5)	0.95	0.49	0.59	0.0	47
2941-002-0020-01	CLAD_SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids<1"	0.082(#2, #5)	0.95	0.44	0.53	0.0	45
2941-002-0021-01	CLAD_SM_8071#2-Arg95-ClrGIG-Arg95-8071#5_Grids>=1"	0.082(#2, #5)	0.95	0.39	0.47	0.0	42
2941-002-0022-01	CLAD_TP_ClrGIG-Arg95-8071#3	0.082(#3)	1.54	0.59	0.67	0.0	40

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2941-002-0023-01	CLAD_TP_ClrGIG-Arg95-8071#3_Grids<1"	0.082(#3)	1.54	0.53	0.60	0.0	37
2941-002-0024-01	CLAD_TP_ClrGIG-Arg95-8071#3_Grids>=1"	0.082(#3)	1.54	0.48	0.53	0.0	34

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com