

Notice of Product Certification

CERTIFICATION NO.: 815-005
INITIAL CERTIFICATION DATE: September 25, 2023
REVISION DATE: N/A
REPORT NUMBER: TPE23008-6-C_FIXD-a-4
SPECIFICATION: CSA A440.2-22

COMPANY: Extreme Window & Entrance Systems
CODE: 815-1
EXPIRATION DATE: August 1, 2028
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: NCTL-110-19652-1

PRODUCT/SERIES NAME: Heritage PVC **OPERATOR TYPE:** FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0001-01	3mm, 3-4, CCI-arg95-CS73#3, dl	0.148(#3)	1.65	0.60	0.62	0.1	38
815-005-0002-01	3mm, 3-4, CCI-arg95-CS73#3, dl, Grids < 1"	0.148(#3)	1.65	0.54	0.55	0.1	35
815-005-0003-01	3mm, 3-4, CCI-arg95-CS73#3, dl, Grids >= 1"	0.148(#3)	1.65	0.49	0.49	0.1	32
815-005-0004-01	3mm, 3-4, CCI-arg95-CS73#3, dl, SDL < 1"	0.148(#3)	1.65	0.54	0.55	0.1	35
815-005-0005-01	3mm, 3-4, CCI-arg95-CS73#3, dl, SDL >= 1"	0.148(#3)	1.65	0.49	0.49	0.1	32
815-005-0006-01	3mm, 7-8, CCI-arg95-CS73#3, dl	0.148(#3)	1.67	0.61	0.62	0.1	38
815-005-0007-01	3mm, 7-8, CCI-arg95-CS73#3, dl, Grids < 1"	0.148(#3)	1.67	0.55	0.55	0.1	35
815-005-0008-01	3mm, 7-8, CCI-arg95-CS73#3, dl, Grids >= 1"	0.148(#3)	1.67	0.49	0.49	0.1	32
815-005-0009-01	3mm, 7-8, CCI-arg95-CS73#3, dl, SDL < 1"	0.148(#3)	1.67	0.55	0.55	0.1	35
815-005-0010-01	3mm, 7-8, CCI-arg95-CS73#3, dl, SDL >= 1"	0.148(#3)	1.67	0.49	0.49	0.1	32
815-005-0011-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CCI, dl	0.148(#2)	1.27	0.49	0.57	0.1	40
815-005-0012-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CCI, dl, Grids < 1"	0.148(#2)	1.27	0.44	0.51	0.1	37
815-005-0013-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CCI, dl, Grids >= 1"	0.148(#2)	1.27	0.40	0.45	0.1	35
815-005-0014-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CCI, dl, SDL < 1"	0.148(#2)	1.27	0.44	0.51	0.1	37
815-005-0015-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CCI, dl, SDL >= 1"	0.148(#2)	1.27	0.40	0.45	0.1	35
815-005-0016-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CS73#5, dl	0.148(#2) 0.148(#5)	1.02	0.47	0.51	0.1	45
815-005-0017-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CS73#5, dl, Grids < 1"	0.148(#2) 0.148(#5)	1.02	0.42	0.46	0.1	42
815-005-0018-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CS73#5, dl, Grids >= 1"	0.148(#2) 0.148(#5)	1.02	0.38	0.41	0.1	39
815-005-0019-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CS73#5, dl, SDL < 1"	0.148(#2) 0.148(#5)	1.02	0.42	0.46	0.1	42
815-005-0020-01	3mm, 1 1-4, CS73#2-arg95-CCI-arg95-CS73#5, dl, SDL >= 1"	0.148(#2) 0.148(#5)	1.02	0.38	0.41	0.1	39
815-005-0021-01	3mm, 7-8, CG70#2-arg97-GCl, ee	0.025(#2)	1.45	0.29	0.57	0.1	25
815-005-0022-01	3mm, 7-8, CG70#2-arg97-GCl, ee, Grids < 1"	0.025(#2)	1.45	0.26	0.51	0.1	23
815-005-0023-01	3mm, 7-8, CG70#2-arg97-GCl, ee, Grids >= 1"	0.025(#2)	1.45	0.24	0.45	0.1	22
815-005-0024-01	3mm, 7-8, CG70#2-arg97-GCl, ee, SDL < 1"	0.025(#2)	1.45	0.26	0.51	0.1	23
815-005-0025-01	3mm, 7-8, CG70#2-arg97-GCl, ee, SDL >= 1"	0.025(#2)	1.45	0.24	0.45	0.1	22

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0026-01	3mm, 7-8, GCl-arg97-8071#3, ee	0.082(#3)	1.55	0.59	0.67	0.1	40
815-005-0027-01	3mm, 7-8, GCl-arg97-8071#3, ee, Grids < 1"	0.082(#3)	1.55	0.53	0.60	0.1	36
815-005-0028-01	3mm, 7-8, GCl-arg97-8071#3, ee, Grids >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
815-005-0029-01	3mm, 7-8, GCl-arg97-8071#3, ee, SDL < 1"	0.082(#3)	1.55	0.53	0.60	0.1	36
815-005-0030-01	3mm, 7-8, GCl-arg97-8071#3, ee, SDL >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
815-005-0031-01	3mm, 7-8, GUCI-arg97-8071#3, ee	0.082(#3)	1.55	0.62	0.67	0.1	42
815-005-0032-01	3mm, 7-8, GUCI-arg97-8071#3, ee, Grids < 1"	0.082(#3)	1.55	0.56	0.60	0.1	38
815-005-0033-01	3mm, 7-8, GUCI-arg97-8071#3, ee, Grids >= 1"	0.082(#3)	1.55	0.50	0.54	0.1	35
815-005-0034-01	3mm, 7-8, GUCI-arg97-8071#3, ee, SDL < 1"	0.082(#3)	1.55	0.56	0.60	0.1	38
815-005-0035-01	3mm, 7-8, GUCI-arg97-8071#3, ee, SDL >= 1"	0.082(#3)	1.55	0.50	0.54	0.1	35
815-005-0036-01	3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee	0.082(#2) 0.082(#5)	0.93	0.49	0.59	0.1	48
815-005-0037-01	3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, Grids < 1"	0.082(#2) 0.082(#5)	0.93	0.44	0.53	0.1	45
815-005-0038-01	3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, Grids >= 1"	0.082(#2) 0.082(#5)	0.93	0.39	0.47	0.1	42
815-005-0039-01	3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, SDL < 1"	0.082(#2) 0.082(#5)	0.93	0.44	0.53	0.1	45
815-005-0040-01	3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, SDL >= 1"	0.082(#2) 0.082(#5)	0.93	0.39	0.47	0.1	42
815-005-0041-01	3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee	0.082(#2) 0.082(#5)	0.93	0.50	0.60	0.1	48
815-005-0042-01	3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, Grids < 1"	0.082(#2) 0.082(#5)	0.93	0.45	0.54	0.1	45
815-005-0043-01	3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, Grids >= 1"	0.082(#2) 0.082(#5)	0.93	0.40	0.48	0.1	43
815-005-0044-01	3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, SDL < 1"	0.082(#2) 0.082(#5)	0.93	0.45	0.54	0.1	45
815-005-0045-01	3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, SDL >= 1"	0.082(#2) 0.082(#5)	0.93	0.40	0.48	0.1	43
815-005-0046-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee	0.025(#2) 0.025(#5)	0.86	0.24	0.44	0.1	35
815-005-0047-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, Grids < 1"	0.025(#2) 0.025(#5)	0.86	0.22	0.39	0.1	34
815-005-0048-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, Grids >= 1"	0.025(#2) 0.025(#5)	0.86	0.20	0.35	0.1	33
815-005-0049-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, SDL < 1"	0.025(#2) 0.025(#5)	0.86	0.22	0.39	0.1	34
815-005-0050-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, SDL >= 1"	0.025(#2) 0.025(#5)	0.86	0.20	0.35	0.1	33
815-005-0051-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee	0.025(#2)	1.13	0.27	0.52	0.1	31
815-005-0052-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, Grids < 1"	0.025(#2)	1.13	0.24	0.47	0.1	29
815-005-0053-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, Grids >= 1"	0.025(#2)	1.13	0.22	0.42	0.1	28
815-005-0054-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, SDL < 1"	0.025(#2)	1.13	0.24	0.47	0.1	29
815-005-0055-01	3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, SDL >= 1"	0.025(#2)	1.13	0.22	0.42	0.1	28
815-005-0056-01	3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee	0.082(#5)	1.17	0.53	0.61	0.1	45
815-005-0057-01	3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, Grids < 1"	0.082(#5)	1.17	0.48	0.54	0.1	42
815-005-0058-01	3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, Grids >= 1"	0.082(#5)	1.17	0.43	0.48	0.1	39
815-005-0059-01	3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, SDL < 1"	0.082(#5)	1.17	0.48	0.54	0.1	42
815-005-0060-01	3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, SDL >= 1"	0.082(#5)	1.17	0.43	0.48	0.1	39
815-005-0061-01	3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee	0.082(#5)	1.17	0.58	0.62	0.1	48
815-005-0062-01	3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, Grids < 1"	0.082(#5)	1.17	0.52	0.56	0.1	44
815-005-0063-01	3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, Grids >= 1"	0.082(#5)	1.17	0.46	0.49	0.1	41
815-005-0064-01	3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, SDL < 1"	0.082(#5)	1.17	0.52	0.56	0.1	44
815-005-0065-01	3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, SDL >= 1"	0.082(#5)	1.17	0.46	0.49	0.1	41

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0066-01	3mm, 7-8, CG70#2-arg95-PCI, iu	0.025(#2)	1.47	0.29	0.57	0.1	24
815-005-0067-01	3mm, 7-8, CG70#2-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.47	0.26	0.51	0.1	23
815-005-0068-01	3mm, 7-8, CG70#2-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.47	0.24	0.46	0.1	21
815-005-0069-01	3mm, 7-8, CG70#2-arg95-PCI, iu, SDL < 1"	0.025(#2)	1.47	0.26	0.51	0.1	23
815-005-0070-01	3mm, 7-8, CG70#2-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.47	0.24	0.46	0.1	21
815-005-0071-01	3mm, 7-8, PCI-arg95-8071#3, iu	0.082(#3)	1.57	0.60	0.67	0.1	40
815-005-0072-01	3mm, 7-8, PCI-arg95-8071#3, iu, Grids < 1"	0.082(#3)	1.57	0.54	0.60	0.1	37
815-005-0073-01	3mm, 7-8, PCI-arg95-8071#3, iu, Grids >= 1"	0.082(#3)	1.57	0.48	0.53	0.1	33
815-005-0074-01	3mm, 7-8, PCI-arg95-8071#3, iu, SDL < 1"	0.082(#3)	1.57	0.54	0.60	0.1	37
815-005-0075-01	3mm, 7-8, PCI-arg95-8071#3, iu, SDL >= 1"	0.082(#3)	1.57	0.48	0.53	0.1	33
815-005-0076-01	3mm, 7-8, PCI-arg95-PTLUX#3, iu	0.082(#3)	1.57	0.62	0.66	0.1	41
815-005-0077-01	3mm, 7-8, PCI-arg95-PTLUX#3, iu, Grids < 1"	0.082(#3)	1.57	0.55	0.59	0.1	37
815-005-0078-01	3mm, 7-8, PCI-arg95-PTLUX#3, iu, Grids >= 1"	0.082(#3)	1.57	0.50	0.53	0.1	34
815-005-0079-01	3mm, 7-8, PCI-arg95-PTLUX#3, iu, SDL < 1"	0.082(#3)	1.57	0.55	0.59	0.1	37
815-005-0080-01	3mm, 7-8, PCI-arg95-PTLUX#3, iu, SDL >= 1"	0.082(#3)	1.57	0.50	0.53	0.1	34
815-005-0081-01	3mm, 7-8, PCI-arg95-SG400#3, iu	0.113(#3)	1.63	0.59	0.66	0.1	38
815-005-0082-01	3mm, 7-8, PCI-arg95-SG400#3, iu, Grids < 1"	0.113(#3)	1.63	0.53	0.59	0.1	35
815-005-0083-01	3mm, 7-8, PCI-arg95-SG400#3, iu, Grids >= 1"	0.113(#3)	1.63	0.48	0.52	0.1	32
815-005-0084-01	3mm, 7-8, PCI-arg95-SG400#3, iu, SDL < 1"	0.113(#3)	1.63	0.53	0.59	0.1	35
815-005-0085-01	3mm, 7-8, PCI-arg95-SG400#3, iu, SDL >= 1"	0.113(#3)	1.63	0.48	0.52	0.1	32
815-005-0086-01	3mm, 7-8, SB60#2-arg95-PCI, iu	0.035(#2)	1.49	0.33	0.61	0.1	26
815-005-0087-01	3mm, 7-8, SB60#2-arg95-PCI, iu, Grids < 1"	0.035(#2)	1.49	0.30	0.54	0.1	25
815-005-0088-01	3mm, 7-8, SB60#2-arg95-PCI, iu, Grids >= 1"	0.035(#2)	1.49	0.27	0.48	0.1	23
815-005-0089-01	3mm, 7-8, SB60#2-arg95-PCI, iu, SDL < 1"	0.035(#2)	1.49	0.30	0.54	0.1	25
815-005-0090-01	3mm, 7-8, SB60#2-arg95-PCI, iu, SDL >= 1"	0.035(#2)	1.49	0.27	0.48	0.1	23
815-005-0091-01	3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu	0.082(#2) 0.082(#5)	0.98	0.49	0.60	0.1	47
815-005-0092-01	3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	0.98	0.44	0.53	0.1	44
815-005-0093-01	3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.47	0.1	41
815-005-0094-01	3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, SDL < 1"	0.082(#2) 0.082(#5)	0.98	0.44	0.53	0.1	44
815-005-0095-01	3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.47	0.1	41
815-005-0096-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu	0.025(#2) 0.025(#5)	0.91	0.24	0.44	0.1	34
815-005-0097-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids < 1"	0.025(#2) 0.025(#5)	0.91	0.22	0.39	0.1	33
815-005-0098-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids >= 1"	0.025(#2) 0.025(#5)	0.91	0.20	0.35	0.1	31
815-005-0099-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, SDL < 1"	0.025(#2) 0.025(#5)	0.91	0.22	0.39	0.1	33
815-005-0100-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, SDL >= 1"	0.025(#2) 0.025(#5)	0.91	0.20	0.35	0.1	31
815-005-0101-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu	0.025(#2)	1.17	0.27	0.53	0.1	30
815-005-0102-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.17	0.25	0.47	0.1	29
815-005-0103-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.17	0.22	0.42	0.1	27
815-005-0104-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, SDL < 1"	0.025(#2)	1.17	0.25	0.47	0.1	29
815-005-0105-01	3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.17	0.22	0.42	0.1	27

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0106-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu	0.082(#5)	1.22	0.55	0.61	0.1	45
815-005-0107-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#5)	1.22	0.49	0.55	0.1	41
815-005-0108-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#5)	1.22	0.44	0.49	0.1	38
815-005-0109-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, SDL < 1"	0.082(#5)	1.22	0.49	0.55	0.1	41
815-005-0110-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#5)	1.22	0.44	0.49	0.1	38
815-005-0111-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu	0.082(#5)	1.22	0.56	0.61	0.1	45
815-005-0112-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, Grids < 1"	0.082(#5)	1.22	0.50	0.54	0.1	42
815-005-0113-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, Grids >= 1"	0.082(#5)	1.22	0.45	0.48	0.1	39
815-005-0114-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, SDL < 1"	0.082(#5)	1.22	0.50	0.54	0.1	42
815-005-0115-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, SDL >= 1"	0.082(#5)	1.22	0.45	0.48	0.1	39
815-005-0116-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu	0.113(#5)	1.25	0.54	0.60	0.1	44
815-005-0117-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, Grids < 1"	0.113(#5)	1.25	0.49	0.54	0.1	41
815-005-0118-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, Grids >= 1"	0.113(#5)	1.25	0.44	0.48	0.1	38
815-005-0119-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, SDL < 1"	0.113(#5)	1.25	0.49	0.54	0.1	41
815-005-0120-01	3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, SDL >= 1"	0.113(#5)	1.25	0.44	0.48	0.1	38
815-005-0121-01	3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu	0.082(#2) 0.082(#5)	0.98	0.50	0.58	0.1	47
815-005-0122-01	3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	0.98	0.45	0.52	0.1	44
815-005-0123-01	3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
815-005-0124-01	3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, SDL < 1"	0.082(#2) 0.082(#5)	0.98	0.45	0.52	0.1	44
815-005-0125-01	3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
815-005-0126-01	3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu	0.113(#2) 0.113(#5)	1.02	0.47	0.58	0.1	45
815-005-0127-01	3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, Grids < 1"	0.113(#2) 0.113(#5)	1.02	0.42	0.52	0.1	42
815-005-0128-01	3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, Grids >= 1"	0.113(#2) 0.113(#5)	1.02	0.38	0.46	0.1	39
815-005-0129-01	3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, SDL < 1"	0.113(#2) 0.113(#5)	1.02	0.42	0.52	0.1	42
815-005-0130-01	3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, SDL >= 1"	0.113(#2) 0.113(#5)	1.02	0.38	0.46	0.1	39
815-005-0131-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu	0.035(#2)	1.18	0.31	0.56	0.1	32
815-005-0132-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.035(#2)	1.18	0.28	0.50	0.1	30
815-005-0133-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.035(#2)	1.18	0.25	0.44	0.1	28
815-005-0134-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, SDL < 1"	0.035(#2)	1.18	0.28	0.50	0.1	30
815-005-0135-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.035(#2)	1.18	0.25	0.44	0.1	28
815-005-0136-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu	0.035(#2) 0.035(#5)	0.92	0.29	0.49	0.1	36
815-005-0137-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, Grids < 1"	0.035(#2) 0.035(#5)	0.92	0.26	0.44	0.1	35
815-005-0138-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, Grids >= 1"	0.035(#2) 0.035(#5)	0.92	0.23	0.39	0.1	33
815-005-0139-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, SDL < 1"	0.035(#2) 0.035(#5)	0.92	0.26	0.44	0.1	35
815-005-0140-01	3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, SDL >= 1"	0.035(#2) 0.035(#5)	0.92	0.23	0.39	0.1	33
815-005-0141-01	3mm, 7-8, CG70#2-arg95-GCl, ms	0.025(#2)	1.48	0.29	0.57	0.1	24
815-005-0142-01	3mm, 7-8, CG70#2-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.48	0.26	0.51	0.1	22
815-005-0143-01	3mm, 7-8, CG70#2-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.48	0.24	0.45	0.1	21
815-005-0144-01	3mm, 7-8, CG70#2-arg95-GCl, ms, SDL < 1"	0.025(#2)	1.48	0.26	0.51	0.1	22
815-005-0145-01	3mm, 7-8, CG70#2-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.48	0.24	0.45	0.1	21

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0146-01	3mm, 7-8, GCl-arg95-8071#3, ms	0.082(#3)	1.58	0.59	0.67	0.1	39
815-005-0147-01	3mm, 7-8, GCl-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.58	0.53	0.60	0.1	36
815-005-0148-01	3mm, 7-8, GCl-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.58	0.48	0.53	0.1	33
815-005-0149-01	3mm, 7-8, GCl-arg95-8071#3, ms, SDL < 1"	0.082(#3)	1.58	0.53	0.60	0.1	36
815-005-0150-01	3mm, 7-8, GCl-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.58	0.48	0.53	0.1	33
815-005-0151-01	3mm, 7-8, GUCI-arg95-8071#3, ms	0.082(#3)	1.58	0.62	0.67	0.1	41
815-005-0152-01	3mm, 7-8, GUCI-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.58	0.56	0.60	0.1	38
815-005-0153-01	3mm, 7-8, GUCI-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.58	0.50	0.54	0.1	34
815-005-0154-01	3mm, 7-8, GUCI-arg95-8071#3, ms, SDL < 1"	0.082(#3)	1.58	0.56	0.60	0.1	38
815-005-0155-01	3mm, 7-8, GUCI-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.58	0.50	0.54	0.1	34
815-005-0156-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms	0.082(#2) 0.082(#5)	0.96	0.49	0.59	0.1	47
815-005-0157-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	0.96	0.44	0.53	0.1	44
815-005-0158-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	0.96	0.39	0.47	0.1	41
815-005-0159-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, SDL < 1"	0.082(#2) 0.082(#5)	0.96	0.44	0.53	0.1	44
815-005-0160-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	0.96	0.39	0.47	0.1	41
815-005-0161-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms	0.025(#2) 0.025(#5)	0.88	0.24	0.44	0.1	34
815-005-0162-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids < 1"	0.025(#2) 0.025(#5)	0.88	0.22	0.39	0.1	33
815-005-0163-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids >= 1"	0.025(#2) 0.025(#5)	0.88	0.20	0.35	0.1	32
815-005-0164-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, SDL < 1"	0.025(#2) 0.025(#5)	0.88	0.22	0.39	0.1	33
815-005-0165-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, SDL >= 1"	0.025(#2) 0.025(#5)	0.88	0.20	0.35	0.1	32
815-005-0166-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms	0.025(#2)	1.15	0.27	0.52	0.1	30
815-005-0167-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.15	0.24	0.47	0.1	28
815-005-0168-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.15	0.22	0.42	0.1	27
815-005-0169-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, SDL < 1"	0.025(#2)	1.15	0.24	0.47	0.1	28
815-005-0170-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.15	0.22	0.42	0.1	27
815-005-0171-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms	0.082(#5)	1.19	0.53	0.61	0.1	44
815-005-0172-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#5)	1.19	0.48	0.54	0.1	41
815-005-0173-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#5)	1.19	0.43	0.48	0.1	39
815-005-0174-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, SDL < 1"	0.082(#5)	1.19	0.48	0.54	0.1	41
815-005-0175-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#5)	1.19	0.43	0.48	0.1	39
815-005-0176-01	3mm, 7-8, CG70#2-arg95-GCl, se	0.025(#2)	1.46	0.29	0.57	0.1	25
815-005-0177-01	3mm, 7-8, CG70#2-arg95-GCl, se, Grids < 1"	0.025(#2)	1.46	0.26	0.51	0.1	23
815-005-0178-01	3mm, 7-8, CG70#2-arg95-GCl, se, Grids >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
815-005-0179-01	3mm, 7-8, CG70#2-arg95-GCl, se, SDL < 1"	0.025(#2)	1.46	0.26	0.51	0.1	23
815-005-0180-01	3mm, 7-8, CG70#2-arg95-GCl, se, SDL >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
815-005-0181-01	3mm, 7-8, GCl-arg95-8071#3, se	0.082(#3)	1.56	0.59	0.67	0.1	40
815-005-0182-01	3mm, 7-8, GCl-arg95-8071#3, se, Grids < 1"	0.082(#3)	1.56	0.53	0.60	0.1	36
815-005-0183-01	3mm, 7-8, GCl-arg95-8071#3, se, Grids >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
815-005-0184-01	3mm, 7-8, GCl-arg95-8071#3, se, SDL < 1"	0.082(#3)	1.56	0.53	0.60	0.1	36
815-005-0185-01	3mm, 7-8, GCl-arg95-8071#3, se, SDL >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0186-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se	0.082(#2) 0.082(#5)	0.95	0.49	0.59	0.1	47
815-005-0187-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, Grids < 1"	0.082(#2) 0.082(#5)	0.95	0.44	0.53	0.1	44
815-005-0188-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, Grids >= 1"	0.082(#2) 0.082(#5)	0.95	0.39	0.47	0.1	42
815-005-0189-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, SDL < 1"	0.082(#2) 0.082(#5)	0.95	0.44	0.53	0.1	44
815-005-0190-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, SDL >= 1"	0.082(#2) 0.082(#5)	0.95	0.39	0.47	0.1	42
815-005-0191-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se	0.025(#2) 0.025(#5)	0.87	0.24	0.44	0.1	35
815-005-0192-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, Grids < 1"	0.025(#2) 0.025(#5)	0.87	0.22	0.39	0.1	33
815-005-0193-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, Grids >= 1"	0.025(#2) 0.025(#5)	0.87	0.20	0.35	0.1	32
815-005-0194-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, SDL < 1"	0.025(#2) 0.025(#5)	0.87	0.22	0.39	0.1	33
815-005-0195-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, SDL >= 1"	0.025(#2) 0.025(#5)	0.87	0.20	0.35	0.1	32
815-005-0196-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se	0.025(#2)	1.14	0.27	0.52	0.1	30
815-005-0197-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, Grids < 1"	0.025(#2)	1.14	0.24	0.47	0.1	29
815-005-0198-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, Grids >= 1"	0.025(#2)	1.14	0.22	0.42	0.1	28
815-005-0199-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, SDL < 1"	0.025(#2)	1.14	0.24	0.47	0.1	29
815-005-0200-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, SDL >= 1"	0.025(#2)	1.14	0.22	0.42	0.1	28
815-005-0201-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se	0.082(#5)	1.18	0.53	0.61	0.1	45
815-005-0202-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, Grids < 1"	0.082(#5)	1.18	0.48	0.54	0.1	42
815-005-0203-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, Grids >= 1"	0.082(#5)	1.18	0.43	0.48	0.1	39
815-005-0204-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, SDL < 1"	0.082(#5)	1.18	0.48	0.54	0.1	42
815-005-0205-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, SDL >= 1"	0.082(#5)	1.18	0.43	0.48	0.1	39
815-005-0206-01	3mm, 7-8, GCl-arg95-8071#3, sp	0.082(#3)	1.55	0.59	0.67	0.1	40
815-005-0207-01	3mm, 7-8, GCl-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.55	0.53	0.60	0.1	36
815-005-0208-01	3mm, 7-8, GCl-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
815-005-0209-01	3mm, 7-8, GCl-arg95-8071#3, sp, SDL < 1"	0.082(#3)	1.55	0.53	0.60	0.1	36
815-005-0210-01	3mm, 7-8, GCl-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
815-005-0211-01	3mm, 7-8, GUCI-arg95-8071#3, sp	0.082(#3)	1.55	0.62	0.67	0.1	42
815-005-0212-01	3mm, 7-8, GUCI-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.55	0.56	0.60	0.1	38
815-005-0213-01	3mm, 7-8, GUCI-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.55	0.50	0.54	0.1	35
815-005-0214-01	3mm, 7-8, GUCI-arg95-8071#3, sp, SDL < 1"	0.082(#3)	1.55	0.56	0.60	0.1	38
815-005-0215-01	3mm, 7-8, GUCI-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.55	0.50	0.54	0.1	35
815-005-0216-01	3mm, 7-8, 6227#2-arg95-IS20#4, ss	0.023(#2) 0.198(#4)	1.24	0.21	0.49	0.1	25
815-005-0217-01	3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids < 1"	0.023(#2) 0.198(#4)	1.24	0.19	0.44	0.1	24
815-005-0218-01	3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids >= 1"	0.023(#2) 0.198(#4)	1.24	0.17	0.39	0.1	22
815-005-0219-01	3mm, 7-8, 6227#2-arg95-IS20#4, ss, SDL < 1"	0.023(#2) 0.198(#4)	1.24	0.19	0.44	0.1	24
815-005-0220-01	3mm, 7-8, 6227#2-arg95-IS20#4, ss, SDL >= 1"	0.023(#2) 0.198(#4)	1.24	0.17	0.39	0.1	22
815-005-0221-01	3mm, 7-8, 6227#2-arg95-GCl, ss	0.023(#2)	1.45	0.21	0.51	0.1	20
815-005-0222-01	3mm, 7-8, 6227#2-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.45	0.19	0.45	0.1	19
815-005-0223-01	3mm, 7-8, 6227#2-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.45	0.17	0.40	0.1	18
815-005-0224-01	3mm, 7-8, 6227#2-arg95-GCl, ss, SDL < 1"	0.023(#2)	1.45	0.19	0.45	0.1	19
815-005-0225-01	3mm, 7-8, 6227#2-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.45	0.17	0.40	0.1	18

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0226-01	3mm, 7-8, 8071#2-arg95-IS20#4, ss	0.082(#2) 0.198(#4)	1.31	0.54	0.65	0.1	42
815-005-0227-01	3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids < 1"	0.082(#2) 0.198(#4)	1.31	0.48	0.58	0.1	39
815-005-0228-01	3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids >= 1"	0.082(#2) 0.198(#4)	1.31	0.43	0.51	0.1	36
815-005-0229-01	3mm, 7-8, 8071#2-arg95-IS20#4, ss, SDL < 1"	0.082(#2) 0.198(#4)	1.31	0.48	0.58	0.1	39
815-005-0230-01	3mm, 7-8, 8071#2-arg95-IS20#4, ss, SDL >= 1"	0.082(#2) 0.198(#4)	1.31	0.43	0.51	0.1	36
815-005-0231-01	3mm, 7-8, CG70#2-arg95-IS20#4, ss	0.025(#2) 0.198(#4)	1.24	0.28	0.55	0.1	29
815-005-0232-01	3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids < 1"	0.025(#2) 0.198(#4)	1.24	0.26	0.50	0.1	28
815-005-0233-01	3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids >= 1"	0.025(#2) 0.198(#4)	1.24	0.23	0.44	0.1	26
815-005-0234-01	3mm, 7-8, CG70#2-arg95-IS20#4, ss, SDL < 1"	0.025(#2) 0.198(#4)	1.24	0.26	0.50	0.1	28
815-005-0235-01	3mm, 7-8, CG70#2-arg95-IS20#4, ss, SDL >= 1"	0.025(#2) 0.198(#4)	1.24	0.23	0.44	0.1	26
815-005-0236-01	3mm, 7-8, CG70#2-arg95-GCl, ss	0.025(#2)	1.46	0.29	0.57	0.1	25
815-005-0237-01	3mm, 7-8, CG70#2-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.46	0.26	0.51	0.1	23
815-005-0238-01	3mm, 7-8, CG70#2-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
815-005-0239-01	3mm, 7-8, CG70#2-arg95-GCl, ss, SDL < 1"	0.025(#2)	1.46	0.26	0.51	0.1	23
815-005-0240-01	3mm, 7-8, CG70#2-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
815-005-0241-01	3mm, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.56	0.59	0.67	0.1	40
815-005-0242-01	3mm, 7-8, GCl-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.56	0.53	0.60	0.1	36
815-005-0243-01	3mm, 7-8, GCl-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
815-005-0244-01	3mm, 7-8, GCl-arg95-8071#3, ss, SDL < 1"	0.082(#3)	1.56	0.53	0.60	0.1	36
815-005-0245-01	3mm, 7-8, GCl-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
815-005-0246-01	3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss	0.023(#2) 0.023(#4)	0.79	0.16	0.33	0.1	32
815-005-0247-01	3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.023(#4)	0.79	0.14	0.30	0.1	31
815-005-0248-01	3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.023(#4)	0.79	0.13	0.27	0.1	30
815-005-0249-01	3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL < 1"	0.023(#2) 0.023(#4)	0.79	0.14	0.30	0.1	31
815-005-0250-01	3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.023(#4)	0.79	0.13	0.27	0.1	30
815-005-0251-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss	0.023(#2)	1.00	0.19	0.45	0.1	29
815-005-0252-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.023(#2)	1.00	0.18	0.40	0.1	28
815-005-0253-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.023(#2)	1.00	0.16	0.36	0.1	27
815-005-0254-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, SDL < 1"	0.023(#2)	1.00	0.18	0.40	0.1	28
815-005-0255-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.023(#2)	1.00	0.16	0.36	0.1	27
815-005-0256-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss	0.023(#2) 0.023(#5)	0.86	0.18	0.34	0.1	31
815-005-0257-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids < 1"	0.023(#2) 0.023(#5)	0.86	0.17	0.31	0.1	31
815-005-0258-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids >= 1"	0.023(#2) 0.023(#5)	0.86	0.15	0.27	0.1	30
815-005-0259-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, SDL < 1"	0.023(#2) 0.023(#5)	0.86	0.17	0.31	0.1	31
815-005-0260-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, SDL >= 1"	0.023(#2) 0.023(#5)	0.86	0.15	0.27	0.1	30
815-005-0261-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss	0.023(#2)	1.13	0.20	0.46	0.1	27
815-005-0262-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.13	0.18	0.41	0.1	25
815-005-0263-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.13	0.16	0.37	0.1	24
815-005-0264-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, SDL < 1"	0.023(#2)	1.13	0.18	0.41	0.1	25
815-005-0265-01	3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.13	0.16	0.37	0.1	24

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0266-01	3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss	0.082(#2) 0.082(#4)	0.86	0.46	0.58	0.1	48
815-005-0267-01	3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.082(#4)	0.86	0.42	0.52	0.1	45
815-005-0268-01	3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.082(#4)	0.86	0.37	0.46	0.1	42
815-005-0269-01	3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, SDL < 1"	0.082(#2) 0.082(#4)	0.86	0.42	0.52	0.1	45
815-005-0270-01	3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.082(#4)	0.86	0.37	0.46	0.1	42
815-005-0271-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss	0.082(#2)	1.06	0.49	0.59	0.1	45
815-005-0272-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.082(#2)	1.06	0.44	0.53	0.1	42
815-005-0273-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.082(#2)	1.06	0.40	0.47	0.1	40
815-005-0274-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, SDL < 1"	0.082(#2)	1.06	0.44	0.53	0.1	42
815-005-0275-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.082(#2)	1.06	0.40	0.47	0.1	40
815-005-0276-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	0.94	0.49	0.59	0.1	48
815-005-0277-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#2) 0.082(#5)	0.94	0.44	0.53	0.1	45
815-005-0278-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#2) 0.082(#5)	0.94	0.39	0.47	0.1	42
815-005-0279-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL < 1"	0.082(#2) 0.082(#5)	0.94	0.44	0.53	0.1	45
815-005-0280-01	3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#2) 0.082(#5)	0.94	0.39	0.47	0.1	42
815-005-0281-01	3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss	0.025(#2) 0.025(#4)	0.80	0.22	0.43	0.1	35
815-005-0282-01	3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.025(#4)	0.80	0.20	0.38	0.1	34
815-005-0283-01	3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.025(#4)	0.80	0.18	0.34	0.1	33
815-005-0284-01	3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL < 1"	0.025(#2) 0.025(#4)	0.80	0.20	0.38	0.1	34
815-005-0285-01	3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.025(#4)	0.80	0.18	0.34	0.1	33
815-005-0286-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss	0.025(#2)	1.01	0.26	0.51	0.1	33
815-005-0287-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.025(#2)	1.01	0.24	0.45	0.1	32
815-005-0288-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.025(#2)	1.01	0.22	0.40	0.1	30
815-005-0289-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, SDL < 1"	0.025(#2)	1.01	0.24	0.45	0.1	32
815-005-0290-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.025(#2)	1.01	0.22	0.40	0.1	30
815-005-0291-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss	0.025(#2) 0.025(#5)	0.86	0.24	0.44	0.1	35
815-005-0292-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids < 1"	0.025(#2) 0.025(#5)	0.86	0.22	0.39	0.1	34
815-005-0293-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids >= 1"	0.025(#2) 0.025(#5)	0.86	0.20	0.35	0.1	33
815-005-0294-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL < 1"	0.025(#2) 0.025(#5)	0.86	0.22	0.39	0.1	34
815-005-0295-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL >= 1"	0.025(#2) 0.025(#5)	0.86	0.20	0.35	0.1	33
815-005-0296-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss	0.025(#2)	1.13	0.27	0.52	0.1	31
815-005-0297-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.13	0.24	0.47	0.1	29
815-005-0298-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.13	0.22	0.42	0.1	28
815-005-0299-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, SDL < 1"	0.025(#2)	1.13	0.24	0.47	0.1	29
815-005-0300-01	3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.13	0.22	0.42	0.1	28
815-005-0301-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss	0.082(#5)	1.17	0.53	0.61	0.1	45
815-005-0302-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#5)	1.17	0.48	0.54	0.1	42
815-005-0303-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#5)	1.17	0.43	0.48	0.1	39
815-005-0304-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, SDL < 1"	0.082(#5)	1.17	0.48	0.54	0.1	42
815-005-0305-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#5)	1.17	0.43	0.48	0.1	39

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0306-01	3mm, 7-8, CG70#2-arg97-PCI, su	0.025(#2)	1.44	0.29	0.57	0.1	25
815-005-0307-01	3mm, 7-8, CG70#2-arg97-PCI, su, Grids < 1"	0.025(#2)	1.44	0.26	0.51	0.1	23
815-005-0308-01	3mm, 7-8, CG70#2-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.44	0.24	0.46	0.1	22
815-005-0309-01	3mm, 7-8, CG70#2-arg97-PCI, su, SDL < 1"	0.025(#2)	1.44	0.26	0.51	0.1	23
815-005-0310-01	3mm, 7-8, CG70#2-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.44	0.24	0.46	0.1	22
815-005-0311-01	3mm, 7-8, PCI-arg97-8071#3, su	0.082(#3)	1.54	0.60	0.67	0.1	41
815-005-0312-01	3mm, 7-8, PCI-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.54	0.54	0.60	0.1	37
815-005-0313-01	3mm, 7-8, PCI-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.54	0.48	0.53	0.1	34
815-005-0314-01	3mm, 7-8, PCI-arg97-8071#3, su, SDL < 1"	0.082(#3)	1.54	0.54	0.60	0.1	37
815-005-0315-01	3mm, 7-8, PCI-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.54	0.48	0.53	0.1	34
815-005-0316-01	3mm, 7-8, PCI-arg97-PTLUX#3, su	0.082(#3)	1.54	0.62	0.66	0.1	42
815-005-0317-01	3mm, 7-8, PCI-arg97-PTLUX#3, su, Grids < 1"	0.082(#3)	1.54	0.55	0.59	0.1	38
815-005-0318-01	3mm, 7-8, PCI-arg97-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.54	0.50	0.53	0.1	35
815-005-0319-01	3mm, 7-8, PCI-arg97-PTLUX#3, su, SDL < 1"	0.082(#3)	1.54	0.55	0.59	0.1	38
815-005-0320-01	3mm, 7-8, PCI-arg97-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.54	0.50	0.53	0.1	35
815-005-0321-01	3mm, 7-8, PCI-arg97-SG400#3, su	0.113(#3)	1.59	0.59	0.66	0.1	39
815-005-0322-01	3mm, 7-8, PCI-arg97-SG400#3, su, Grids < 1"	0.113(#3)	1.59	0.53	0.59	0.1	36
815-005-0323-01	3mm, 7-8, PCI-arg97-SG400#3, su, Grids >= 1"	0.113(#3)	1.59	0.48	0.52	0.1	33
815-005-0324-01	3mm, 7-8, PCI-arg97-SG400#3, su, SDL < 1"	0.113(#3)	1.59	0.53	0.59	0.1	36
815-005-0325-01	3mm, 7-8, PCI-arg97-SG400#3, su, SDL >= 1"	0.113(#3)	1.59	0.48	0.52	0.1	33
815-005-0326-01	3mm, 1, PTOne#2-arg95-PLUX, su	0.029(#2)	1.47	0.37	0.59	0.1	29
815-005-0327-01	3mm, 1, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.47	0.34	0.53	0.1	27
815-005-0328-01	3mm, 1, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.47	0.30	0.47	0.1	25
815-005-0329-01	3mm, 1, PTOne#2-arg95-PLUX, su, SDL < 1"	0.029(#2)	1.47	0.34	0.53	0.1	27
815-005-0330-01	3mm, 1, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.47	0.30	0.47	0.1	25
815-005-0331-01	3mm, 7-8, PTOne#2-arg95-PLUX, su	0.029(#2)	1.45	0.37	0.59	0.1	29
815-005-0332-01	3mm, 7-8, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.45	0.34	0.53	0.1	28
815-005-0333-01	3mm, 7-8, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.45	0.30	0.47	0.1	25
815-005-0334-01	3mm, 7-8, PTOne#2-arg95-PLUX, su, SDL < 1"	0.029(#2)	1.45	0.34	0.53	0.1	28
815-005-0335-01	3mm, 7-8, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.45	0.30	0.47	0.1	25
815-005-0336-01	3mm, 1, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.57	0.61	0.66	0.1	41
815-005-0337-01	3mm, 1, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.57	0.55	0.59	0.1	37
815-005-0338-01	3mm, 1, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.57	0.49	0.52	0.1	34
815-005-0339-01	3mm, 1, PLUX-arg95-PTLUX#3, su, SDL < 1"	0.082(#3)	1.57	0.55	0.59	0.1	37
815-005-0340-01	3mm, 1, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.57	0.49	0.52	0.1	34
815-005-0341-01	3mm, 7-8, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.55	0.61	0.66	0.1	41
815-005-0342-01	3mm, 7-8, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.55	0.55	0.59	0.1	38
815-005-0343-01	3mm, 7-8, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.55	0.49	0.52	0.1	34
815-005-0344-01	3mm, 7-8, PLUX-arg95-PTLUX#3, su, SDL < 1"	0.082(#3)	1.55	0.55	0.59	0.1	38
815-005-0345-01	3mm, 7-8, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.55	0.49	0.52	0.1	34

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0346-01	3mm, 7-8, SB60#2-arg97-PCI, su	0.035(#2)	1.46	0.33	0.61	0.1	27
815-005-0347-01	3mm, 7-8, SB60#2-arg97-PCI, su, Grids < 1"	0.035(#2)	1.46	0.30	0.54	0.1	25
815-005-0348-01	3mm, 7-8, SB60#2-arg97-PCI, su, Grids >= 1"	0.035(#2)	1.46	0.27	0.48	0.1	23
815-005-0349-01	3mm, 7-8, SB60#2-arg97-PCI, su, SDL < 1"	0.035(#2)	1.46	0.30	0.54	0.1	25
815-005-0350-01	3mm, 7-8, SB60#2-arg97-PCI, su, SDL >= 1"	0.035(#2)	1.46	0.27	0.48	0.1	23
815-005-0351-01	3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su	0.082(#2) 0.082(#5)	0.97	0.49	0.60	0.1	47
815-005-0352-01	3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#2) 0.082(#5)	0.97	0.44	0.53	0.1	44
815-005-0353-01	3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	0.97	0.40	0.47	0.1	42
815-005-0354-01	3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, SDL < 1"	0.082(#2) 0.082(#5)	0.97	0.44	0.53	0.1	44
815-005-0355-01	3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	0.97	0.40	0.47	0.1	42
815-005-0356-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su	0.025(#2) 0.025(#5)	0.90	0.24	0.44	0.1	34
815-005-0357-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids < 1"	0.025(#2) 0.025(#5)	0.90	0.22	0.39	0.1	33
815-005-0358-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids >= 1"	0.025(#2) 0.025(#5)	0.90	0.20	0.35	0.1	32
815-005-0359-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, SDL < 1"	0.025(#2) 0.025(#5)	0.90	0.22	0.39	0.1	33
815-005-0360-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, SDL >= 1"	0.025(#2) 0.025(#5)	0.90	0.20	0.35	0.1	32
815-005-0361-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su	0.025(#2)	1.16	0.27	0.53	0.1	30
815-005-0362-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.025(#2)	1.16	0.25	0.47	0.1	29
815-005-0363-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.16	0.22	0.42	0.1	27
815-005-0364-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, SDL < 1"	0.025(#2)	1.16	0.25	0.47	0.1	29
815-005-0365-01	3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.16	0.22	0.42	0.1	27
815-005-0366-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su	0.082(#5)	1.21	0.55	0.61	0.1	45
815-005-0367-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#5)	1.21	0.49	0.55	0.1	42
815-005-0368-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#5)	1.21	0.44	0.49	0.1	39
815-005-0369-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, SDL < 1"	0.082(#5)	1.21	0.49	0.55	0.1	42
815-005-0370-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#5)	1.21	0.44	0.49	0.1	39
815-005-0371-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su	0.082(#5)	1.21	0.56	0.61	0.1	46
815-005-0372-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, Grids < 1"	0.082(#5)	1.21	0.50	0.54	0.1	42
815-005-0373-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.21	0.45	0.48	0.1	39
815-005-0374-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, SDL < 1"	0.082(#5)	1.21	0.50	0.54	0.1	42
815-005-0375-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.21	0.45	0.48	0.1	39
815-005-0376-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su	0.113(#5)	1.24	0.54	0.60	0.1	44
815-005-0377-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, Grids < 1"	0.113(#5)	1.24	0.49	0.54	0.1	41
815-005-0378-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, Grids >= 1"	0.113(#5)	1.24	0.44	0.48	0.1	38
815-005-0379-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, SDL < 1"	0.113(#5)	1.24	0.49	0.54	0.1	41
815-005-0380-01	3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, SDL >= 1"	0.113(#5)	1.24	0.44	0.48	0.1	38
815-005-0381-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su	0.029(#2)	1.17	0.35	0.54	0.1	34
815-005-0382-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.17	0.32	0.49	0.1	33
815-005-0383-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.17	0.28	0.43	0.1	30
815-005-0384-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL < 1"	0.029(#2)	1.17	0.32	0.49	0.1	33
815-005-0385-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.17	0.28	0.43	0.1	30

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0386-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su	0.029(#2) 0.029(#5)	0.91	0.29	0.47	0.1	37
815-005-0387-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids < 1"	0.029(#2) 0.029(#5)	0.91	0.26	0.42	0.1	35
815-005-0388-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids >= 1"	0.029(#2) 0.029(#5)	0.91	0.24	0.38	0.1	34
815-005-0389-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL < 1"	0.029(#2) 0.029(#5)	0.91	0.26	0.42	0.1	35
815-005-0390-01	3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL >= 1"	0.029(#2) 0.029(#5)	0.91	0.24	0.38	0.1	34
815-005-0391-01	3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su	0.082(#5)	1.21	0.55	0.60	0.1	45
815-005-0392-01	3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#5)	1.21	0.49	0.54	0.1	42
815-005-0393-01	3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.21	0.44	0.48	0.1	39
815-005-0394-01	3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL < 1"	0.082(#5)	1.21	0.49	0.54	0.1	42
815-005-0395-01	3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.21	0.44	0.48	0.1	39
815-005-0396-01	3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su	0.082(#2) 0.082(#5)	0.97	0.50	0.58	0.1	47
815-005-0397-01	3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	0.97	0.45	0.52	0.1	45
815-005-0398-01	3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	0.97	0.40	0.46	0.1	42
815-005-0399-01	3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, SDL < 1"	0.082(#2) 0.082(#5)	0.97	0.45	0.52	0.1	45
815-005-0400-01	3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	0.97	0.40	0.46	0.1	42
815-005-0401-01	3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su	0.082(#2) 0.082(#5)	0.98	0.49	0.58	0.1	47
815-005-0402-01	3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	0.98	0.45	0.52	0.1	44
815-005-0403-01	3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
815-005-0404-01	3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL < 1"	0.082(#2) 0.082(#5)	0.98	0.45	0.52	0.1	44
815-005-0405-01	3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
815-005-0406-01	3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su	0.113(#2) 0.113(#5)	1.01	0.47	0.58	0.1	45
815-005-0407-01	3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, Grids < 1"	0.113(#2) 0.113(#5)	1.01	0.42	0.52	0.1	42
815-005-0408-01	3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, Grids >= 1"	0.113(#2) 0.113(#5)	1.01	0.38	0.46	0.1	40
815-005-0409-01	3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, SDL < 1"	0.113(#2) 0.113(#5)	1.01	0.42	0.52	0.1	42
815-005-0410-01	3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, SDL >= 1"	0.113(#2) 0.113(#5)	1.01	0.38	0.46	0.1	40
815-005-0411-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su	0.035(#2)	1.17	0.31	0.56	0.1	32
815-005-0412-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.035(#2)	1.17	0.28	0.50	0.1	30
815-005-0413-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.035(#2)	1.17	0.25	0.44	0.1	29
815-005-0414-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, SDL < 1"	0.035(#2)	1.17	0.28	0.50	0.1	30
815-005-0415-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.035(#2)	1.17	0.25	0.44	0.1	29
815-005-0416-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su	0.035(#2) 0.035(#5)	0.91	0.29	0.49	0.1	37
815-005-0417-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, Grids < 1"	0.035(#2) 0.035(#5)	0.91	0.26	0.44	0.1	35
815-005-0418-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, Grids >= 1"	0.035(#2) 0.035(#5)	0.91	0.23	0.39	0.1	33
815-005-0419-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, SDL < 1"	0.035(#2) 0.035(#5)	0.91	0.26	0.44	0.1	35
815-005-0420-01	3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, SDL >= 1"	0.035(#2) 0.035(#5)	0.91	0.23	0.39	0.1	33
815-005-0421-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms	0.042(#2) 0.042(#5)	0.91	0.29	0.48	0.1	37
815-005-0422-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, Grids < 1"	0.042(#2) 0.042(#5)	0.91	0.27	0.43	0.1	35
815-005-0423-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, Grids >= 1"	0.042(#2) 0.042(#5)	0.91	0.24	0.38	0.1	34
815-005-0424-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, SDL < 1"	0.042(#2) 0.042(#5)	0.91	0.27	0.43	0.1	35
815-005-0425-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, SDL >= 1"	0.042(#2) 0.042(#5)	0.91	0.24	0.38	0.1	34

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0426-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms	0.042(#2)	1.17	0.32	0.54	0.1	33
815-005-0427-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, Grids < 1"	0.042(#2)	1.17	0.29	0.49	0.1	31
815-005-0428-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, Grids >= 1"	0.042(#2)	1.17	0.26	0.43	0.1	29
815-005-0429-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, SDL < 1"	0.042(#2)	1.17	0.29	0.49	0.1	31
815-005-0430-01	3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, SDL >= 1"	0.042(#2)	1.17	0.26	0.43	0.1	29
815-005-0431-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms	0.164(#5)	1.27	0.56	0.58	0.1	44
815-005-0432-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, Grids < 1"	0.164(#5)	1.27	0.50	0.52	0.1	41
815-005-0433-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, Grids >= 1"	0.164(#5)	1.27	0.45	0.46	0.1	38
815-005-0434-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, SDL < 1"	0.164(#5)	1.27	0.50	0.52	0.1	41
815-005-0435-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, SDL >= 1"	0.164(#5)	1.27	0.45	0.46	0.1	38
815-005-0436-01	3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms	0.164(#2) 0.164(#5)	1.06	0.51	0.55	0.1	46
815-005-0437-01	3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, Grids < 1"	0.164(#2) 0.164(#5)	1.06	0.46	0.49	0.1	43
815-005-0438-01	3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, Grids >= 1"	0.164(#2) 0.164(#5)	1.06	0.41	0.44	0.1	40
815-005-0439-01	3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, SDL < 1"	0.164(#2) 0.164(#5)	1.06	0.46	0.49	0.1	43
815-005-0440-01	3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, SDL >= 1"	0.164(#2) 0.164(#5)	1.06	0.41	0.44	0.1	40
815-005-0441-01	3mm, 7-8, 272#2-arg95-GCl, sp	0.042(#2)	1.48	0.34	0.60	0.1	27
815-005-0442-01	3mm, 7-8, 272#2-arg95-GCl, sp, Grids < 1"	0.042(#2)	1.48	0.31	0.53	0.1	25
815-005-0443-01	3mm, 7-8, 272#2-arg95-GCl, sp, Grids >= 1"	0.042(#2)	1.48	0.28	0.47	0.1	24
815-005-0444-01	3mm, 7-8, 272#2-arg95-GCl, sp, SDL < 1"	0.042(#2)	1.48	0.31	0.53	0.1	25
815-005-0445-01	3mm, 7-8, 272#2-arg95-GCl, sp, SDL >= 1"	0.042(#2)	1.48	0.28	0.47	0.1	24
815-005-0446-01	3mm, 7-8, GCl-arg95-LOF#3, sp	0.164(#3)	1.68	0.62	0.64	0.1	39
815-005-0447-01	3mm, 7-8, GCl-arg95-LOF#3, sp, Grids < 1"	0.164(#3)	1.68	0.56	0.57	0.1	35
815-005-0448-01	3mm, 7-8, GCl-arg95-LOF#3, sp, Grids >= 1"	0.164(#3)	1.68	0.50	0.51	0.1	32
815-005-0449-01	3mm, 7-8, GCl-arg95-LOF#3, sp, SDL < 1"	0.164(#3)	1.68	0.56	0.57	0.1	35
815-005-0450-01	3mm, 7-8, GCl-arg95-LOF#3, sp, SDL >= 1"	0.164(#3)	1.68	0.50	0.51	0.1	32
815-005-0451-01	3mm, 7-8, GCl-arg95-8071#3, dl	0.082(#3)	1.56	0.59	0.67	0.1	40
815-005-0452-01	3mm, 7-8, GCl-arg95-8071#3, dl, Grids < 1"	0.082(#3)	1.56	0.53	0.60	0.1	36
815-005-0453-01	3mm, 7-8, GCl-arg95-8071#3, dl, Grids >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
815-005-0454-01	3mm, 7-8, GCl-arg95-8071#3, dl, SDL < 1"	0.082(#3)	1.56	0.53	0.60	0.1	36
815-005-0455-01	3mm, 7-8, GCl-arg95-8071#3, dl, SDL >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
815-005-0456-01	3mm, 7-8, GCl-arg95-LOF#3, dl	0.164(#3)	1.70	0.62	0.64	0.1	38
815-005-0457-01	3mm, 7-8, GCl-arg95-LOF#3, dl, Grids < 1"	0.164(#3)	1.70	0.56	0.57	0.1	35
815-005-0458-01	3mm, 7-8, GCl-arg95-LOF#3, dl, Grids >= 1"	0.164(#3)	1.70	0.50	0.51	0.1	31
815-005-0459-01	3mm, 7-8, GCl-arg95-LOF#3, dl, SDL < 1"	0.164(#3)	1.70	0.56	0.57	0.1	35
815-005-0460-01	3mm, 7-8, GCl-arg95-LOF#3, dl, SDL >= 1"	0.164(#3)	1.70	0.50	0.51	0.1	31
815-005-0461-01	3mm, 7-8, GCl-arg95-LOF#3, ms	0.164(#3)	1.71	0.62	0.64	0.1	38
815-005-0462-01	3mm, 7-8, GCl-arg95-LOF#3, ms, Grids < 1"	0.164(#3)	1.71	0.56	0.57	0.1	35
815-005-0463-01	3mm, 7-8, GCl-arg95-LOF#3, ms, Grids >= 1"	0.164(#3)	1.71	0.50	0.51	0.1	31
815-005-0464-01	3mm, 7-8, GCl-arg95-LOF#3, ms, SDL < 1"	0.164(#3)	1.71	0.56	0.57	0.1	35
815-005-0465-01	3mm, 7-8, GCl-arg95-LOF#3, ms, SDL >= 1"	0.164(#3)	1.71	0.50	0.51	0.1	31

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
815-005-0466-01	3mm, 3-4, CUCI-arg95-CS73#3, dl	0.148(#3)	1.65	0.62	0.62	0.1	39
815-005-0467-01	3mm, 3-4, CUCI-arg95-CS73#3, dl, Grids < 1"	0.148(#3)	1.65	0.56	0.56	0.1	36
815-005-0468-01	3mm, 3-4, CUCI-arg95-CS73#3, dl, Grids >= 1"	0.148(#3)	1.65	0.50	0.49	0.1	33
815-005-0469-01	3mm, 3-4, CUCI-arg95-CS73#3, dl, SDL < 1"	0.148(#3)	1.65	0.56	0.56	0.1	36
815-005-0470-01	3mm, 3-4, CUCI-arg95-CS73#3, dl, SDL >= 1"	0.148(#3)	1.65	0.50	0.49	0.1	33
815-005-0471-01	3mm, 7-8, STCI-arg97-SG400#3, su	0.113(#3)	1.59	0.61	0.66	0.1	40
815-005-0472-01	3mm, 7-8, STCI-arg97-SG400#3, su, Grids < 1"	0.113(#3)	1.59	0.55	0.59	0.1	37
815-005-0473-01	3mm, 7-8, STCI-arg97-SG400#3, su, Grids >= 1"	0.113(#3)	1.59	0.49	0.53	0.1	33
815-005-0474-01	3mm, 7-8, STCI-arg97-SG400#3, su, SDL < 1"	0.113(#3)	1.59	0.55	0.59	0.1	37
815-005-0475-01	3mm, 7-8, STCI-arg97-SG400#3, su, SDL >= 1"	0.113(#3)	1.59	0.49	0.53	0.1	33
815-005-0476-01	3mm, 7-8, GUCI-arg95-LOF#3, sp	0.164(#3)	1.68	0.65	0.64	0.1	41
815-005-0477-01	3mm, 7-8, GUCI-arg95-LOF#3, sp, Grids < 1"	0.164(#3)	1.68	0.59	0.58	0.1	37
815-005-0478-01	3mm, 7-8, GUCI-arg95-LOF#3, sp, Grids >= 1"	0.164(#3)	1.68	0.52	0.51	0.1	33
815-005-0479-01	3mm, 7-8, GUCI-arg95-LOF#3, sp, SDL < 1"	0.164(#3)	1.68	0.59	0.58	0.1	37
815-005-0480-01	3mm, 7-8, GUCI-arg95-LOF#3, sp, SDL >= 1"	0.164(#3)	1.68	0.52	0.51	0.1	33
815-005-0481-01	3mm, 1 1-4, PCI-arg95-8071#3-arg95-8071#5, iu	0.082(#3) 0.082(#5)	0.98	0.52	0.60	0.1	48
815-005-0482-01	3mm, 1 1-4, PCI-arg95-8071#3-arg95-8071#5, iu, Grids < 1"	0.082(#3) 0.082(#5)	0.98	0.47	0.53	0.1	45
815-005-0483-01	3mm, 1 1-4, PCI-arg95-8071#3-arg95-8071#5, iu, Grids >= 1"	0.082(#3) 0.082(#5)	0.98	0.42	0.47	0.1	43
815-005-0484-01	3mm, 1 1-4, PCI-arg95-8071#3-arg95-8071#5, iu, SDL < 1"	0.082(#3) 0.082(#5)	0.98	0.47	0.53	0.1	45
815-005-0485-01	3mm, 1 1-4, PCI-arg95-8071#3-arg95-8071#5, iu, SDL >= 1"	0.082(#3) 0.082(#5)	0.98	0.42	0.47	0.1	43
815-005-0486-01	3mm, 1 1-4, PCI-arg95-PTLUX#3-arg95-PTLUX#5, iu	0.082(#3) 0.082(#5)	0.98	0.53	0.58	0.1	49
815-005-0487-01	3mm, 1 1-4, PCI-arg95-PTLUX#3-arg95-PTLUX#5, iu, Grids < 1"	0.082(#3) 0.082(#5)	0.98	0.48	0.52	0.1	46
815-005-0488-01	3mm, 1 1-4, PCI-arg95-PTLUX#3-arg95-PTLUX#5, iu, Grids >= 1"	0.082(#3) 0.082(#5)	0.98	0.43	0.46	0.1	43
815-005-0489-01	3mm, 1 1-4, PCI-arg95-PTLUX#3-arg95-PTLUX#5, iu, SDL < 1"	0.082(#3) 0.082(#5)	0.98	0.48	0.52	0.1	46
815-005-0490-01	3mm, 1 1-4, PCI-arg95-PTLUX#3-arg95-PTLUX#5, iu, SDL >= 1"	0.082(#3) 0.082(#5)	0.98	0.43	0.46	0.1	43
815-005-0491-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, ms	0.082(#3) 0.082(#5)	0.96	0.51	0.59	0.1	48
815-005-0492-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, ms, Grids < 1"	0.082(#3) 0.082(#5)	0.96	0.46	0.53	0.1	45
815-005-0493-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, ms, Grids >= 1"	0.082(#3) 0.082(#5)	0.96	0.41	0.47	0.1	42
815-005-0494-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, ms, SDL < 1"	0.082(#3) 0.082(#5)	0.96	0.46	0.53	0.1	45
815-005-0495-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, ms, SDL >= 1"	0.082(#3) 0.082(#5)	0.96	0.41	0.47	0.1	42
815-005-0496-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, se	0.082(#3) 0.082(#5)	0.95	0.51	0.59	0.1	48
815-005-0497-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, se, Grids < 1"	0.082(#3) 0.082(#5)	0.95	0.46	0.53	0.1	46
815-005-0498-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, se, Grids >= 1"	0.082(#3) 0.082(#5)	0.95	0.41	0.47	0.1	43
815-005-0499-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, se, SDL < 1"	0.082(#3) 0.082(#5)	0.95	0.46	0.53	0.1	46
815-005-0500-01	3mm, 1 1-4, GCI-arg95-8071#3-arg95-8071#5, se, SDL >= 1"	0.082(#3) 0.082(#5)	0.95	0.41	0.47	0.1	43
815-005-0501-01	3mm, 1 1-4, PCI-arg97-SG400#3-arg97-SG400#5, su	0.113(#3) 0.113(#5)	1.01	0.50	0.58	0.1	47
815-005-0502-01	3mm, 1 1-4, PCI-arg97-SG400#3-arg97-SG400#5, su, Grids < 1"	0.113(#3) 0.113(#5)	1.01	0.45	0.52	0.1	44
815-005-0503-01	3mm, 1 1-4, PCI-arg97-SG400#3-arg97-SG400#5, su, Grids >= 1"	0.113(#3) 0.113(#5)	1.01	0.41	0.46	0.1	41
815-005-0504-01	3mm, 1 1-4, PCI-arg97-SG400#3-arg97-SG400#5, su, SDL < 1"	0.113(#3) 0.113(#5)	1.01	0.45	0.52	0.1	44
815-005-0505-01	3mm, 1 1-4, PCI-arg97-SG400#3-arg97-SG400#5, su, SDL >= 1"	0.113(#3) 0.113(#5)	1.01	0.41	0.46	0.1	41

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com