

Notice of Product Certification

CERTIFICATION NO.: 839-012
INITIAL CERTIFICATION DATE: September 27, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL21004-43-C_SFIXD-P
SPECIFICATION: CSA A440.2-22

COMPANY: Profenex
CODE: 839-1
EXPIRATION DATE: November 15, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03741-C1 Rev. 4

PRODUCT/SERIES NAME: Petit Fixe PVC **OPERATOR TYPE:** FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
839-012-0001-01	GL_3mm_7/8_PCI-arg95-LOF iu	0.164(#3)	1.69	0.64	0.65	0.0	40
839-012-0002-01	GL_3mm_7/8_PCI-arg95-SG400 iu	0.113(#3)	1.61	0.60	0.66	0.0	39
839-012-0003-01	GL_3mm_7/8_PCI-arg95-8071 iu	0.082(#3)	1.56	0.61	0.68	0.0	41
839-012-0004-01	GL_3mm_7/8_STCI-arg95-SG400 iu	0.113(#3)	1.61	0.61	0.67	0.0	40
839-012-0005-01	GL_3mm_7/8_STCI-arg95-8071 iu	0.082(#3)	1.56	0.62	0.68	0.0	42
839-012-0006-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-LOF iu	0.164(#5)	1.28	0.58	0.59	0.0	45
839-012-0007-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400 iu	0.113(#5)	1.23	0.55	0.61	0.0	45
839-012-0008-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu	0.082(#5)	1.20	0.55	0.62	0.0	45
839-012-0009-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400 iu	0.113(#2) 0.113(#5)	1.01	0.47	0.58	0.0	45
839-012-0010-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071 iu	0.082(#2) 0.082(#5)	0.97	0.50	0.60	0.0	48
839-012-0011-01	GL_3mm_1 1/4_SB60-arg95-PCI-arg95-SB60 iu	0.035(#2) 0.035(#5)	0.90	0.29	0.49	0.0	37
839-012-0012-01	GL_3mm_1 1/4_LOF-arg95-PCI-arg95-LOF iu	0.164(#2) 0.164(#5)	1.07	0.51	0.55	0.0	46
839-012-0013-01	GL_3mm_7/8_PCI-arg95-LOF su	0.164(#3)	1.67	0.64	0.65	0.0	40
839-012-0014-01	GL_3mm_7/8_PCI-arg95-SG400 su	0.113(#3)	1.59	0.60	0.66	0.0	40
839-012-0015-01	GL_3mm_7/8_PCI-arg95-8071 su	0.082(#3)	1.53	0.61	0.68	0.0	42
839-012-0016-01	GL_3mm_7/8_STCI-arg95-SG400 su	0.113(#3)	1.59	0.61	0.67	0.0	40
839-012-0017-01	GL_3mm_7/8_STCI-arg95-8071 su	0.082(#3)	1.53	0.62	0.68	0.0	42
839-012-0018-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-LOF su	0.164(#5)	1.24	0.58	0.59	0.0	46
839-012-0019-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400 su	0.113(#5)	1.19	0.55	0.61	0.0	46
839-012-0020-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071 su	0.082(#5)	1.16	0.55	0.62	0.0	46
839-012-0021-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400 su	0.113(#2) 0.113(#5)	0.96	0.47	0.58	0.0	46
839-012-0022-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071 su	0.082(#2) 0.082(#5)	0.92	0.50	0.60	0.0	49
839-012-0023-01	GL_3mm_1 1/4_SB60-arg95-PCI-arg95-SB60 su	0.035(#2) 0.035(#5)	0.86	0.29	0.49	0.0	38
839-012-0024-01	GL_3mm_1 1/4_LOF-arg95-PCI-arg95-LOF su	0.164(#2) 0.164(#5)	1.03	0.51	0.55	0.0	47

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com