## NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015782.11

**DATE:** <u>09/22/2023</u>

CERTIFICATION PROGRAM: <u>Structural</u>
COMPANY: Linea Rossa

CODE: <u>2749-1</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <a href="www.namicertification.com">www.namicertification.com</a>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Linea Rossa Windows and Doors	Series "LRWAD-280"
1850 Northwest 84th Avenue, Suite 114	Aluminum Sliding Glass Door &
Doral, FL 33126	Lift & Slide System
	Configuration: OXXO
	Glazing: IG- 1/4" Heat Strengthened Glass/0.060" Kuraray PVB Interlayer/1/4" Heat Strengthened Glass
	IG - 1/4" Heat Strengthened Glass/1/4" Heat Strengthened Glass/0.060" Kuraray PVB Interlayer/1/4" Heat Strengthened Glass
	IG - 1/4" Tempered Glass/0.060" Kuraray PVB Interlayer/1/4" Tempered Glass
	Frame: W-6220mm(244.88") H-3048mm(120")
	Panel: W-1562mm(61.50") H-2972mm(117")
	DLO: W-1414mm(55.69") H-2794mm(110")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±3840 Pa (±80 psf) Large Missile Impact Rated

Product Tested By: QAI Laboratories

Report No: 13308

Expiration Date: April 30, 2027

Administrator's Signature:

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

> Tel: (804) 684-5124 Email: nami@namiinc.com

NOPC -03/30/2023