

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015848.05  
**DATE:** 09/22/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Linea Rossa  
**CODE:** 2749-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Linea Rossa Windows and Doors</b> <b>1850 Northwest 84th Avenue, Suite 114</b> <b>Doral, FL 33126</b>	<b>Series "LRWAD-530F"</b> <b>Aluminum Fixed Window</b> <b>(Thermally Broken)</b>  Configuration: O Glazing: IG - 5/32" Heat Strengthened Glass/5/32" Heat Strengthened Glass/0.090" SentryGlass Plus Interlayer/5/32" Heat Strengthened Glass  Frame: W-1067mm(42") H-2286mm(90") DLO: W-953mm(37.5") H-2172mm(85.5")

SPECIFICATION	PRODUCT RATING
<b>ASTM E1886-13a/19</b> <b>ASTM E1996-17/20</b> <b>TAS 201/202/203-94</b>	<b>Design Pressure: ±3840 Pa (±80 psf)</b> <b>Water Penetration Resistance Test Pressure: 646 Pa (13.5 psf)</b> <b>Wind Zone 4 - Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: QAI Laboratories  
Report No: 13123  
Expiration Date: August 31, 2026

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)