

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015871-R2
DATE: 09/11/2023
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 04/18/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView® Flange Single Hung Vinyl Window Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1207mm(47.5") H-2019mm(79.5") Sash: W-1137mm(44.75") H-1003mm(38.75") DLO: W-1048mm(41.25") H-914mm(36")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class R-PG35 1207 x 2019 (48 x 80)-H Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 360 pa (7.50 psf)

Product Tested By: Intertek, PLC
Report No: D9107.01-550-47/W-2117/W-2119
Expiration Date: **December 31, 2027**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023