

# Notice of Product Certification

CERTIFICATION NO.: 1171-005  
 INITIAL CERTIFICATION DATE: October 3, 2023  
 REVISION DATE: N/A  
 REPORT NUMBER: GNI22006-40-C\_EDSL-a-R1  
 SPECIFICATION: CSA A440.2-22

COMPANY: Auroral Portes et Fenêtres  
 CODE: 1171-1  
 EXPIRATION DATE: April 4, 2028  
 PRODUCT SIMULATED BY: Veridis Solutions  
 AIR LEAKAGE REPORT NO.: AI-04261-E1

PRODUCT/SERIES NAME: Steel Entry Door OPERATOR TYPE: EDSL

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0001-01	NV1-367-OP-000-000-N-FIX-0000-00		0.75	0.01	0.00	0.7	23
1171-005-0002-01	NV1-367-LQ-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.02	0.10	0.09	0.7	22
1171-005-0003-01	NV1-367-LH-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.22	0.19	0.18	0.7	23
1171-005-0004-01	NV1-367-LT-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.36	0.25	0.24	0.7	23
1171-005-0005-01	NV1-367-LF-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.54	0.33	0.33	0.7	24
1171-005-0006-01	NV1-367-LQ-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.02	0.10	0.09	0.7	22
1171-005-0007-01	NV1-367-LH-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.22	0.18	0.17	0.7	22
1171-005-0008-01	NV1-367-LT-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.36	0.24	0.23	0.7	23
1171-005-0009-01	NV1-367-LF-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.54	0.31	0.31	0.7	23
1171-005-0010-01	NV1-367-LQ-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.02	0.09	0.09	0.7	21
1171-005-0011-01	NV1-367-LH-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.22	0.17	0.18	0.7	22
1171-005-0012-01	NV1-367-LT-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.36	0.23	0.24	0.7	22
1171-005-0013-01	NV1-367-LF-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.54	0.30	0.33	0.7	22
1171-005-0014-01	NV1-367-LQ-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.02	0.09	0.09	0.7	21
1171-005-0015-01	NV1-367-LH-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.22	0.16	0.17	0.7	21
1171-005-0016-01	NV1-367-LT-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.36	0.22	0.23	0.7	22
1171-005-0017-01	NV1-367-LF-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.54	0.28	0.31	0.7	21
1171-005-0018-01	NV1-367-LQ-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	0.95	0.06	0.07	0.7	21
1171-005-0019-01	NV1-367-LH-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.07	0.12	0.14	0.7	22
1171-005-0020-01	NV1-367-LT-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.16	0.15	0.19	0.7	22
1171-005-0021-01	NV1-367-LF-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.28	0.20	0.26	0.7	22
1171-005-0022-01	NV1-367-LQ-T84-005-C-FIX-ASAB-AL	0.12(#5)	0.97	0.08	0.08	0.7	22
1171-005-0023-01	NV1-367-LH-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.12	0.14	0.16	0.7	22
1171-005-0024-01	NV1-367-LT-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.22	0.18	0.21	0.7	22
1171-005-0025-01	NV1-367-LF-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.36	0.24	0.28	0.7	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0026-01	NV1-367-LQ-TLO-005-C-FIX-ASAB-AL	0.16(#5)	0.98	0.08	0.08	0.7	22
1171-005-0027-01	NV1-367-LH-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.14	0.15	0.16	0.7	22
1171-005-0028-01	NV1-367-LT-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.25	0.20	0.21	0.7	23
1171-005-0029-01	NV1-367-LF-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.39	0.27	0.28	0.7	24
1171-005-0030-01	NV1-367-LQ-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.7	22
1171-005-0031-01	NV1-367-LH-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.09	0.14	0.15	0.7	23
1171-005-0032-01	NV1-367-LT-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.19	0.18	0.20	0.7	23
1171-005-0033-01	NV1-367-LF-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.31	0.24	0.26	0.7	24
1171-005-0034-01	NV1-367-LQ-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	0.95	0.06	0.08	0.7	21
1171-005-0035-01	NV1-367-LH-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.07	0.12	0.15	0.7	22
1171-005-0036-01	NV1-367-LT-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.16	0.15	0.20	0.7	22
1171-005-0037-01	NV1-367-LF-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.28	0.20	0.26	0.7	22
1171-005-0038-01	NV1-367-LQ-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	0.98	0.10	0.09	0.7	23
1171-005-0039-01	NV1-367-LH-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	1.16	0.19	0.18	0.7	24
1171-005-0040-01	NV1-367-LT-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	1.28	0.25	0.24	0.7	25
1171-005-0041-01	NV1-367-LF-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	1.45	0.33	0.33	0.7	26
1171-005-0042-01	NV1-367-LQ-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	0.98	0.10	0.09	0.7	23
1171-005-0043-01	NV1-367-LH-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	1.16	0.18	0.17	0.7	24
1171-005-0044-01	NV1-367-LT-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	1.28	0.24	0.23	0.7	24
1171-005-0045-01	NV1-367-LF-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	1.45	0.31	0.31	0.7	25
1171-005-0046-01	NV1-367-LQ-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	0.98	0.09	0.09	0.7	22
1171-005-0047-01	NV1-367-LH-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	1.16	0.17	0.18	0.7	23
1171-005-0048-01	NV1-367-LT-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	1.28	0.23	0.24	0.7	24
1171-005-0049-01	NV1-367-LF-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	1.45	0.30	0.33	0.7	24
1171-005-0050-01	NV1-367-LQ-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	0.98	0.09	0.09	0.7	22
1171-005-0051-01	NV1-367-LH-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	1.16	0.16	0.17	0.7	22
1171-005-0052-01	NV1-367-LT-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	1.28	0.22	0.23	0.7	23
1171-005-0053-01	NV1-367-LF-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	1.45	0.28	0.31	0.7	23
1171-005-0054-01	NV1-367-LQ-DCL-ONA-N-FIX-ITIN-AL		1.11	0.11	0.10	0.7	21
1171-005-0055-01	NV1-367-LH-DCL-ONA-N-FIX-ITIN-AL		1.41	0.20	0.20	0.7	19
1171-005-0056-01	NV1-367-LT-DCL-ONA-N-FIX-ITIN-AL		1.62	0.26	0.26	0.7	18
1171-005-0057-01	NV1-367-LF-DCL-ONA-N-FIX-ITIN-AL		1.90	0.35	0.35	0.7	17
1171-005-0058-01	NV1-367-LQ-DCL-ONA-G-FIX-ITIN-AL		1.11	0.10	0.10	0.7	20
1171-005-0059-01	NV1-367-LH-DCL-ONA-G-FIX-ITIN-AL		1.41	0.19	0.19	0.7	19
1171-005-0060-01	NV1-367-LT-DCL-ONA-G-FIX-ITIN-AL		1.62	0.25	0.25	0.7	18
1171-005-0061-01	NV1-367-LF-DCL-ONA-G-FIX-ITIN-AL		1.90	0.33	0.33	0.7	16
1171-005-0062-01	NV1-367-LQ-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.00	0.10	0.09	0.7	22
1171-005-0063-01	NV1-367-LH-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.18	0.19	0.18	0.7	24
1171-005-0064-01	NV1-367-LT-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.31	0.25	0.24	0.7	24
1171-005-0065-01	NV1-367-LF-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.49	0.33	0.33	0.7	25

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0066-01	NV1-367-LQ-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.00	0.10	0.09	0.7	22
1171-005-0067-01	NV1-367-LH-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.18	0.18	0.17	0.7	23
1171-005-0068-01	NV1-367-LT-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.31	0.24	0.23	0.7	24
1171-005-0069-01	NV1-367-LF-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.49	0.31	0.31	0.7	24
1171-005-0070-01	NV1-367-LQ-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.00	0.09	0.09	0.7	22
1171-005-0071-01	NV1-367-LH-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.18	0.17	0.18	0.7	23
1171-005-0072-01	NV1-367-LT-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.31	0.23	0.24	0.7	23
1171-005-0073-01	NV1-367-LF-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.49	0.30	0.33	0.7	23
1171-005-0074-01	NV1-367-LQ-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.00	0.09	0.09	0.7	22
1171-005-0075-01	NV1-367-LH-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.18	0.16	0.17	0.7	22
1171-005-0076-01	NV1-367-LT-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.31	0.22	0.23	0.7	23
1171-005-0077-01	NV1-367-LF-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.49	0.28	0.31	0.7	22
1171-005-0078-01	NV1-367-LQ-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.7	23
1171-005-0079-01	NV1-367-LH-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.03	0.15	0.15	0.7	25
1171-005-0080-01	NV1-367-LT-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.11	0.19	0.20	0.7	25
1171-005-0081-01	NV1-367-LF-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.22	0.25	0.27	0.7	26
1171-005-0082-01	NV1-367-LQ-TLO-005-G-FIX-IUST-AL	0.16(#5)	0.95	0.09	0.08	0.7	23
1171-005-0083-01	NV1-367-LH-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.09	0.16	0.16	0.7	24
1171-005-0084-01	NV1-367-LT-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.19	0.22	0.21	0.7	25
1171-005-0085-01	NV1-367-LF-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.33	0.28	0.28	0.7	26
1171-005-0086-01	NV1-367-LQ-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.7	23
1171-005-0087-01	NV1-367-LH-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.04	0.15	0.15	0.7	25
1171-005-0088-01	NV1-367-LT-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.12	0.19	0.20	0.7	25
1171-005-0089-01	NV1-367-LF-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.23	0.25	0.27	0.7	26
1171-005-0090-01	NV1-367-LQ-TLO-005-G-FIX-ITIN-AL	0.16(#5)	0.95	0.09	0.08	0.7	23
1171-005-0091-01	NV1-367-LH-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.10	0.16	0.16	0.7	24
1171-005-0092-01	NV1-367-LT-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.20	0.22	0.21	0.7	25
1171-005-0093-01	NV1-367-LF-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.34	0.28	0.28	0.7	25
1171-005-0094-01	NV1-367-LQ-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.7	23
1171-005-0095-01	NV1-367-LH-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.01	0.15	0.16	0.7	25
1171-005-0096-01	NV1-367-LT-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.09	0.20	0.21	0.7	26
1171-005-0097-01	NV1-367-LF-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.19	0.27	0.28	0.7	28
1171-005-0098-01	NV1-367-LQ-TLO-005-N-FIX-IUST-AL	0.16(#5)	0.93	0.09	0.09	0.7	23
1171-005-0099-01	NV1-367-LH-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.07	0.17	0.17	0.7	25
1171-005-0100-01	NV1-367-LT-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.17	0.23	0.23	0.7	26
1171-005-0101-01	NV1-367-LF-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.29	0.30	0.30	0.7	28
1171-005-0102-01	NV1-367-LQ-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	0.91	0.08	0.08	0.7	23
1171-005-0103-01	NV1-367-LH-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.01	0.15	0.16	0.7	25
1171-005-0104-01	NV1-367-LT-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.09	0.20	0.21	0.7	26
1171-005-0105-01	NV1-367-LF-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.19	0.26	0.28	0.7	28

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0106-01	NV1-367-LQ-TLO-040-N-FIX-IUST-AL	0.16(#4)	0.93	0.09	0.09	0.7	23
1171-005-0107-01	NV1-367-LH-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.07	0.16	0.17	0.7	24
1171-005-0108-01	NV1-367-LT-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.17	0.21	0.23	0.7	25
1171-005-0109-01	NV1-367-LF-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.29	0.28	0.30	0.7	27
1171-005-0110-01	NV1-367-LQ-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.7	23
1171-005-0111-01	NV1-367-LH-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.03	0.15	0.16	0.7	25
1171-005-0112-01	NV1-367-LT-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.11	0.20	0.21	0.7	26
1171-005-0113-01	NV1-367-LF-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.22	0.27	0.28	0.7	27
1171-005-0114-01	NV1-367-LQ-TLO-005-N-FIX-ITIN-AL	0.16(#5)	0.95	0.09	0.09	0.7	23
1171-005-0115-01	NV1-367-LH-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.09	0.17	0.17	0.7	25
1171-005-0116-01	NV1-367-LT-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.19	0.23	0.23	0.7	26
1171-005-0117-01	NV1-367-LF-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.32	0.30	0.30	0.7	27
1171-005-0118-01	NV1-367-LQ-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	0.92	0.08	0.08	0.7	23
1171-005-0119-01	NV1-367-LH-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.03	0.15	0.16	0.7	25
1171-005-0120-01	NV1-367-LT-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.11	0.20	0.21	0.7	26
1171-005-0121-01	NV1-367-LF-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.22	0.26	0.28	0.7	27
1171-005-0122-01	NV1-367-LQ-TLO-040-N-FIX-ITIN-AL	0.16(#4)	0.95	0.09	0.09	0.7	23
1171-005-0123-01	NV1-367-LH-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.09	0.16	0.17	0.7	24
1171-005-0124-01	NV1-367-LT-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.19	0.21	0.23	0.7	25
1171-005-0125-01	NV1-367-LF-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.32	0.28	0.30	0.7	26
1171-005-0126-01	NV1-367-LQ-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	0.99	0.10	0.09	0.7	23
1171-005-0127-01	NV1-367-LH-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.17	0.19	0.18	0.7	24
1171-005-0128-01	NV1-367-LT-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.30	0.25	0.24	0.7	25
1171-005-0129-01	NV1-367-LF-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.47	0.33	0.33	0.7	25
1171-005-0130-01	NV1-367-LQ-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	0.99	0.10	0.09	0.7	23
1171-005-0131-01	NV1-367-LH-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.17	0.18	0.17	0.7	23
1171-005-0132-01	NV1-367-LT-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.30	0.24	0.23	0.7	24
1171-005-0133-01	NV1-367-LF-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.47	0.31	0.31	0.7	24
1171-005-0134-01	NV1-367-LQ-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	0.99	0.09	0.09	0.7	22
1171-005-0135-01	NV1-367-LH-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.17	0.17	0.18	0.7	23
1171-005-0136-01	NV1-367-LT-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.30	0.23	0.24	0.7	23
1171-005-0137-01	NV1-367-LF-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.47	0.30	0.33	0.7	24
1171-005-0138-01	NV1-367-LQ-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	0.99	0.09	0.09	0.7	22
1171-005-0139-01	NV1-367-LH-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.17	0.16	0.17	0.7	22
1171-005-0140-01	NV1-367-LT-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.30	0.22	0.23	0.7	23
1171-005-0141-01	NV1-367-LF-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.47	0.28	0.31	0.7	23
1171-005-0142-01	NV1-367-LQ-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	0.91	0.06	0.07	0.7	22
1171-005-0143-01	NV1-367-LH-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.02	0.12	0.14	0.7	23
1171-005-0144-01	NV1-367-LT-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.10	0.15	0.19	0.7	23
1171-005-0145-01	NV1-367-LF-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.20	0.20	0.26	0.7	24

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0146-01	NV1-367-LQ-T84-005-C-FIX-ASAB-CN	0.12(#5)	0.94	0.08	0.08	0.7	23
1171-005-0147-01	NV1-367-LH-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.07	0.14	0.16	0.7	23
1171-005-0148-01	NV1-367-LT-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.17	0.18	0.21	0.7	23
1171-005-0149-01	NV1-367-LF-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.29	0.24	0.28	0.7	24
1171-005-0150-01	NV1-367-LQ-TLO-005-C-FIX-ASAB-CN	0.16(#5)	0.95	0.08	0.08	0.7	22
1171-005-0151-01	NV1-367-LH-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.09	0.15	0.16	0.7	23
1171-005-0152-01	NV1-367-LT-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.19	0.20	0.21	0.7	24
1171-005-0153-01	NV1-367-LF-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.32	0.27	0.28	0.7	25
1171-005-0154-01	NV1-367-LQ-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.7	23
1171-005-0155-01	NV1-367-LH-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.04	0.14	0.15	0.7	24
1171-005-0156-01	NV1-367-LT-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.12	0.18	0.20	0.7	24
1171-005-0157-01	NV1-367-LF-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.23	0.24	0.26	0.7	26
1171-005-0158-01	NV1-367-LQ-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	0.91	0.06	0.08	0.7	22
1171-005-0159-01	NV1-367-LH-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.02	0.12	0.15	0.7	23
1171-005-0160-01	NV1-367-LT-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.10	0.15	0.20	0.7	23
1171-005-0161-01	NV1-367-LF-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.20	0.20	0.26	0.7	24
1171-005-0162-01	NV1-367-LQ-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	0.95	0.10	0.09	0.7	24
1171-005-0163-01	NV1-367-LH-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.12	0.19	0.18	0.7	25
1171-005-0164-01	NV1-367-LT-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.24	0.25	0.24	0.7	26
1171-005-0165-01	NV1-367-LF-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.39	0.33	0.33	0.7	27
1171-005-0166-01	NV1-367-LQ-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	0.95	0.10	0.09	0.7	24
1171-005-0167-01	NV1-367-LH-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.12	0.18	0.17	0.7	24
1171-005-0168-01	NV1-367-LT-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.24	0.24	0.23	0.7	25
1171-005-0169-01	NV1-367-LF-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.39	0.31	0.31	0.7	26
1171-005-0170-01	NV1-367-LQ-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	0.95	0.09	0.09	0.7	23
1171-005-0171-01	NV1-367-LH-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.12	0.17	0.18	0.7	24
1171-005-0172-01	NV1-367-LT-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.24	0.23	0.24	0.7	25
1171-005-0173-01	NV1-367-LF-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.39	0.30	0.33	0.7	26
1171-005-0174-01	NV1-367-LQ-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	0.95	0.09	0.09	0.7	23
1171-005-0175-01	NV1-367-LH-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.12	0.16	0.17	0.7	23
1171-005-0176-01	NV1-367-LT-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.24	0.22	0.23	0.7	24
1171-005-0177-01	NV1-367-LF-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.39	0.28	0.31	0.7	24
1171-005-0178-01	NV1-367-LQ-DCL-0NA-N-FIX-ITIN-CN		1.08	0.11	0.10	0.7	21
1171-005-0179-01	NV1-367-LH-DCL-0NA-N-FIX-ITIN-CN		1.37	0.20	0.20	0.7	20
1171-005-0180-01	NV1-367-LT-DCL-0NA-N-FIX-ITIN-CN		1.57	0.26	0.26	0.7	19
1171-005-0181-01	NV1-367-LF-DCL-0NA-N-FIX-ITIN-CN		1.84	0.35	0.35	0.7	19
1171-005-0182-01	NV1-367-LQ-DCL-0NA-G-FIX-ITIN-CN		1.08	0.10	0.10	0.7	21
1171-005-0183-01	NV1-367-LH-DCL-0NA-G-FIX-ITIN-CN		1.37	0.19	0.19	0.7	20
1171-005-0184-01	NV1-367-LT-DCL-0NA-G-FIX-ITIN-CN		1.57	0.25	0.25	0.7	19
1171-005-0185-01	NV1-367-LF-DCL-0NA-G-FIX-ITIN-CN		1.84	0.33	0.33	0.7	17

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0186-01	NV1-367-LQ-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	0.97	0.10	0.09	0.7	23
1171-005-0187-01	NV1-367-LH-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.14	0.19	0.18	0.7	25
1171-005-0188-01	NV1-367-LT-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.26	0.25	0.24	0.7	25
1171-005-0189-01	NV1-367-LF-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.42	0.33	0.33	0.7	27
1171-005-0190-01	NV1-367-LQ-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	0.97	0.10	0.09	0.7	23
1171-005-0191-01	NV1-367-LH-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.14	0.18	0.17	0.7	24
1171-005-0192-01	NV1-367-LT-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.26	0.24	0.23	0.7	25
1171-005-0193-01	NV1-367-LF-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.42	0.31	0.31	0.7	25
1171-005-0194-01	NV1-367-LQ-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	0.97	0.09	0.09	0.7	23
1171-005-0195-01	NV1-367-LH-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.14	0.17	0.18	0.7	23
1171-005-0196-01	NV1-367-LT-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.26	0.23	0.24	0.7	24
1171-005-0197-01	NV1-367-LF-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.42	0.30	0.33	0.7	25
1171-005-0198-01	NV1-367-LQ-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	0.97	0.09	0.09	0.7	23
1171-005-0199-01	NV1-367-LH-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.14	0.16	0.17	0.7	23
1171-005-0200-01	NV1-367-LT-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.26	0.22	0.23	0.7	24
1171-005-0201-01	NV1-367-LF-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.42	0.28	0.31	0.7	24
1171-005-0202-01	NV1-367-LQ-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.88	0.08	0.08	0.7	24
1171-005-0203-01	NV1-367-LH-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.98	0.15	0.15	0.7	26
1171-005-0204-01	NV1-367-LT-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.05	0.19	0.20	0.7	27
1171-005-0205-01	NV1-367-LF-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.15	0.25	0.27	0.7	28
1171-005-0206-01	NV1-367-LQ-TLO-005-G-FIX-IUST-CN	0.16(#5)	0.92	0.09	0.08	0.7	24
1171-005-0207-01	NV1-367-LH-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.05	0.16	0.16	0.7	25
1171-005-0208-01	NV1-367-LT-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.14	0.22	0.21	0.7	26
1171-005-0209-01	NV1-367-LF-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.27	0.28	0.28	0.7	27
1171-005-0210-01	NV1-367-LQ-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.89	0.08	0.08	0.7	24
1171-005-0211-01	NV1-367-LH-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.99	0.15	0.15	0.7	26
1171-005-0212-01	NV1-367-LT-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.06	0.19	0.20	0.7	26
1171-005-0213-01	NV1-367-LF-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.16	0.25	0.27	0.7	28
1171-005-0214-01	NV1-367-LQ-TLO-005-G-FIX-ITIN-CN	0.16(#5)	0.92	0.09	0.08	0.7	24
1171-005-0215-01	NV1-367-LH-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.06	0.16	0.16	0.7	25
1171-005-0216-01	NV1-367-LT-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.15	0.22	0.21	0.7	26
1171-005-0217-01	NV1-367-LF-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.28	0.28	0.28	0.7	27
1171-005-0218-01	NV1-367-LQ-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.88	0.08	0.08	0.7	24
1171-005-0219-01	NV1-367-LH-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.97	0.15	0.16	0.7	26
1171-005-0220-01	NV1-367-LT-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.04	0.20	0.21	0.7	27
1171-005-0221-01	NV1-367-LF-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.12	0.27	0.28	0.7	30
1171-005-0222-01	NV1-367-LQ-TLO-005-N-FIX-IUST-CN	0.16(#5)	0.91	0.09	0.09	0.7	24
1171-005-0223-01	NV1-367-LH-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.03	0.17	0.17	0.7	26
1171-005-0224-01	NV1-367-LT-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.12	0.23	0.23	0.7	27
1171-005-0225-01	NV1-367-LF-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.23	0.30	0.30	0.7	29

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0226-01	NV1-367-LQ-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	0.88	0.08	0.08	0.7	24
1171-005-0227-01	NV1-367-LH-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	0.97	0.15	0.16	0.7	26
1171-005-0228-01	NV1-367-LT-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.04	0.20	0.21	0.7	27
1171-005-0229-01	NV1-367-LF-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.12	0.26	0.28	0.7	29
1171-005-0230-01	NV1-367-LQ-TLO-040-N-FIX-IUST-CN	0.16(#4)	0.91	0.09	0.09	0.7	24
1171-005-0231-01	NV1-367-LH-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.03	0.16	0.17	0.7	25
1171-005-0232-01	NV1-367-LT-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.12	0.21	0.23	0.7	26
1171-005-0233-01	NV1-367-LF-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.23	0.28	0.30	0.7	28
1171-005-0234-01	NV1-367-LQ-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.89	0.08	0.08	0.7	24
1171-005-0235-01	NV1-367-LH-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.99	0.15	0.16	0.7	26
1171-005-0236-01	NV1-367-LT-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.06	0.20	0.21	0.7	27
1171-005-0237-01	NV1-367-LF-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.15	0.27	0.28	0.7	29
1171-005-0238-01	NV1-367-LQ-TLO-005-N-FIX-ITIN-CN	0.16(#5)	0.92	0.09	0.09	0.7	24
1171-005-0239-01	NV1-367-LH-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.05	0.17	0.17	0.7	25
1171-005-0240-01	NV1-367-LT-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.14	0.23	0.23	0.7	27
1171-005-0241-01	NV1-367-LF-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.25	0.30	0.30	0.7	29
1171-005-0242-01	NV1-367-LQ-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	0.89	0.08	0.08	0.7	24
1171-005-0243-01	NV1-367-LH-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	0.99	0.15	0.16	0.7	26
1171-005-0244-01	NV1-367-LT-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.06	0.20	0.21	0.7	27
1171-005-0245-01	NV1-367-LF-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.15	0.26	0.28	0.7	28
1171-005-0246-01	NV1-367-LQ-TLO-040-N-FIX-ITIN-CN	0.16(#4)	0.92	0.09	0.09	0.7	24
1171-005-0247-01	NV1-367-LH-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.05	0.16	0.17	0.7	25
1171-005-0248-01	NV1-367-LT-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.14	0.21	0.23	0.7	26
1171-005-0249-01	NV1-367-LF-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.25	0.28	0.30	0.7	27
1171-005-0250-01	NV1-367-LQ-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.02	0.10	0.09	0.7	22
1171-005-0251-01	NV1-367-LH-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.21	0.19	0.18	0.7	23
1171-005-0252-01	NV1-367-LT-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.35	0.25	0.24	0.7	23
1171-005-0253-01	NV1-367-LF-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.53	0.33	0.33	0.7	24
1171-005-0254-01	NV1-367-LQ-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.02	0.10	0.09	0.7	22
1171-005-0255-01	NV1-367-LH-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.21	0.18	0.17	0.7	23
1171-005-0256-01	NV1-367-LT-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.35	0.24	0.23	0.7	23
1171-005-0257-01	NV1-367-LF-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.53	0.31	0.31	0.7	23
1171-005-0258-01	NV1-367-LQ-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.02	0.09	0.09	0.7	21
1171-005-0259-01	NV1-367-LH-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.21	0.17	0.18	0.7	22
1171-005-0260-01	NV1-367-LT-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.35	0.23	0.24	0.7	22
1171-005-0261-01	NV1-367-LF-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.53	0.30	0.33	0.7	22
1171-005-0262-01	NV1-367-LQ-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.02	0.09	0.09	0.7	21
1171-005-0263-01	NV1-367-LH-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.21	0.16	0.17	0.7	21
1171-005-0264-01	NV1-367-LT-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.35	0.22	0.23	0.7	22
1171-005-0265-01	NV1-367-LF-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.53	0.28	0.31	0.7	21

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0266-01	NV1-367-LQ-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	0.94	0.06	0.07	0.7	22
1171-005-0267-01	NV1-367-LH-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.06	0.12	0.14	0.7	22
1171-005-0268-01	NV1-367-LT-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.15	0.15	0.19	0.7	22
1171-005-0269-01	NV1-367-LF-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.26	0.20	0.26	0.7	23
1171-005-0270-01	NV1-367-LQ-T84-005-C-FIX-ASAB-SY	0.12(#5)	0.96	0.08	0.08	0.7	22
1171-005-0271-01	NV1-367-LH-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.11	0.14	0.16	0.7	22
1171-005-0272-01	NV1-367-LT-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.22	0.18	0.21	0.7	22
1171-005-0273-01	NV1-367-LF-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.35	0.24	0.28	0.7	23
1171-005-0274-01	NV1-367-LQ-TLO-005-C-FIX-ASAB-SY	0.16(#5)	0.98	0.08	0.08	0.7	22
1171-005-0275-01	NV1-367-LH-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.13	0.15	0.16	0.7	23
1171-005-0276-01	NV1-367-LT-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.24	0.20	0.21	0.7	23
1171-005-0277-01	NV1-367-LF-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.38	0.27	0.28	0.7	24
1171-005-0278-01	NV1-367-LQ-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.7	22
1171-005-0279-01	NV1-367-LH-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.08	0.14	0.15	0.7	23
1171-005-0280-01	NV1-367-LT-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.17	0.18	0.20	0.7	23
1171-005-0281-01	NV1-367-LF-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.29	0.24	0.26	0.7	24
1171-005-0282-01	NV1-367-LQ-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	0.94	0.06	0.08	0.7	22
1171-005-0283-01	NV1-367-LH-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.06	0.12	0.15	0.7	22
1171-005-0284-01	NV1-367-LT-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.15	0.15	0.20	0.7	22
1171-005-0285-01	NV1-367-LF-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.26	0.20	0.26	0.7	23
1171-005-0286-01	NV1-367-LQ-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	0.97	0.10	0.09	0.7	23
1171-005-0287-01	NV1-367-LH-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.15	0.19	0.18	0.7	24
1171-005-0288-01	NV1-367-LT-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.27	0.25	0.24	0.7	25
1171-005-0289-01	NV1-367-LF-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.43	0.33	0.33	0.7	26
1171-005-0290-01	NV1-367-LQ-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	0.97	0.10	0.09	0.7	23
1171-005-0291-01	NV1-367-LH-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.15	0.18	0.17	0.7	24
1171-005-0292-01	NV1-367-LT-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.27	0.24	0.23	0.7	25
1171-005-0293-01	NV1-367-LF-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.43	0.31	0.31	0.7	25
1171-005-0294-01	NV1-367-LQ-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	0.97	0.09	0.09	0.7	23
1171-005-0295-01	NV1-367-LH-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.15	0.17	0.18	0.7	23
1171-005-0296-01	NV1-367-LT-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.27	0.23	0.24	0.7	24
1171-005-0297-01	NV1-367-LF-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.43	0.30	0.33	0.7	25
1171-005-0298-01	NV1-367-LQ-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	0.97	0.09	0.09	0.7	23
1171-005-0299-01	NV1-367-LH-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.15	0.16	0.17	0.7	23
1171-005-0300-01	NV1-367-LT-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.27	0.22	0.23	0.7	24
1171-005-0301-01	NV1-367-LF-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.43	0.28	0.31	0.7	23
1171-005-0302-01	NV1-367-LQ-DCL-ONA-N-FIX-ITIN-SY		1.11	0.11	0.10	0.7	21
1171-005-0303-01	NV1-367-LH-DCL-ONA-N-FIX-ITIN-SY		1.40	0.20	0.20	0.7	20
1171-005-0304-01	NV1-367-LT-DCL-ONA-N-FIX-ITIN-SY		1.61	0.26	0.26	0.7	18
1171-005-0305-01	NV1-367-LF-DCL-ONA-N-FIX-ITIN-SY		1.89	0.35	0.35	0.7	17



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0306-01	NV1-367-LQ-DCL-ONA-G-FIX-ITIN-SY		1.11	0.10	0.10	0.7	20
1171-005-0307-01	NV1-367-LH-DCL-ONA-G-FIX-ITIN-SY		1.40	0.19	0.19	0.7	19
1171-005-0308-01	NV1-367-LT-DCL-ONA-G-FIX-ITIN-SY		1.61	0.25	0.25	0.7	18
1171-005-0309-01	NV1-367-LF-DCL-ONA-G-FIX-ITIN-SY		1.89	0.33	0.33	0.7	16
1171-005-0310-01	NV1-367-LQ-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	0.99	0.10	0.09	0.7	23
1171-005-0311-01	NV1-367-LH-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	1.17	0.19	0.18	0.7	24
1171-005-0312-01	NV1-367-LT-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	1.30	0.25	0.24	0.7	25
1171-005-0313-01	NV1-367-LF-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	1.47	0.33	0.33	0.7	25
1171-005-0314-01	NV1-367-LQ-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	0.99	0.10	0.09	0.7	23
1171-005-0315-01	NV1-367-LH-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	1.17	0.18	0.17	0.7	23
1171-005-0316-01	NV1-367-LT-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	1.30	0.24	0.23	0.7	24
1171-005-0317-01	NV1-367-LF-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	1.47	0.31	0.31	0.7	24
1171-005-0318-01	NV1-367-LQ-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	0.99	0.09	0.09	0.7	22
1171-005-0319-01	NV1-367-LH-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.17	0.17	0.18	0.7	23
1171-005-0320-01	NV1-367-LT-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.30	0.23	0.24	0.7	23
1171-005-0321-01	NV1-367-LF-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.47	0.30	0.33	0.7	24
1171-005-0322-01	NV1-367-LQ-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	0.99	0.09	0.09	0.7	22
1171-005-0323-01	NV1-367-LH-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.17	0.16	0.17	0.7	22
1171-005-0324-01	NV1-367-LT-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.30	0.22	0.23	0.7	23
1171-005-0325-01	NV1-367-LF-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.47	0.28	0.31	0.7	23
1171-005-0326-01	NV1-367-LQ-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.90	0.08	0.08	0.7	24
1171-005-0327-01	NV1-367-LH-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.01	0.15	0.15	0.7	25
1171-005-0328-01	NV1-367-LT-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.09	0.19	0.20	0.7	26
1171-005-0329-01	NV1-367-LF-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.19	0.25	0.27	0.7	27
1171-005-0330-01	NV1-367-LQ-TLO-005-G-FIX-IUST-SY	0.16(#5)	0.94	0.09	0.08	0.7	23
1171-005-0331-01	NV1-367-LH-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.08	0.16	0.16	0.7	24
1171-005-0332-01	NV1-367-LT-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.18	0.22	0.21	0.7	25
1171-005-0333-01	NV1-367-LF-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.31	0.28	0.28	0.7	26
1171-005-0334-01	NV1-367-LQ-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.7	23
1171-005-0335-01	NV1-367-LH-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.02	0.15	0.15	0.7	25
1171-005-0336-01	NV1-367-LT-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.10	0.19	0.20	0.7	26
1171-005-0337-01	NV1-367-LF-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.21	0.25	0.27	0.7	27
1171-005-0338-01	NV1-367-LQ-TLO-005-G-FIX-ITIN-SY	0.16(#5)	0.94	0.09	0.08	0.7	23
1171-005-0339-01	NV1-367-LH-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.09	0.16	0.16	0.7	24
1171-005-0340-01	NV1-367-LT-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.19	0.22	0.21	0.7	25
1171-005-0341-01	NV1-367-LF-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.32	0.28	0.28	0.7	26
1171-005-0342-01	NV1-367-LQ-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.90	0.08	0.08	0.7	24
1171-005-0343-01	NV1-367-LH-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.00	0.15	0.16	0.7	25
1171-005-0344-01	NV1-367-LT-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.07	0.20	0.21	0.7	27
1171-005-0345-01	NV1-367-LF-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.16	0.27	0.28	0.7	29

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0346-01	NV1-367-LQ-TLO-005-N-FIX-IUST-SY	0.16(#5)	0.93	0.09	0.09	0.7	23
1171-005-0347-01	NV1-367-LH-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.06	0.17	0.17	0.7	25
1171-005-0348-01	NV1-367-LT-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.15	0.23	0.23	0.7	27
1171-005-0349-01	NV1-367-LF-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.27	0.30	0.30	0.7	28
1171-005-0350-01	NV1-367-LQ-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	0.90	0.08	0.08	0.7	24
1171-005-0351-01	NV1-367-LH-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.00	0.15	0.16	0.7	25
1171-005-0352-01	NV1-367-LT-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.07	0.20	0.21	0.7	27
1171-005-0353-01	NV1-367-LF-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.16	0.26	0.28	0.7	28
1171-005-0354-01	NV1-367-LQ-TLO-040-N-FIX-IUST-SY	0.16(#4)	0.93	0.09	0.09	0.7	23
1171-005-0355-01	NV1-367-LH-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.06	0.16	0.17	0.7	25
1171-005-0356-01	NV1-367-LT-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.15	0.21	0.23	0.7	26
1171-005-0357-01	NV1-367-LF-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.27	0.28	0.30	0.7	27
1171-005-0358-01	NV1-367-LQ-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.7	23
1171-005-0359-01	NV1-367-LH-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.02	0.15	0.16	0.7	25
1171-005-0360-01	NV1-367-LT-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.09	0.20	0.21	0.7	26
1171-005-0361-01	NV1-367-LF-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.19	0.27	0.28	0.7	28
1171-005-0362-01	NV1-367-LQ-TLO-005-N-FIX-ITIN-SY	0.16(#5)	0.94	0.09	0.09	0.7	23
1171-005-0363-01	NV1-367-LH-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.08	0.17	0.17	0.7	25
1171-005-0364-01	NV1-367-LT-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.17	0.23	0.23	0.7	26
1171-005-0365-01	NV1-367-LF-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.30	0.30	0.30	0.7	27
1171-005-0366-01	NV1-367-LQ-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	0.91	0.08	0.08	0.7	23
1171-005-0367-01	NV1-367-LH-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.02	0.15	0.16	0.7	25
1171-005-0368-01	NV1-367-LT-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.09	0.20	0.21	0.7	26
1171-005-0369-01	NV1-367-LF-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.19	0.26	0.28	0.7	28
1171-005-0370-01	NV1-367-LQ-TLO-040-N-FIX-ITIN-SY	0.16(#4)	0.94	0.09	0.09	0.7	23
1171-005-0371-01	NV1-367-LH-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.08	0.16	0.17	0.7	24
1171-005-0372-01	NV1-367-LT-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.17	0.21	0.23	0.7	25
1171-005-0373-01	NV1-367-LF-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.30	0.28	0.30	0.7	26
1171-005-0374-01	NV1-367-LH-DLO-ON3-G-VEL-IUST-EL	0.16(#3)	1.24	0.17	0.16	0.7	21
1171-005-0375-01	NV1-367-LT-DLO-ON3-G-VEL-IUST-EL	0.16(#3)	1.37	0.23	0.22	0.7	22
1171-005-0376-01	NV1-367-LF-DLO-ON3-G-VEL-IUST-EL	0.16(#3)	1.55	0.30	0.30	0.7	22
1171-005-0377-01	NV1-367-LH-DLO-ON3-N-VEL-IUST-EL	0.16(#3)	1.23	0.18	0.17	0.7	22
1171-005-0378-01	NV1-367-LT-DLO-ON3-N-VEL-IUST-EL	0.16(#3)	1.35	0.24	0.23	0.7	23
1171-005-0379-01	NV1-367-LF-DLO-ON3-N-VEL-IUST-EL	0.16(#3)	1.52	0.32	0.32	0.7	24
1171-005-0380-01	NV1-367-LH-DCL-ONA-G-VEL-ITIN-EL		1.48	0.18	0.18	0.7	17
1171-005-0381-01	NV1-367-LT-DCL-ONA-G-VEL-ITIN-EL		1.70	0.24	0.24	0.7	15
1171-005-0382-01	NV1-367-LF-DCL-ONA-G-VEL-ITIN-EL		1.98	0.32	0.32	0.7	14
1171-005-0383-01	NV1-367-LH-DCL-ONA-N-VEL-ITIN-EL		1.47	0.19	0.18	0.7	17
1171-005-0384-01	NV1-367-LT-DCL-ONA-N-VEL-ITIN-EL		1.68	0.25	0.25	0.7	16
1171-005-0385-01	NV1-367-LF-DCL-ONA-N-VEL-ITIN-EL		1.97	0.34	0.34	0.7	15

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0386-01	NV1-367-LH-DLO-ON3-G-VEL-ITIN-EL	0.16(#3)	1.26	0.17	0.16	0.7	21
1171-005-0387-01	NV1-367-LT-DLO-ON3-G-VEL-ITIN-EL	0.16(#3)	1.39	0.23	0.22	0.7	21
1171-005-0388-01	NV1-367-LF-DLO-ON3-G-VEL-ITIN-EL	0.16(#3)	1.57	0.30	0.30	0.7	22
1171-005-0389-01	NV1-367-LH-DLO-ON3-N-VEL-ITIN-EL	0.16(#3)	1.25	0.18	0.17	0.7	22
1171-005-0390-01	NV1-367-LT-DLO-ON3-N-VEL-ITIN-EL	0.16(#3)	1.38	0.24	0.23	0.7	22
1171-005-0391-01	NV1-367-LF-DLO-ON3-N-VEL-ITIN-EL	0.16(#3)	1.55	0.32	0.32	0.7	23
1171-005-0392-01	NV1-367-LH-DLO-ON3-G-V47-IUST-47	0.16(#3)	1.28	0.17	0.16	0.7	20
1171-005-0393-01	NV1-367-LT-DLO-ON3-G-V47-IUST-47	0.16(#3)	1.42	0.23	0.22	0.7	21
1171-005-0394-01	NV1-367-LF-DLO-ON3-G-V47-IUST-47	0.16(#3)	1.60	0.30	0.30	0.7	21
1171-005-0395-01	NV1-367-LH-DLO-ON3-N-V47-IUST-47	0.16(#3)	1.27	0.18	0.17	0.7	21
1171-005-0396-01	NV1-367-LT-DLO-ON3-N-V47-IUST-47	0.16(#3)	1.40	0.24	0.23	0.7	22
1171-005-0397-01	NV1-367-LF-DLO-ON3-N-V47-IUST-47	0.16(#3)	1.58	0.32	0.32	0.7	23
1171-005-0398-01	NV1-367-LH-DCL-ONA-G-V47-ITIN-47		1.52	0.18	0.18	0.7	16
1171-005-0399-01	NV1-367-LT-DCL-ONA-G-V47-ITIN-47		1.74	0.24	0.24	0.7	14
1171-005-0400-01	NV1-367-LF-DCL-ONA-G-V47-ITIN-47		2.04	0.32	0.32	0.7	12
1171-005-0401-01	NV1-367-LH-DCL-ONA-N-V47-ITIN-47		1.52	0.19	0.18	0.7	16
1171-005-0402-01	NV1-367-LT-DCL-ONA-N-V47-ITIN-47		1.74	0.25	0.25	0.7	15
1171-005-0403-01	NV1-367-LF-DCL-ONA-N-V47-ITIN-47		2.03	0.34	0.34	0.7	14
1171-005-0404-01	NV1-367-LH-DLO-ON3-G-V47-ITIN-47	0.16(#3)	1.30	0.17	0.16	0.7	20
1171-005-0405-01	NV1-367-LT-DLO-ON3-G-V47-ITIN-47	0.16(#3)	1.44	0.23	0.22	0.7	20
1171-005-0406-01	NV1-367-LF-DLO-ON3-G-V47-ITIN-47	0.16(#3)	1.63	0.30	0.30	0.7	20
1171-005-0407-01	NV1-367-LH-DLO-ON3-N-V47-ITIN-47	0.16(#3)	1.29	0.18	0.17	0.7	21
1171-005-0408-01	NV1-367-LT-DLO-ON3-N-V47-ITIN-47	0.16(#3)	1.43	0.24	0.23	0.7	21
1171-005-0409-01	NV1-367-LF-DLO-ON3-N-V47-ITIN-47	0.16(#3)	1.61	0.32	0.32	0.7	22
1171-005-0410-01	NV1-367-LH-DLO-ON3-G-V55-IUST-55	0.16(#3)	1.22	0.17	0.16	0.7	22
1171-005-0411-01	NV1-367-LT-DLO-ON3-G-V55-IUST-55	0.16(#3)	1.35	0.23	0.22	0.7	22
1171-005-0412-01	NV1-367-LF-DLO-ON3-G-V55-IUST-55	0.16(#3)	1.53	0.30	0.30	0.7	22
1171-005-0413-01	NV1-367-LH-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.21	0.18	0.17	0.7	23
1171-005-0414-01	NV1-367-LT-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.34	0.24	0.23	0.7	23
1171-005-0415-01	NV1-367-LF-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.50	0.32	0.32	0.7	24
1171-005-0416-01	NV1-367-LH-DCL-ONA-G-V55-ITIN-55		1.47	0.18	0.18	0.7	17
1171-005-0417-01	NV1-367-LT-DCL-ONA-G-V55-ITIN-55		1.69	0.24	0.24	0.7	15
1171-005-0418-01	NV1-367-LF-DCL-ONA-G-V55-ITIN-55		1.97	0.32	0.32	0.7	14
1171-005-0419-01	NV1-367-LH-DCL-ONA-N-V55-ITIN-55		1.46	0.19	0.18	0.7	18
1171-005-0420-01	NV1-367-LT-DCL-ONA-N-V55-ITIN-55		1.67	0.25	0.25	0.7	16
1171-005-0421-01	NV1-367-LF-DCL-ONA-N-V55-ITIN-55		1.96	0.34	0.34	0.7	15
1171-005-0422-01	NV1-367-LH-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.24	0.17	0.16	0.7	21
1171-005-0423-01	NV1-367-LT-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.38	0.23	0.22	0.7	22
1171-005-0424-01	NV1-367-LF-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.56	0.30	0.30	0.7	22
1171-005-0425-01	NV1-367-LH-DLO-ON3-N-V55-ITIN-55	0.16(#3)	1.23	0.18	0.17	0.7	22

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0426-01	NV1-367-LT-DLO-ON3-N-V55-ITIN-55	0.16(#3)	1.36	0.24	0.23	0.7	23
1171-005-0427-01	NV1-367-LF-DLO-ON3-N-V55-ITIN-55	0.16(#3)	1.53	0.32	0.32	0.7	24
1171-005-0428-01	NV1-367-LH-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.32	0.12	0.15	0.7	17
1171-005-0429-01	NV1-367-LT-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.48	0.16	0.20	0.7	15
1171-005-0430-01	NV1-367-LF-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.69	0.21	0.27	0.7	14
1171-005-0431-01	NV1-367-LH-D71-ON3-N-FBL-ITIN-AL	0.08(#3)	1.24	0.15	0.16	0.7	20
1171-005-0432-01	NV1-367-LT-D71-ON3-N-FBL-ITIN-AL	0.08(#3)	1.39	0.20	0.21	0.7	20
1171-005-0433-01	NV1-367-LF-D71-ON3-N-FBL-ITIN-AL	0.08(#3)	1.57	0.26	0.28	0.7	19
1171-005-0434-01	NV1-367-LH-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.24	0.14	0.16	0.7	20
1171-005-0435-01	NV1-367-LT-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.38	0.18	0.21	0.7	19
1171-005-0436-01	NV1-367-LF-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.57	0.24	0.28	0.7	18
1171-005-0437-01	NV1-367-LH-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.26	0.12	0.15	0.7	18
1171-005-0438-01	NV1-367-LT-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.40	0.16	0.20	0.7	17
1171-005-0439-01	NV1-367-LF-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.60	0.21	0.27	0.7	16
1171-005-0440-01	NV1-367-LH-D71-ON3-N-FBL-ITIN-CN	0.08(#3)	1.19	0.15	0.16	0.7	21
1171-005-0441-01	NV1-367-LT-D71-ON3-N-FBL-ITIN-CN	0.08(#3)	1.33	0.20	0.21	0.7	21
1171-005-0442-01	NV1-367-LF-D71-ON3-N-FBL-ITIN-CN	0.08(#3)	1.50	0.26	0.28	0.7	21
1171-005-0443-01	NV1-367-LH-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.19	0.14	0.16	0.7	21
1171-005-0444-01	NV1-367-LT-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.33	0.18	0.21	0.7	20
1171-005-0445-01	NV1-367-LF-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.50	0.24	0.28	0.7	20
1171-005-0446-01	NV1-367-LH-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.31	0.12	0.15	0.7	17
1171-005-0447-01	NV1-367-LT-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.46	0.16	0.20	0.7	16
1171-005-0448-01	NV1-367-LF-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.67	0.21	0.27	0.7	14
1171-005-0449-01	NV1-367-LH-D71-ON3-N-FBL-ITIN-SY	0.08(#3)	1.23	0.15	0.16	0.7	20
1171-005-0450-01	NV1-367-LT-D71-ON3-N-FBL-ITIN-SY	0.08(#3)	1.37	0.20	0.21	0.7	20
1171-005-0451-01	NV1-367-LF-D71-ON3-N-FBL-ITIN-SY	0.08(#3)	1.56	0.26	0.28	0.7	19
1171-005-0452-01	NV1-367-LH-D71-2NO-N-FBL-ITIN-SY	0.08(#2)	1.23	0.14	0.16	0.7	20
1171-005-0453-01	NV1-367-LT-D71-2NO-N-FBL-ITIN-SY	0.08(#2)	1.37	0.18	0.21	0.7	19
1171-005-0454-01	NV1-367-LF-D71-2NO-N-FBL-ITIN-SY	0.08(#2)	1.56	0.24	0.28	0.7	18
1171-005-0455-01	NV1-900-OP-000-000-N-FIX-0000-00		0.79	0.01	0.00	0.7	22
1171-005-0456-01	NV1-900-LQ-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	1.06	0.10	0.09	0.7	21
1171-005-0457-01	NV1-900-LH-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	1.26	0.19	0.18	0.7	22
1171-005-0458-01	NV1-900-LT-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	1.39	0.25	0.24	0.7	23
1171-005-0459-01	NV1-900-LF-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	1.58	0.33	0.33	0.7	23
1171-005-0460-01	NV1-900-LQ-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	1.06	0.10	0.09	0.7	21
1171-005-0461-01	NV1-900-LH-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	1.26	0.18	0.17	0.7	21
1171-005-0462-01	NV1-900-LT-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	1.39	0.24	0.23	0.7	22
1171-005-0463-01	NV1-900-LF-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	1.58	0.31	0.31	0.7	22
1171-005-0464-01	NV1-900-LQ-DLO-2NO-N-FIX-ASAB-AL	0.16(#2)	1.06	0.09	0.09	0.7	21
1171-005-0465-01	NV1-900-LH-DLO-2NO-N-FIX-ASAB-AL	0.16(#2)	1.26	0.17	0.18	0.7	21

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0466-01	NV1-900-LT-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.39	0.23	0.24	0.7	21
1171-005-0467-01	NV1-900-LF-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.58	0.30	0.33	0.7	21
1171-005-0468-01	NV1-900-LQ-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.06	0.09	0.09	0.7	21
1171-005-0469-01	NV1-900-LH-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.26	0.16	0.17	0.7	20
1171-005-0470-01	NV1-900-LT-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.39	0.22	0.23	0.7	21
1171-005-0471-01	NV1-900-LF-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.58	0.28	0.31	0.7	20
1171-005-0472-01	NV1-900-LQ-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	0.98	0.06	0.07	0.7	21
1171-005-0473-01	NV1-900-LH-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.11	0.12	0.14	0.7	21
1171-005-0474-01	NV1-900-LT-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.20	0.15	0.19	0.7	21
1171-005-0475-01	NV1-900-LF-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.32	0.20	0.26	0.7	21
1171-005-0476-01	NV1-900-LQ-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.01	0.08	0.08	0.7	21
1171-005-0477-01	NV1-900-LH-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.16	0.14	0.16	0.7	21
1171-005-0478-01	NV1-900-LT-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.26	0.18	0.21	0.7	21
1171-005-0479-01	NV1-900-LF-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.40	0.24	0.28	0.7	22
1171-005-0480-01	NV1-900-LQ-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.02	0.08	0.08	0.7	21
1171-005-0481-01	NV1-900-LH-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.18	0.15	0.16	0.7	21
1171-005-0482-01	NV1-900-LT-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.29	0.20	0.21	0.7	22
1171-005-0483-01	NV1-900-LF-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.43	0.27	0.28	0.7	23
1171-005-0484-01	NV1-900-LQ-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.00	0.08	0.08	0.7	21
1171-005-0485-01	NV1-900-LH-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.13	0.14	0.15	0.7	22
1171-005-0486-01	NV1-900-LT-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.23	0.18	0.20	0.7	22
1171-005-0487-01	NV1-900-LF-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.35	0.24	0.26	0.7	23
1171-005-0488-01	NV1-900-LQ-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	0.99	0.06	0.08	0.7	20
1171-005-0489-01	NV1-900-LH-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.11	0.12	0.15	0.7	21
1171-005-0490-01	NV1-900-LT-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.20	0.15	0.20	0.7	21
1171-005-0491-01	NV1-900-LF-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.31	0.20	0.26	0.7	21
1171-005-0492-01	NV1-900-LQ-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.02	0.10	0.09	0.7	22
1171-005-0493-01	NV1-900-LH-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.20	0.19	0.18	0.7	23
1171-005-0494-01	NV1-900-LT-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.32	0.25	0.24	0.7	24
1171-005-0495-01	NV1-900-LF-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.49	0.33	0.33	0.7	25
1171-005-0496-01	NV1-900-LQ-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.02	0.10	0.09	0.7	22
1171-005-0497-01	NV1-900-LH-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.20	0.18	0.17	0.7	23
1171-005-0498-01	NV1-900-LT-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.32	0.24	0.23	0.7	24
1171-005-0499-01	NV1-900-LF-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.49	0.31	0.31	0.7	24
1171-005-0500-01	NV1-900-LQ-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.02	0.09	0.09	0.7	21
1171-005-0501-01	NV1-900-LH-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.20	0.17	0.18	0.7	22
1171-005-0502-01	NV1-900-LT-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.32	0.23	0.24	0.7	23
1171-005-0503-01	NV1-900-LF-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.49	0.30	0.33	0.7	23
1171-005-0504-01	NV1-900-LQ-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.02	0.09	0.09	0.7	21
1171-005-0505-01	NV1-900-LH-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.20	0.16	0.17	0.7	22

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0506-01	NV1-900-LT-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.32	0.22	0.23	0.7	22
1171-005-0507-01	NV1-900-LF-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.49	0.28	0.31	0.7	22
1171-005-0508-01	NV1-900-LQ-DCL-ONA-N-FIX-ITIN-AL		1.15	0.11	0.10	0.7	20
1171-005-0509-01	NV1-900-LH-DCL-ONA-N-FIX-ITIN-AL		1.45	0.20	0.20	0.7	18
1171-005-0510-01	NV1-900-LT-DCL-ONA-N-FIX-ITIN-AL		1.66	0.26	0.26	0.7	17
1171-005-0511-01	NV1-900-LF-DCL-ONA-N-FIX-ITIN-AL		1.94	0.35	0.35	0.7	16
1171-005-0512-01	NV1-900-LQ-DCL-ONA-G-FIX-ITIN-AL		1.15	0.10	0.10	0.7	19
1171-005-0513-01	NV1-900-LH-DCL-ONA-G-FIX-ITIN-AL		1.45	0.19	0.19	0.7	18
1171-005-0514-01	NV1-900-LT-DCL-ONA-G-FIX-ITIN-AL		1.66	0.25	0.25	0.7	17
1171-005-0515-01	NV1-900-LF-DCL-ONA-G-FIX-ITIN-AL		1.94	0.33	0.33	0.7	15
1171-005-0516-01	NV1-900-LQ-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.03	0.10	0.09	0.7	22
1171-005-0517-01	NV1-900-LH-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.22	0.19	0.18	0.7	23
1171-005-0518-01	NV1-900-LT-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.35	0.25	0.24	0.7	23
1171-005-0519-01	NV1-900-LF-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.53	0.33	0.33	0.7	24
1171-005-0520-01	NV1-900-LQ-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.03	0.10	0.09	0.7	22
1171-005-0521-01	NV1-900-LH-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.22	0.18	0.17	0.7	22
1171-005-0522-01	NV1-900-LT-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.35	0.24	0.23	0.7	23
1171-005-0523-01	NV1-900-LF-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.53	0.31	0.31	0.7	23
1171-005-0524-01	NV1-900-LQ-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.03	0.09	0.09	0.7	21
1171-005-0525-01	NV1-900-LH-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.22	0.17	0.18	0.7	22
1171-005-0526-01	NV1-900-LT-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.35	0.23	0.24	0.7	22
1171-005-0527-01	NV1-900-LF-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.53	0.30	0.33	0.7	22
1171-005-0528-01	NV1-900-LQ-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.03	0.09	0.09	0.7	21
1171-005-0529-01	NV1-900-LH-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.22	0.16	0.17	0.7	21
1171-005-0530-01	NV1-900-LT-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.35	0.22	0.23	0.7	22
1171-005-0531-01	NV1-900-LF-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.53	0.28	0.31	0.7	21
1171-005-0532-01	NV1-900-LQ-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.7	22
1171-005-0533-01	NV1-900-LH-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.06	0.15	0.15	0.7	24
1171-005-0534-01	NV1-900-LT-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.15	0.19	0.20	0.7	24
1171-005-0535-01	NV1-900-LF-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.25	0.25	0.27	0.7	26
1171-005-0536-01	NV1-900-LQ-TLO-005-G-FIX-IUST-AL	0.16(#5)	0.98	0.09	0.08	0.7	22
1171-005-0537-01	NV1-900-LH-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.13	0.16	0.16	0.7	23
1171-005-0538-01	NV1-900-LT-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.23	0.22	0.21	0.7	24
1171-005-0539-01	NV1-900-LF-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.37	0.28	0.28	0.7	25
1171-005-0540-01	NV1-900-LQ-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.7	22
1171-005-0541-01	NV1-900-LH-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.08	0.15	0.15	0.7	24
1171-005-0542-01	NV1-900-LT-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.16	0.19	0.20	0.7	24
1171-005-0543-01	NV1-900-LF-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.27	0.25	0.27	0.7	25
1171-005-0544-01	NV1-900-LQ-TLO-005-G-FIX-ITIN-AL	0.16(#5)	0.99	0.09	0.08	0.7	22
1171-005-0545-01	NV1-900-LH-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.14	0.16	0.16	0.7	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0546-01	NV1-900-LT-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.24	0.22	0.21	0.7	24
1171-005-0547-01	NV1-900-LF-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.38	0.28	0.28	0.7	25
1171-005-0548-01	NV1-900-LQ-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.7	22
1171-005-0549-01	NV1-900-LH-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.05	0.15	0.16	0.7	24
1171-005-0550-01	NV1-900-LT-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.13	0.20	0.21	0.7	25
1171-005-0551-01	NV1-900-LF-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.23	0.27	0.28	0.7	27
1171-005-0552-01	NV1-900-LQ-TLO-005-N-FIX-IUST-AL	0.16(#5)	0.97	0.09	0.09	0.7	23
1171-005-0553-01	NV1-900-LH-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.11	0.17	0.17	0.7	24
1171-005-0554-01	NV1-900-LT-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.20	0.23	0.23	0.7	26
1171-005-0555-01	NV1-900-LF-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.33	0.30	0.30	0.7	27
1171-005-0556-01	NV1-900-LQ-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	0.95	0.08	0.08	0.7	22
1171-005-0557-01	NV1-900-LH-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.05	0.15	0.16	0.7	24
1171-005-0558-01	NV1-900-LT-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.13	0.20	0.21	0.7	25
1171-005-0559-01	NV1-900-LF-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.23	0.26	0.28	0.7	27
1171-005-0560-01	NV1-900-LQ-TLO-040-N-FIX-IUST-AL	0.16(#4)	0.97	0.09	0.09	0.7	23
1171-005-0561-01	NV1-900-LH-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.11	0.16	0.17	0.7	24
1171-005-0562-01	NV1-900-LT-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.20	0.21	0.23	0.7	24
1171-005-0563-01	NV1-900-LF-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.33	0.28	0.30	0.7	26
1171-005-0564-01	NV1-900-LQ-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.7	22
1171-005-0565-01	NV1-900-LH-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.07	0.15	0.16	0.7	24
1171-005-0566-01	NV1-900-LT-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.15	0.20	0.21	0.7	25
1171-005-0567-01	NV1-900-LF-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.26	0.27	0.28	0.7	27
1171-005-0568-01	NV1-900-LQ-TLO-005-N-FIX-ITIN-AL	0.16(#5)	0.98	0.09	0.09	0.7	22
1171-005-0569-01	NV1-900-LH-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.13	0.17	0.17	0.7	24
1171-005-0570-01	NV1-900-LT-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.23	0.23	0.23	0.7	25
1171-005-0571-01	NV1-900-LF-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.36	0.30	0.30	0.7	26
1171-005-0572-01	NV1-900-LQ-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	0.96	0.08	0.08	0.7	22
1171-005-0573-01	NV1-900-LH-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.07	0.15	0.16	0.7	24
1171-005-0574-01	NV1-900-LT-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.15	0.20	0.21	0.7	25
1171-005-0575-01	NV1-900-LF-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.26	0.26	0.28	0.7	26
1171-005-0576-01	NV1-900-LQ-TLO-040-N-FIX-ITIN-AL	0.16(#4)	0.98	0.09	0.09	0.7	22
1171-005-0577-01	NV1-900-LH-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.13	0.16	0.17	0.7	23
1171-005-0578-01	NV1-900-LT-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.23	0.21	0.23	0.7	24
1171-005-0579-01	NV1-900-LF-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.36	0.28	0.30	0.7	25
1171-005-0580-01	NV1-900-LQ-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.03	0.10	0.09	0.7	22
1171-005-0581-01	NV1-900-LH-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.21	0.19	0.18	0.7	23
1171-005-0582-01	NV1-900-LT-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.34	0.25	0.24	0.7	24
1171-005-0583-01	NV1-900-LF-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.51	0.33	0.33	0.7	25
1171-005-0584-01	NV1-900-LQ-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.03	0.10	0.09	0.7	22
1171-005-0585-01	NV1-900-LH-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.21	0.18	0.17	0.7	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0586-01	NV1-900-LT-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.34	0.24	0.23	0.7	23
1171-005-0587-01	NV1-900-LF-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.51	0.31	0.31	0.7	23
1171-005-0588-01	NV1-900-LQ-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.03	0.09	0.09	0.7	21
1171-005-0589-01	NV1-900-LH-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.21	0.17	0.18	0.7	22
1171-005-0590-01	NV1-900-LT-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.34	0.23	0.24	0.7	23
1171-005-0591-01	NV1-900-LF-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.51	0.30	0.33	0.7	23
1171-005-0592-01	NV1-900-LQ-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.03	0.09	0.09	0.7	21
1171-005-0593-01	NV1-900-LH-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.21	0.16	0.17	0.7	21
1171-005-0594-01	NV1-900-LT-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.34	0.22	0.23	0.7	22
1171-005-0595-01	NV1-900-LF-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.51	0.28	0.31	0.7	22
1171-005-0596-01	NV1-900-LQ-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	0.95	0.06	0.07	0.7	21
1171-005-0597-01	NV1-900-LH-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.06	0.12	0.14	0.7	22
1171-005-0598-01	NV1-900-LT-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.14	0.15	0.19	0.7	22
1171-005-0599-01	NV1-900-LF-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.24	0.20	0.26	0.7	23
1171-005-0600-01	NV1-900-LQ-T84-005-C-FIX-ASAB-CN	0.12(#5)	0.97	0.08	0.08	0.7	22
1171-005-0601-01	NV1-900-LH-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.11	0.14	0.16	0.7	22
1171-005-0602-01	NV1-900-LT-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.20	0.18	0.21	0.7	23
1171-005-0603-01	NV1-900-LF-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.33	0.24	0.28	0.7	23
1171-005-0604-01	NV1-900-LQ-TLO-005-C-FIX-ASAB-CN	0.16(#5)	0.99	0.08	0.08	0.7	22
1171-005-0605-01	NV1-900-LH-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.13	0.15	0.16	0.7	23
1171-005-0606-01	NV1-900-LT-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.23	0.20	0.21	0.7	23
1171-005-0607-01	NV1-900-LF-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.36	0.27	0.28	0.7	24
1171-005-0608-01	NV1-900-LQ-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.7	22
1171-005-0609-01	NV1-900-LH-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.08	0.14	0.15	0.7	23
1171-005-0610-01	NV1-900-LT-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.16	0.18	0.20	0.7	24
1171-005-0611-01	NV1-900-LF-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.27	0.24	0.26	0.7	25
1171-005-0612-01	NV1-900-LQ-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	0.95	0.06	0.08	0.7	21
1171-005-0613-01	NV1-900-LH-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.06	0.12	0.15	0.7	22
1171-005-0614-01	NV1-900-LT-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.14	0.15	0.20	0.7	22
1171-005-0615-01	NV1-900-LF-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.24	0.20	0.26	0.7	23
1171-005-0616-01	NV1-900-LQ-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	0.99	0.10	0.09	0.7	23
1171-005-0617-01	NV1-900-LH-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.16	0.19	0.18	0.7	24
1171-005-0618-01	NV1-900-LT-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.28	0.25	0.24	0.7	25
1171-005-0619-01	NV1-900-LF-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.43	0.33	0.33	0.7	26
1171-005-0620-01	NV1-900-LQ-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	0.99	0.10	0.09	0.7	23
1171-005-0621-01	NV1-900-LH-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.16	0.18	0.17	0.7	24
1171-005-0622-01	NV1-900-LT-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.28	0.24	0.23	0.7	24
1171-005-0623-01	NV1-900-LF-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.43	0.31	0.31	0.7	25
1171-005-0624-01	NV1-900-LQ-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	0.99	0.09	0.09	0.7	22
1171-005-0625-01	NV1-900-LH-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.16	0.17	0.18	0.7	23



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0626-01	NV1-900-LT-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.28	0.23	0.24	0.7	24
1171-005-0627-01	NV1-900-LF-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.43	0.30	0.33	0.7	25
1171-005-0628-01	NV1-900-LQ-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	0.99	0.09	0.09	0.7	22
1171-005-0629-01	NV1-900-LH-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.16	0.16	0.17	0.7	22
1171-005-0630-01	NV1-900-LT-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.28	0.22	0.23	0.7	23
1171-005-0631-01	NV1-900-LF-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.43	0.28	0.31	0.7	23
1171-005-0632-01	NV1-900-LQ-DCL-ONA-N-FIX-ITIN-CN		1.12	0.11	0.10	0.7	20
1171-005-0633-01	NV1-900-LH-DCL-ONA-N-FIX-ITIN-CN		1.41	0.20	0.20	0.7	19
1171-005-0634-01	NV1-900-LT-DCL-ONA-N-FIX-ITIN-CN		1.61	0.26	0.26	0.7	18
1171-005-0635-01	NV1-900-LF-DCL-ONA-N-FIX-ITIN-CN		1.88	0.35	0.35	0.7	18
1171-005-0636-01	NV1-900-LQ-DCL-ONA-G-FIX-ITIN-CN		1.12	0.10	0.10	0.7	20
1171-005-0637-01	NV1-900-LH-DCL-ONA-G-FIX-ITIN-CN		1.41	0.19	0.19	0.7	19
1171-005-0638-01	NV1-900-LT-DCL-ONA-G-FIX-ITIN-CN		1.61	0.25	0.25	0.7	18
1171-005-0639-01	NV1-900-LF-DCL-ONA-G-FIX-ITIN-CN		1.88	0.33	0.33	0.7	17
1171-005-0640-01	NV1-900-LQ-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.00	0.10	0.09	0.7	22
1171-005-0641-01	NV1-900-LH-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.18	0.19	0.18	0.7	24
1171-005-0642-01	NV1-900-LT-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.30	0.25	0.24	0.7	25
1171-005-0643-01	NV1-900-LF-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.46	0.33	0.33	0.7	26
1171-005-0644-01	NV1-900-LQ-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.00	0.10	0.09	0.7	22
1171-005-0645-01	NV1-900-LH-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.18	0.18	0.17	0.7	23
1171-005-0646-01	NV1-900-LT-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.30	0.24	0.23	0.7	24
1171-005-0647-01	NV1-900-LF-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.46	0.31	0.31	0.7	25
1171-005-0648-01	NV1-900-LQ-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.00	0.09	0.09	0.7	22
1171-005-0649-01	NV1-900-LH-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.18	0.17	0.18	0.7	23
1171-005-0650-01	NV1-900-LT-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.30	0.23	0.24	0.7	23
1171-005-0651-01	NV1-900-LF-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.46	0.30	0.33	0.7	24
1171-005-0652-01	NV1-900-LQ-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.00	0.09	0.09	0.7	22
1171-005-0653-01	NV1-900-LH-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.18	0.16	0.17	0.7	22
1171-005-0654-01	NV1-900-LT-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.30	0.22	0.23	0.7	23
1171-005-0655-01	NV1-900-LF-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.46	0.28	0.31	0.7	23
1171-005-0656-01	NV1-900-LQ-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.7	23
1171-005-0657-01	NV1-900-LH-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.02	0.15	0.15	0.7	25
1171-005-0658-01	NV1-900-LT-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.09	0.19	0.20	0.7	26
1171-005-0659-01	NV1-900-LF-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.19	0.25	0.27	0.7	27
1171-005-0660-01	NV1-900-LQ-TLO-005-G-FIX-IUST-CN	0.16(#5)	0.96	0.09	0.08	0.7	23
1171-005-0661-01	NV1-900-LH-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.09	0.16	0.16	0.7	24
1171-005-0662-01	NV1-900-LT-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.18	0.22	0.21	0.7	25
1171-005-0663-01	NV1-900-LF-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.31	0.28	0.28	0.7	26
1171-005-0664-01	NV1-900-LQ-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.93	0.08	0.08	0.7	23
1171-005-0665-01	NV1-900-LH-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.03	0.15	0.15	0.7	25

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0666-01	NV1-900-LT-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.10	0.19	0.20	0.7	26
1171-005-0667-01	NV1-900-LF-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.20	0.25	0.27	0.7	27
1171-005-0668-01	NV1-900-LQ-TLO-005-G-FIX-ITIN-CN	0.16(#5)	0.96	0.09	0.08	0.7	23
1171-005-0669-01	NV1-900-LH-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.09	0.16	0.16	0.7	24
1171-005-0670-01	NV1-900-LT-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.19	0.22	0.21	0.7	25
1171-005-0671-01	NV1-900-LF-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.32	0.28	0.28	0.7	26
1171-005-0672-01	NV1-900-LQ-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.7	23
1171-005-0673-01	NV1-900-LH-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.01	0.15	0.16	0.7	25
1171-005-0674-01	NV1-900-LT-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.07	0.20	0.21	0.7	27
1171-005-0675-01	NV1-900-LF-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.16	0.27	0.28	0.7	29
1171-005-0676-01	NV1-900-LQ-TLO-005-N-FIX-IUST-CN	0.16(#5)	0.95	0.09	0.09	0.7	23
1171-005-0677-01	NV1-900-LH-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.07	0.17	0.17	0.7	25
1171-005-0678-01	NV1-900-LT-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.15	0.23	0.23	0.7	27
1171-005-0679-01	NV1-900-LF-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.27	0.30	0.30	0.7	28
1171-005-0680-01	NV1-900-LQ-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	0.92	0.08	0.08	0.7	23
1171-005-0681-01	NV1-900-LH-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.01	0.15	0.16	0.7	25
1171-005-0682-01	NV1-900-LT-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.07	0.20	0.21	0.7	27
1171-005-0683-01	NV1-900-LF-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.16	0.26	0.28	0.7	28
1171-005-0684-01	NV1-900-LQ-TLO-040-N-FIX-IUST-CN	0.16(#4)	0.95	0.09	0.09	0.7	23
1171-005-0685-01	NV1-900-LH-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.07	0.16	0.17	0.7	24
1171-005-0686-01	NV1-900-LT-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.15	0.21	0.23	0.7	26
1171-005-0687-01	NV1-900-LF-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.27	0.28	0.30	0.7	27
1171-005-0688-01	NV1-900-LQ-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.93	0.08	0.08	0.7	23
1171-005-0689-01	NV1-900-LH-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.03	0.15	0.16	0.7	25
1171-005-0690-01	NV1-900-LT-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.10	0.20	0.21	0.7	26
1171-005-0691-01	NV1-900-LF-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.19	0.27	0.28	0.7	28
1171-005-0692-01	NV1-900-LQ-TLO-005-N-FIX-ITIN-CN	0.16(#5)	0.96	0.09	0.09	0.7	23
1171-005-0693-01	NV1-900-LH-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.08	0.17	0.17	0.7	25
1171-005-0694-01	NV1-900-LT-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.18	0.23	0.23	0.7	26
1171-005-0695-01	NV1-900-LF-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.29	0.30	0.30	0.7	28
1171-005-0696-01	NV1-900-LQ-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	0.93	0.08	0.08	0.7	23
1171-005-0697-01	NV1-900-LH-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.03	0.15	0.16	0.7	25
1171-005-0698-01	NV1-900-LT-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.10	0.20	0.21	0.7	26
1171-005-0699-01	NV1-900-LF-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.19	0.26	0.28	0.7	28
1171-005-0700-01	NV1-900-LQ-TLO-040-N-FIX-ITIN-CN	0.16(#4)	0.96	0.09	0.09	0.7	23
1171-005-0701-01	NV1-900-LH-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.08	0.16	0.17	0.7	24
1171-005-0702-01	NV1-900-LT-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.18	0.21	0.23	0.7	25
1171-005-0703-01	NV1-900-LF-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.29	0.28	0.30	0.7	27
1171-005-0704-01	NV1-900-LQ-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.06	0.10	0.09	0.7	21
1171-005-0705-01	NV1-900-LH-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.25	0.19	0.18	0.7	22

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0706-01	NV1-900-LT-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.39	0.25	0.24	0.7	23
1171-005-0707-01	NV1-900-LF-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.57	0.33	0.33	0.7	23
1171-005-0708-01	NV1-900-LQ-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.06	0.10	0.09	0.7	21
1171-005-0709-01	NV1-900-LH-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.25	0.18	0.17	0.7	22
1171-005-0710-01	NV1-900-LT-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.39	0.24	0.23	0.7	22
1171-005-0711-01	NV1-900-LF-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.57	0.31	0.31	0.7	22
1171-005-0712-01	NV1-900-LQ-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.06	0.09	0.09	0.7	21
1171-005-0713-01	NV1-900-LH-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.25	0.17	0.18	0.7	21
1171-005-0714-01	NV1-900-LT-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.39	0.23	0.24	0.7	21
1171-005-0715-01	NV1-900-LF-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.57	0.30	0.33	0.7	22
1171-005-0716-01	NV1-900-LQ-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.06	0.09	0.09	0.7	21
1171-005-0717-01	NV1-900-LH-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.25	0.16	0.17	0.7	20
1171-005-0718-01	NV1-900-LT-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.39	0.22	0.23	0.7	21
1171-005-0719-01	NV1-900-LF-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.57	0.28	0.31	0.7	20
1171-005-0720-01	NV1-900-LQ-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	0.98	0.06	0.07	0.7	21
1171-005-0721-01	NV1-900-LH-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.10	0.12	0.14	0.7	21
1171-005-0722-01	NV1-900-LT-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.19	0.15	0.19	0.7	21
1171-005-0723-01	NV1-900-LF-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.30	0.20	0.26	0.7	22
1171-005-0724-01	NV1-900-LQ-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.00	0.08	0.08	0.7	21
1171-005-0725-01	NV1-900-LH-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.15	0.14	0.16	0.7	22
1171-005-0726-01	NV1-900-LT-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.26	0.18	0.21	0.7	21
1171-005-0727-01	NV1-900-LF-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.39	0.24	0.28	0.7	22
1171-005-0728-01	NV1-900-LQ-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.01	0.08	0.08	0.7	21
1171-005-0729-01	NV1-900-LH-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.17	0.15	0.16	0.7	22
1171-005-0730-01	NV1-900-LT-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.28	0.20	0.21	0.7	22
1171-005-0731-01	NV1-900-LF-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.42	0.27	0.28	0.7	23
1171-005-0732-01	NV1-900-LQ-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	0.99	0.08	0.08	0.7	22
1171-005-0733-01	NV1-900-LH-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.12	0.14	0.15	0.7	22
1171-005-0734-01	NV1-900-LT-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.21	0.18	0.20	0.7	23
1171-005-0735-01	NV1-900-LF-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.33	0.24	0.26	0.7	23
1171-005-0736-01	NV1-900-LQ-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	0.98	0.06	0.08	0.7	21
1171-005-0737-01	NV1-900-LH-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.10	0.12	0.15	0.7	21
1171-005-0738-01	NV1-900-LT-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.18	0.15	0.20	0.7	21
1171-005-0739-01	NV1-900-LF-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.30	0.20	0.26	0.7	22
1171-005-0740-01	NV1-900-LQ-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.01	0.10	0.09	0.7	22
1171-005-0741-01	NV1-900-LH-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.19	0.19	0.18	0.7	24
1171-005-0742-01	NV1-900-LT-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.31	0.25	0.24	0.7	24
1171-005-0743-01	NV1-900-LF-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.47	0.33	0.33	0.7	25
1171-005-0744-01	NV1-900-LQ-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.01	0.10	0.09	0.7	22
1171-005-0745-01	NV1-900-LH-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.19	0.18	0.17	0.7	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0746-01	NV1-900-LT-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.31	0.24	0.23	0.7	24
1171-005-0747-01	NV1-900-LF-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.47	0.31	0.31	0.7	24
1171-005-0748-01	NV1-900-LQ-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.01	0.09	0.09	0.7	22
1171-005-0749-01	NV1-900-LH-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.19	0.17	0.18	0.7	22
1171-005-0750-01	NV1-900-LT-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.31	0.23	0.24	0.7	23
1171-005-0751-01	NV1-900-LF-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.47	0.30	0.33	0.7	24
1171-005-0752-01	NV1-900-LQ-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.01	0.09	0.09	0.7	22
1171-005-0753-01	NV1-900-LH-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.19	0.16	0.17	0.7	22
1171-005-0754-01	NV1-900-LT-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.31	0.22	0.23	0.7	23
1171-005-0755-01	NV1-900-LF-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.47	0.28	0.31	0.7	23
1171-005-0756-01	NV1-900-LQ-DCL-0NA-N-FIX-ITIN-SY		1.15	0.11	0.10	0.7	20
1171-005-0757-01	NV1-900-LH-DCL-0NA-N-FIX-ITIN-SY		1.44	0.20	0.20	0.7	19
1171-005-0758-01	NV1-900-LT-DCL-0NA-N-FIX-ITIN-SY		1.65	0.26	0.26	0.7	18
1171-005-0759-01	NV1-900-LF-DCL-0NA-N-FIX-ITIN-SY		1.93	0.35	0.35	0.7	17
1171-005-0760-01	NV1-900-LQ-DCL-0NA-G-FIX-ITIN-SY		1.15	0.10	0.10	0.7	19
1171-005-0761-01	NV1-900-LH-DCL-0NA-G-FIX-ITIN-SY		1.44	0.19	0.19	0.7	18
1171-005-0762-01	NV1-900-LT-DCL-0NA-G-FIX-ITIN-SY		1.65	0.25	0.25	0.7	17
1171-005-0763-01	NV1-900-LF-DCL-0NA-G-FIX-ITIN-SY		1.93	0.33	0.33	0.7	15
1171-005-0764-01	NV1-900-LQ-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.03	0.10	0.09	0.7	22
1171-005-0765-01	NV1-900-LH-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.21	0.19	0.18	0.7	23
1171-005-0766-01	NV1-900-LT-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.34	0.25	0.24	0.7	24
1171-005-0767-01	NV1-900-LF-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.51	0.33	0.33	0.7	25
1171-005-0768-01	NV1-900-LQ-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.03	0.10	0.09	0.7	22
1171-005-0769-01	NV1-900-LH-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.21	0.18	0.17	0.7	23
1171-005-0770-01	NV1-900-LT-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.34	0.24	0.23	0.7	23
1171-005-0771-01	NV1-900-LF-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.51	0.31	0.31	0.7	23
1171-005-0772-01	NV1-900-LQ-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.03	0.09	0.09	0.7	21
1171-005-0773-01	NV1-900-LH-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.21	0.17	0.18	0.7	22
1171-005-0774-01	NV1-900-LT-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.34	0.23	0.24	0.7	23
1171-005-0775-01	NV1-900-LF-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.51	0.30	0.33	0.7	23
1171-005-0776-01	NV1-900-LQ-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.03	0.09	0.09	0.7	21
1171-005-0777-01	NV1-900-LH-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.21	0.16	0.17	0.7	21
1171-005-0778-01	NV1-900-LT-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.34	0.22	0.23	0.7	22
1171-005-0779-01	NV1-900-LF-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.51	0.28	0.31	0.7	22
1171-005-0780-01	NV1-900-LQ-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.94	0.08	0.08	0.7	23
1171-005-0781-01	NV1-900-LH-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.05	0.15	0.15	0.7	24
1171-005-0782-01	NV1-900-LT-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.13	0.19	0.20	0.7	25
1171-005-0783-01	NV1-900-LF-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.23	0.25	0.27	0.7	26
1171-005-0784-01	NV1-900-LQ-TLO-005-G-FIX-IUST-SY	0.16(#5)	0.98	0.09	0.08	0.7	22
1171-005-0785-01	NV1-900-LH-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.12	0.16	0.16	0.7	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0786-01	NV1-900-LT-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.22	0.22	0.21	0.7	25
1171-005-0787-01	NV1-900-LF-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.35	0.28	0.28	0.7	25
1171-005-0788-01	NV1-900-LQ-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.7	22
1171-005-0789-01	NV1-900-LH-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.06	0.15	0.15	0.7	24
1171-005-0790-01	NV1-900-LT-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.14	0.19	0.20	0.7	25
1171-005-0791-01	NV1-900-LF-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.25	0.25	0.27	0.7	26
1171-005-0792-01	NV1-900-LQ-TLO-005-G-FIX-ITIN-SY	0.16(#5)	0.98	0.09	0.08	0.7	22
1171-005-0793-01	NV1-900-LH-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.13	0.16	0.16	0.7	23
1171-005-0794-01	NV1-900-LT-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.23	0.22	0.21	0.7	24
1171-005-0795-01	NV1-900-LF-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.36	0.28	0.28	0.7	25
1171-005-0796-01	NV1-900-LQ-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.94	0.08	0.08	0.7	23
1171-005-0797-01	NV1-900-LH-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.04	0.15	0.16	0.7	25
1171-005-0798-01	NV1-900-LT-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.11	0.20	0.21	0.7	26
1171-005-0799-01	NV1-900-LF-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.20	0.27	0.28	0.7	28
1171-005-0800-01	NV1-900-LQ-TLO-005-N-FIX-IUST-SY	0.16(#5)	0.97	0.09	0.09	0.7	23
1171-005-0801-01	NV1-900-LH-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.10	0.17	0.17	0.7	24
1171-005-0802-01	NV1-900-LT-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.19	0.23	0.23	0.7	26
1171-005-0803-01	NV1-900-LF-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.31	0.30	0.30	0.7	27
1171-005-0804-01	NV1-900-LQ-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	0.94	0.08	0.08	0.7	23
1171-005-0805-01	NV1-900-LH-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.04	0.15	0.16	0.7	25
1171-005-0806-01	NV1-900-LT-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.11	0.20	0.21	0.7	26
1171-005-0807-01	NV1-900-LF-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.20	0.26	0.28	0.7	27
1171-005-0808-01	NV1-900-LQ-TLO-040-N-FIX-IUST-SY	0.16(#4)	0.97	0.09	0.09	0.7	23
1171-005-0809-01	NV1-900-LH-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.10	0.16	0.17	0.7	24
1171-005-0810-01	NV1-900-LT-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.19	0.21	0.23	0.7	25
1171-005-0811-01	NV1-900-LF-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.31	0.28	0.30	0.7	26
1171-005-0812-01	NV1-900-LQ-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.7	22
1171-005-0813-01	NV1-900-LH-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.06	0.15	0.16	0.7	24
1171-005-0814-01	NV1-900-LT-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.13	0.20	0.21	0.7	25
1171-005-0815-01	NV1-900-LF-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.23	0.27	0.28	0.7	27
1171-005-0816-01	NV1-900-LQ-TLO-005-N-FIX-ITIN-SY	0.16(#5)	0.98	0.09	0.09	0.7	22
1171-005-0817-01	NV1-900-LH-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.12	0.17	0.17	0.7	24
1171-005-0818-01	NV1-900-LT-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.21	0.23	0.23	0.7	25
1171-005-0819-01	NV1-900-LF-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.34	0.30	0.30	0.7	27
1171-005-0820-01	NV1-900-LQ-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	0.95	0.08	0.08	0.7	22
1171-005-0821-01	NV1-900-LH-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.06	0.15	0.16	0.7	24
1171-005-0822-01	NV1-900-LT-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.13	0.20	0.21	0.7	25
1171-005-0823-01	NV1-900-LF-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.23	0.26	0.28	0.7	27
1171-005-0824-01	NV1-900-LQ-TLO-040-N-FIX-ITIN-SY	0.16(#4)	0.98	0.09	0.09	0.7	22
1171-005-0825-01	NV1-900-LH-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.12	0.16	0.17	0.7	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0826-01	NV1-900-LT-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.21	0.21	0.23	0.7	24
1171-005-0827-01	NV1-900-LF-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.34	0.28	0.30	0.7	25
1171-005-0828-01	NV1-900-LH-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.28	0.17	0.16	0.7	20
1171-005-0829-01	NV1-900-LT-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.41	0.23	0.22	0.7	21
1171-005-0830-01	NV1-900-LF-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.59	0.30	0.30	0.7	21
1171-005-0831-01	NV1-900-LH-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.27	0.18	0.17	0.7	21
1171-005-0832-01	NV1-900-LT-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.39	0.24	0.23	0.7	22
1171-005-0833-01	NV1-900-LF-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.56	0.32	0.32	0.7	23
1171-005-0834-01	NV1-900-LH-DCL-0NA-G-VEL-ITIN-EL		1.52	0.18	0.18	0.7	16
1171-005-0835-01	NV1-900-LT-DCL-0NA-G-VEL-ITIN-EL		1.74	0.24	0.24	0.7	14
1171-005-0836-01	NV1-900-LF-DCL-0NA-G-VEL-ITIN-EL		2.02	0.32	0.32	0.7	13
1171-005-0837-01	NV1-900-LH-DCL-0NA-N-VEL-ITIN-EL		1.51	0.19	0.18	0.7	17
1171-005-0838-01	NV1-900-LT-DCL-0NA-N-VEL-ITIN-EL		1.72	0.25	0.25	0.7	15
1171-005-0839-01	NV1-900-LF-DCL-0NA-N-VEL-ITIN-EL		2.00	0.34	0.34	0.7	14
1171-005-0840-01	NV1-900-LH-DLO-0N3-G-VEL-ITIN-EL	0.16(#3)	1.30	0.17	0.16	0.7	20
1171-005-0841-01	NV1-900-LT-DLO-0N3-G-VEL-ITIN-EL	0.16(#3)	1.43	0.23	0.22	0.7	21
1171-005-0842-01	NV1-900-LF-DLO-0N3-G-VEL-ITIN-EL	0.16(#3)	1.61	0.30	0.30	0.7	21
1171-005-0843-01	NV1-900-LH-DLO-0N3-N-VEL-ITIN-EL	0.16(#3)	1.29	0.18	0.17	0.7	21
1171-005-0844-01	NV1-900-LT-DLO-0N3-N-VEL-ITIN-EL	0.16(#3)	1.41	0.24	0.23	0.7	22
1171-005-0845-01	NV1-900-LF-DLO-0N3-N-VEL-ITIN-EL	0.16(#3)	1.58	0.32	0.32	0.7	23
1171-005-0846-01	NV1-900-LH-DLO-0N3-G-V47-IUST-47	0.16(#3)	1.32	0.17	0.16	0.7	20
1171-005-0847-01	NV1-900-LT-DLO-0N3-G-V47-IUST-47	0.16(#3)	1.46	0.23	0.22	0.7	20
1171-005-0848-01	NV1-900-LF-DLO-0N3-G-V47-IUST-47	0.16(#3)	1.64	0.30	0.30	0.7	20
1171-005-0849-01	NV1-900-LH-DLO-0N3-N-V47-IUST-47	0.16(#3)	1.31	0.18	0.17	0.7	20
1171-005-0850-01	NV1-900-LT-DLO-0N3-N-V47-IUST-47	0.16(#3)	1.44	0.24	0.23	0.7	21
1171-005-0851-01	NV1-900-LF-DLO-0N3-N-V47-IUST-47	0.16(#3)	1.62	0.32	0.32	0.7	22
1171-005-0852-01	NV1-900-LH-DCL-0NA-G-V47-ITIN-47		1.56	0.18	0.18	0.7	15
1171-005-0853-01	NV1-900-LT-DCL-0NA-G-V47-ITIN-47		1.78	0.24	0.24	0.7	14
1171-005-0854-01	NV1-900-LF-DCL-0NA-G-V47-ITIN-47		2.08	0.32	0.32	0.7	12
1171-005-0855-01	NV1-900-LH-DCL-0NA-N-V47-ITIN-47		1.56	0.19	0.18	0.7	15
1171-005-0856-01	NV1-900-LT-DCL-0NA-N-V47-ITIN-47		1.78	0.25	0.25	0.7	14
1171-005-0857-01	NV1-900-LF-DCL-0NA-N-V47-ITIN-47		2.07	0.34	0.34	0.7	13
1171-005-0858-01	NV1-900-LH-DLO-0N3-G-V47-ITIN-47	0.16(#3)	1.34	0.17	0.16	0.7	19
1171-005-0859-01	NV1-900-LT-DLO-0N3-G-V47-ITIN-47	0.16(#3)	1.48	0.23	0.22	0.7	19
1171-005-0860-01	NV1-900-LF-DLO-0N3-G-V47-ITIN-47	0.16(#3)	1.67	0.30	0.30	0.7	19
1171-005-0861-01	NV1-900-LH-DLO-0N3-N-V47-ITIN-47	0.16(#3)	1.33	0.18	0.17	0.7	20
1171-005-0862-01	NV1-900-LT-DLO-0N3-N-V47-ITIN-47	0.16(#3)	1.47	0.24	0.23	0.7	20
1171-005-0863-01	NV1-900-LF-DLO-0N3-N-V47-ITIN-47	0.16(#3)	1.65	0.32	0.32	0.7	21
1171-005-0864-01	NV1-900-LH-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.26	0.17	0.16	0.7	21
1171-005-0865-01	NV1-900-LT-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.39	0.23	0.22	0.7	21

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0866-01	NV1-900-LF-DLO-ON3-G-V55-IUST-55	0.16(#3)	1.57	0.30	0.30	0.7	22
1171-005-0867-01	NV1-900-LH-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.25	0.18	0.17	0.7	22
1171-005-0868-01	NV1-900-LT-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.38	0.24	0.23	0.7	22
1171-005-0869-01	NV1-900-LF-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.54	0.32	0.32	0.7	23
1171-005-0870-01	NV1-900-LH-DCL-ONA-G-V55-ITIN-55		1.51	0.18	0.18	0.7	16
1171-005-0871-01	NV1-900-LT-DCL-ONA-G-V55-ITIN-55		1.73	0.24	0.24	0.7	15
1171-005-0872-01	NV1-900-LF-DCL-ONA-G-V55-ITIN-55		2.01	0.32	0.32	0.7	13
1171-005-0873-01	NV1-900-LH-DCL-ONA-N-V55-ITIN-55		1.50	0.19	0.18	0.7	17
1171-005-0874-01	NV1-900-LT-DCL-ONA-N-V55-ITIN-55		1.71	0.25	0.25	0.7	16
1171-005-0875-01	NV1-900-LF-DCL-ONA-N-V55-ITIN-55		2.00	0.34	0.34	0.7	14
1171-005-0876-01	NV1-900-LH-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.28	0.17	0.16	0.7	20
1171-005-0877-01	NV1-900-LT-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.42	0.23	0.22	0.7	21
1171-005-0878-01	NV1-900-LF-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.60	0.30	0.30	0.7	21
1171-005-0879-01	NV1-900-LH-DLO-ON3-N-V55-ITIN-55	0.16(#3)	1.27	0.18	0.17	0.7	21
1171-005-0880-01	NV1-900-LT-DLO-ON3-N-V55-ITIN-55	0.16(#3)	1.40	0.24	0.23	0.7	22
1171-005-0881-01	NV1-900-LF-DLO-ON3-N-V55-ITIN-55	0.16(#3)	1.57	0.32	0.32	0.7	23
1171-005-0882-01	NV1-900-LH-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.36	0.12	0.15	0.7	16
1171-005-0883-01	NV1-900-LT-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.52	0.16	0.20	0.7	15
1171-005-0884-01	NV1-900-LF-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.73	0.21	0.27	0.7	13
1171-005-0885-01	NV1-900-LH-D71-ON3-N-FBL-ITIN-AL	0.08(#3)	1.28	0.15	0.16	0.7	19
1171-005-0886-01	NV1-900-LT-D71-ON3-N-FBL-ITIN-AL	0.08(#3)	1.42	0.20	0.21	0.7	19
1171-005-0887-01	NV1-900-LF-D71-ON3-N-FBL-ITIN-AL	0.08(#3)	1.61	0.26	0.28	0.7	18
1171-005-0888-01	NV1-900-LH-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.28	0.14	0.16	0.7	19
1171-005-0889-01	NV1-900-LT-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.42	0.18	0.21	0.7	18
1171-005-0890-01	NV1-900-LF-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.61	0.24	0.28	0.7	17
1171-005-0891-01	NV1-900-LH-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.30	0.12	0.15	0.7	17
1171-005-0892-01	NV1-900-LT-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.44	0.16	0.20	0.7	16
1171-005-0893-01	NV1-900-LF-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.64	0.21	0.27	0.7	15
1171-005-0894-01	NV1-900-LH-D71-ON3-N-FBL-ITIN-CN	0.08(#3)	1.23	0.15	0.16	0.7	20
1171-005-0895-01	NV1-900-LT-D71-ON3-N-FBL-ITIN-CN	0.08(#3)	1.36	0.20	0.21	0.7	20
1171-005-0896-01	NV1-900-LF-D71-ON3-N-FBL-ITIN-CN	0.08(#3)	1.54	0.26	0.28	0.7	20
1171-005-0897-01	NV1-900-LH-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.23	0.14	0.16	0.7	20
1171-005-0898-01	NV1-900-LT-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.36	0.18	0.21	0.7	19
1171-005-0899-01	NV1-900-LF-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.54	0.24	0.28	0.7	19
1171-005-0900-01	NV1-900-LH-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.35	0.12	0.15	0.7	16
1171-005-0901-01	NV1-900-LT-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.50	0.16	0.20	0.7	15
1171-005-0902-01	NV1-900-LF-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.71	0.21	0.27	0.7	13
1171-005-0903-01	NV1-900-LH-D71-ON3-N-FBL-ITIN-SY	0.08(#3)	1.27	0.15	0.16	0.7	19
1171-005-0904-01	NV1-900-LT-D71-ON3-N-FBL-ITIN-SY	0.08(#3)	1.41	0.20	0.21	0.7	19
1171-005-0905-01	NV1-900-LF-D71-ON3-N-FBL-ITIN-SY	0.08(#3)	1.60	0.26	0.28	0.7	19

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0906-01	NV1-900-LH-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.27	0.14	0.16	0.7	19
1171-005-0907-01	NV1-900-LT-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.41	0.18	0.21	0.7	18
1171-005-0908-01	NV1-900-LF-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.60	0.24	0.28	0.7	17
1171-005-0909-01	NV1-367-LH-D70-0N3-G-V55-IUST-55	0.02(#3)	1.15	0.10	0.15	0.7	19
1171-005-0910-01	NV1-367-LT-D70-0N3-G-V55-IUST-55	0.02(#3)	1.26	0.13	0.20	0.7	19
1171-005-0911-01	NV1-367-LF-D70-0N3-G-V55-IUST-55	0.02(#3)	1.40	0.17	0.27	0.7	18
1171-005-0912-01	NV1-367-LH-D70-0N3-N-V55-IUST-55	0.02(#3)	1.14	0.10	0.15	0.7	19
1171-005-0913-01	NV1-367-LT-D70-0N3-N-V55-IUST-55	0.02(#3)	1.24	0.14	0.21	0.7	20
1171-005-0914-01	NV1-367-LF-D70-0N3-N-V55-IUST-55	0.02(#3)	1.37	0.18	0.28	0.7	19
1171-005-0915-01	NV1-367-LH-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.17	0.10	0.15	0.7	19
1171-005-0916-01	NV1-367-LT-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.28	0.13	0.20	0.7	18
1171-005-0917-01	NV1-367-LF-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.42	0.17	0.27	0.7	17
1171-005-0918-01	NV1-367-LH-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.16	0.10	0.15	0.7	19
1171-005-0919-01	NV1-367-LT-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.26	0.14	0.21	0.7	19
1171-005-0920-01	NV1-367-LF-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.39	0.18	0.28	0.7	19
1171-005-0921-01	NV1-900-LH-D70-0N3-G-V55-IUST-55	0.02(#3)	1.19	0.10	0.15	0.7	18
1171-005-0922-01	NV1-900-LT-D70-0N3-G-V55-IUST-55	0.02(#3)	1.30	0.13	0.20	0.7	18
1171-005-0923-01	NV1-900-LF-D70-0N3-G-V55-IUST-55	0.02(#3)	1.44	0.17	0.27	0.7	17
1171-005-0924-01	NV1-900-LH-D70-0N3-N-V55-IUST-55	0.02(#3)	1.18	0.10	0.15	0.7	19
1171-005-0925-01	NV1-900-LT-D70-0N3-N-V55-IUST-55	0.02(#3)	1.28	0.14	0.21	0.7	19
1171-005-0926-01	NV1-900-LF-D70-0N3-N-V55-IUST-55	0.02(#3)	1.41	0.18	0.28	0.7	18
1171-005-0927-01	NV1-900-LH-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.21	0.10	0.15	0.7	18
1171-005-0928-01	NV1-900-LT-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.32	0.13	0.20	0.7	17
1171-005-0929-01	NV1-900-LF-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.46	0.17	0.27	0.7	16
1171-005-0930-01	NV1-900-LH-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.20	0.10	0.15	0.7	18
1171-005-0931-01	NV1-900-LT-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.30	0.14	0.21	0.7	18
1171-005-0932-01	NV1-900-LF-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.43	0.18	0.28	0.7	18
1171-005-0933-01	NV1-367-LH-D70-0N3-G-V47-IUST-47	0.02(#3)	1.21	0.10	0.15	0.7	18
1171-005-0934-01	NV1-367-LH-D70-0N3-N-V47-IUST-47	0.02(#3)	1.20	0.10	0.15	0.7	18
1171-005-0935-01	NV1-367-LH-D36-0N3-G-V47-IUST-47	0.04(#3)	1.22	0.11	0.15	0.7	18
1171-005-0936-01	NV1-367-LH-D36-0N3-N-V47-IUST-47	0.04(#3)	1.21	0.12	0.16	0.7	19
1171-005-0937-01	NV1-900-LH-D70-0N3-G-V47-IUST-47	0.02(#3)	1.25	0.10	0.15	0.7	17
1171-005-0938-01	NV1-900-LH-D70-0N3-N-V47-IUST-47	0.02(#3)	1.24	0.10	0.15	0.7	17
1171-005-0939-01	NV1-900-LH-D36-0N3-G-V47-IUST-47	0.04(#3)	1.26	0.11	0.15	0.7	17
1171-005-0940-01	NV1-900-LH-D36-0N3-N-V47-IUST-47	0.04(#3)	1.24	0.12	0.16	0.7	18
1171-005-0941-01	NV1-367-LT-D70-0N3-N-FIX-ITIN-AL	0.02(#3)	1.23	0.14	0.22	0.7	20
1171-005-0942-01	NV1-367-LT-D70-0N3-G-FIX-ITIN-AL	0.02(#3)	1.23	0.14	0.21	0.7	20
1171-005-0943-01	NV1-367-LT-D70-2N0-N-FIX-ITIN-AL	0.02(#2)	1.23	0.12	0.22	0.7	19
1171-005-0944-01	NV1-367-LT-D70-2N0-G-FIX-ITIN-AL	0.02(#2)	1.23	0.11	0.21	0.7	18
1171-005-0945-01	NV1-367-LT-D70-0N3-N-FIX-IUST-AL	0.02(#3)	1.20	0.14	0.22	0.7	20



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-005-0946-01	NV1-367-LT-D70-0N3-G-FIX-IUST-AL	0.02(#3)	1.20	0.14	0.21	0.7	20
1171-005-0947-01	NV1-367-LT-D70-2N0-N-FIX-IUST-AL	0.02(#2)	1.20	0.12	0.22	0.7	19
1171-005-0948-01	NV1-367-LT-D70-2N0-G-FIX-IUST-AL	0.02(#2)	1.20	0.11	0.21	0.7	19
1171-005-0949-01	NV1-367-LT-D70-0N3-N-FIX-ITIN-CN	0.02(#3)	1.17	0.14	0.22	0.7	21
1171-005-0950-01	NV1-367-LT-D70-0N3-G-FIX-ITIN-CN	0.02(#3)	1.17	0.14	0.21	0.7	21
1171-005-0951-01	NV1-367-LT-D70-2N0-N-FIX-ITIN-CN	0.02(#2)	1.17	0.12	0.22	0.7	20
1171-005-0952-01	NV1-367-LT-D70-2N0-G-FIX-ITIN-CN	0.02(#2)	1.17	0.11	0.21	0.7	19
1171-005-0953-01	NV1-367-LT-D70-0N3-N-FIX-IUST-CN	0.02(#3)	1.15	0.14	0.22	0.7	22
1171-005-0954-01	NV1-367-LT-D70-0N3-G-FIX-IUST-CN	0.02(#3)	1.15	0.14	0.21	0.7	22
1171-005-0955-01	NV1-367-LT-D70-2N0-N-FIX-IUST-CN	0.02(#2)	1.15	0.12	0.22	0.7	20
1171-005-0956-01	NV1-367-LT-D70-2N0-G-FIX-IUST-CN	0.02(#2)	1.15	0.11	0.21	0.7	20
1171-005-0957-01	NV1-367-LT-D70-0N3-N-FIX-ITIN-SY	0.02(#3)	1.21	0.14	0.22	0.7	20
1171-005-0958-01	NV1-367-LT-D70-0N3-G-FIX-ITIN-SY	0.02(#3)	1.21	0.14	0.21	0.7	20
1171-005-0959-01	NV1-367-LT-D70-2N0-N-FIX-ITIN-SY	0.02(#2)	1.21	0.12	0.22	0.7	19
1171-005-0960-01	NV1-367-LT-D70-2N0-G-FIX-ITIN-SY	0.02(#2)	1.21	0.11	0.21	0.7	18
1171-005-0961-01	NV1-367-LT-D70-0N3-N-FIX-IUST-SY	0.02(#3)	1.18	0.14	0.22	0.7	21
1171-005-0962-01	NV1-367-LT-D70-0N3-G-FIX-IUST-SY	0.02(#3)	1.18	0.14	0.21	0.7	21
1171-005-0963-01	NV1-367-LT-D70-2N0-N-FIX-IUST-SY	0.02(#2)	1.18	0.12	0.22	0.7	20
1171-005-0964-01	NV1-367-LT-D70-2N0-G-FIX-IUST-SY	0.02(#2)	1.18	0.11	0.21	0.7	19
1171-005-0965-01	NV1-367-LH-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.23	0.17	0.16	0.7	22
1171-005-0966-01	NV1-367-LH-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.22	0.18	0.17	0.7	22
1171-005-0967-01	NV1-367-LH-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.22	0.17	0.16	0.7	22

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.  
 4794 George Washington Memorial Hwy.  
 Hayes, VA 23072  
 Tel.: (804) 684-5124  
 nami@namiinc.com  
 namicertification.com