

# Notice of Product Certification

CERTIFICATION NO.: 1171-006  
 INITIAL CERTIFICATION DATE: October 3, 2023

COMPANY: Auroral Portes et Fenêtres  
 CODE: 1171-1

REVISION DATE: N/A

EXPIRATION DATE: April 4, 2028

REPORT NUMBER: GNI22006-40-C\_FXSL-a-R1

PRODUCT SIMULATED BY: Veridis Solutions

SPECIFICATION: CSA A440.2-22

AIR LEAKAGE REPORT NO.: AI-04261-E1

**PRODUCT/SERIES NAME: Steel Sidelight      OPERATOR TYPE: FXSL**

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0001-01	NV1-SLF-OP-000-000-N-FIX-0000-00		0.84	0.01	0.00	1.5	19
1171-006-0002-01	NV1-SLF-LQ-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	0.94	0.02	0.02	1.5	18
1171-006-0003-01	NV1-SLF-LH-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	1.20	0.10	0.10	1.5	17
1171-006-0004-01	NV1-SLF-LT-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	1.31	0.13	0.13	1.5	16
1171-006-0005-01	NV1-SLF-LF-DLO-ON3-N-FIX-ASAB-AL	0.16(#3)	1.46	0.18	0.17	1.5	15
1171-006-0006-01	NV1-SLF-LQ-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	0.94	0.02	0.02	1.5	18
1171-006-0007-01	NV1-SLF-LH-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	1.20	0.10	0.09	1.5	17
1171-006-0008-01	NV1-SLF-LT-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	1.31	0.13	0.12	1.5	16
1171-006-0009-01	NV1-SLF-LF-DLO-ON3-G-FIX-ASAB-AL	0.16(#3)	1.46	0.17	0.16	1.5	15
1171-006-0010-01	NV1-SLF-LQ-DLO-2NO-N-FIX-ASAB-AL	0.16(#2)	0.94	0.02	0.02	1.5	18
1171-006-0011-01	NV1-SLF-LH-DLO-2NO-N-FIX-ASAB-AL	0.16(#2)	1.20	0.09	0.10	1.5	16
1171-006-0012-01	NV1-SLF-LT-DLO-2NO-N-FIX-ASAB-AL	0.16(#2)	1.31	0.12	0.13	1.5	15
1171-006-0013-01	NV1-SLF-LF-DLO-2NO-N-FIX-ASAB-AL	0.16(#2)	1.46	0.16	0.17	1.5	14
1171-006-0014-01	NV1-SLF-LQ-DLO-2NO-G-FIX-ASAB-AL	0.16(#2)	0.94	0.02	0.02	1.5	18
1171-006-0015-01	NV1-SLF-LH-DLO-2NO-G-FIX-ASAB-AL	0.16(#2)	1.20	0.09	0.09	1.5	16
1171-006-0016-01	NV1-SLF-LT-DLO-2NO-G-FIX-ASAB-AL	0.16(#2)	1.31	0.12	0.12	1.5	15
1171-006-0017-01	NV1-SLF-LF-DLO-2NO-G-FIX-ASAB-AL	0.16(#2)	1.46	0.15	0.16	1.5	14
1171-006-0018-01	NV1-SLF-LQ-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	0.92	0.02	0.02	1.5	18
1171-006-0019-01	NV1-SLF-LH-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.13	0.06	0.08	1.5	16
1171-006-0020-01	NV1-SLF-LT-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.21	0.08	0.10	1.5	15
1171-006-0021-01	NV1-SLF-LF-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.33	0.11	0.13	1.5	14
1171-006-0022-01	NV1-SLF-LQ-T84-005-C-FIX-ASAB-AL	0.12(#5)	0.93	0.02	0.02	1.5	18
1171-006-0023-01	NV1-SLF-LH-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.15	0.08	0.08	1.5	16
1171-006-0024-01	NV1-SLF-LT-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.24	0.10	0.11	1.5	16
1171-006-0025-01	NV1-SLF-LF-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.37	0.13	0.14	1.5	15

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0026-01	NV1-SLF-LQ-TLO-005-C-FIX-ASAB-AL	0.16(#5)	0.94	0.02	0.02	1.5	18
1171-006-0027-01	NV1-SLF-LH-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.17	0.08	0.08	1.5	16
1171-006-0028-01	NV1-SLF-LT-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.26	0.11	0.11	1.5	16
1171-006-0029-01	NV1-SLF-LF-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.39	0.14	0.15	1.5	15
1171-006-0030-01	NV1-SLF-LQ-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	0.93	0.02	0.02	1.5	18
1171-006-0031-01	NV1-SLF-LH-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.14	0.08	0.08	1.5	17
1171-006-0032-01	NV1-SLF-LT-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.23	0.10	0.10	1.5	16
1171-006-0033-01	NV1-SLF-LF-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.35	0.13	0.14	1.5	15
1171-006-0034-01	NV1-SLF-LQ-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	0.93	0.02	0.02	1.5	18
1171-006-0035-01	NV1-SLF-LH-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.13	0.06	0.08	1.5	16
1171-006-0036-01	NV1-SLF-LT-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.22	0.08	0.10	1.5	15
1171-006-0037-01	NV1-SLF-LF-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.33	0.11	0.14	1.5	14
1171-006-0038-01	NV1-SLF-LQ-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	0.91	0.02	0.02	1.5	18
1171-006-0039-01	NV1-SLF-LH-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	1.13	0.10	0.10	1.5	18
1171-006-0040-01	NV1-SLF-LT-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	1.22	0.13	0.13	1.5	18
1171-006-0041-01	NV1-SLF-LF-DLO-ON3-N-FIX-IUST-AL	0.16(#3)	1.34	0.18	0.17	1.5	18
1171-006-0042-01	NV1-SLF-LQ-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	0.91	0.02	0.02	1.5	18
1171-006-0043-01	NV1-SLF-LH-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	1.13	0.10	0.09	1.5	18
1171-006-0044-01	NV1-SLF-LT-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	1.22	0.13	0.12	1.5	18
1171-006-0045-01	NV1-SLF-LF-DLO-ON3-G-FIX-IUST-AL	0.16(#3)	1.34	0.17	0.16	1.5	18
1171-006-0046-01	NV1-SLF-LQ-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	0.91	0.02	0.02	1.5	18
1171-006-0047-01	NV1-SLF-LH-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	1.13	0.09	0.10	1.5	17
1171-006-0048-01	NV1-SLF-LT-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	1.22	0.12	0.13	1.5	17
1171-006-0049-01	NV1-SLF-LF-DLO-2NO-N-FIX-IUST-AL	0.16(#2)	1.34	0.16	0.17	1.5	17
1171-006-0050-01	NV1-SLF-LQ-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	0.91	0.02	0.02	1.5	18
1171-006-0051-01	NV1-SLF-LH-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	1.13	0.09	0.09	1.5	17
1171-006-0052-01	NV1-SLF-LT-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	1.22	0.12	0.12	1.5	17
1171-006-0053-01	NV1-SLF-LF-DLO-2NO-G-FIX-IUST-AL	0.16(#2)	1.34	0.15	0.16	1.5	16
1171-006-0054-01	NV1-SLF-LQ-DCL-ONA-N-FIX-ITIN-AL		0.95	0.03	0.02	1.5	18
1171-006-0055-01	NV1-SLF-LH-DCL-ONA-N-FIX-ITIN-AL		1.27	0.11	0.10	1.5	16
1171-006-0056-01	NV1-SLF-LT-DCL-ONA-N-FIX-ITIN-AL		1.41	0.14	0.14	1.5	14
1171-006-0057-01	NV1-SLF-LF-DCL-ONA-N-FIX-ITIN-AL		1.59	0.19	0.18	1.5	13
1171-006-0058-01	NV1-SLF-LQ-DCL-ONA-G-FIX-ITIN-AL		0.95	0.03	0.02	1.5	18
1171-006-0059-01	NV1-SLF-LH-DCL-ONA-G-FIX-ITIN-AL		1.27	0.10	0.10	1.5	15
1171-006-0060-01	NV1-SLF-LT-DCL-ONA-G-FIX-ITIN-AL		1.41	0.13	0.13	1.5	14
1171-006-0061-01	NV1-SLF-LF-DCL-ONA-G-FIX-ITIN-AL		1.59	0.18	0.17	1.5	13
1171-006-0062-01	NV1-SLF-LQ-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	0.92	0.02	0.02	1.5	18
1171-006-0063-01	NV1-SLF-LH-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.16	0.10	0.10	1.5	17
1171-006-0064-01	NV1-SLF-LT-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.26	0.13	0.13	1.5	17
1171-006-0065-01	NV1-SLF-LF-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.39	0.18	0.17	1.5	17

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0066-01	NV1-SLF-LQ-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	0.92	0.02	0.02	1.5	18
1171-006-0067-01	NV1-SLF-LH-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.16	0.10	0.09	1.5	17
1171-006-0068-01	NV1-SLF-LT-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.26	0.13	0.12	1.5	17
1171-006-0069-01	NV1-SLF-LF-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.39	0.17	0.16	1.5	16
1171-006-0070-01	NV1-SLF-LQ-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	0.92	0.02	0.02	1.5	18
1171-006-0071-01	NV1-SLF-LH-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.16	0.09	0.10	1.5	17
1171-006-0072-01	NV1-SLF-LT-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.26	0.12	0.13	1.5	16
1171-006-0073-01	NV1-SLF-LF-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.39	0.16	0.17	1.5	16
1171-006-0074-01	NV1-SLF-LQ-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	0.92	0.02	0.02	1.5	18
1171-006-0075-01	NV1-SLF-LH-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.16	0.09	0.09	1.5	17
1171-006-0076-01	NV1-SLF-LT-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.26	0.12	0.12	1.5	16
1171-006-0077-01	NV1-SLF-LF-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.39	0.15	0.16	1.5	15
1171-006-0078-01	NV1-SLF-LQ-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0079-01	NV1-SLF-LH-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.07	0.08	0.08	1.5	18
1171-006-0080-01	NV1-SLF-LT-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.14	0.10	0.10	1.5	18
1171-006-0081-01	NV1-SLF-LF-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.23	0.13	0.14	1.5	18
1171-006-0082-01	NV1-SLF-LQ-TLO-005-G-FIX-IUST-AL	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0083-01	NV1-SLF-LH-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.10	0.09	0.08	1.5	18
1171-006-0084-01	NV1-SLF-LT-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.18	0.12	0.11	1.5	18
1171-006-0085-01	NV1-SLF-LF-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.29	0.15	0.15	1.5	17
1171-006-0086-01	NV1-SLF-LQ-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0087-01	NV1-SLF-LH-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.08	0.08	0.08	1.5	18
1171-006-0088-01	NV1-SLF-LT-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.15	0.10	0.10	1.5	18
1171-006-0089-01	NV1-SLF-LF-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.25	0.13	0.14	1.5	17
1171-006-0090-01	NV1-SLF-LQ-TLO-005-G-FIX-ITIN-AL	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0091-01	NV1-SLF-LH-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.11	0.09	0.08	1.5	18
1171-006-0092-01	NV1-SLF-LT-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.20	0.12	0.11	1.5	18
1171-006-0093-01	NV1-SLF-LF-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.30	0.15	0.15	1.5	17
1171-006-0094-01	NV1-SLF-LQ-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0095-01	NV1-SLF-LH-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.07	0.08	0.08	1.5	18
1171-006-0096-01	NV1-SLF-LT-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.13	0.11	0.11	1.5	19
1171-006-0097-01	NV1-SLF-LF-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.22	0.14	0.15	1.5	18
1171-006-0098-01	NV1-SLF-LQ-TLO-005-N-FIX-IUST-AL	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0099-01	NV1-SLF-LH-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.09	0.09	0.09	1.5	18
1171-006-0100-01	NV1-SLF-LT-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.17	0.12	0.12	1.5	18
1171-006-0101-01	NV1-SLF-LF-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.27	0.16	0.16	1.5	18
1171-006-0102-01	NV1-SLF-LQ-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	0.90	0.02	0.02	1.5	18
1171-006-0103-01	NV1-SLF-LH-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.07	0.08	0.08	1.5	18
1171-006-0104-01	NV1-SLF-LT-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.13	0.10	0.11	1.5	18
1171-006-0105-01	NV1-SLF-LF-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.22	0.14	0.15	1.5	18

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0106-01	NV1-SLF-LQ-TLO-040-N-FIX-IUST-AL	0.16(#4)	0.91	0.02	0.02	1.5	18
1171-006-0107-01	NV1-SLF-LH-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.09	0.09	0.09	1.5	18
1171-006-0108-01	NV1-SLF-LT-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.17	0.11	0.12	1.5	18
1171-006-0109-01	NV1-SLF-LF-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.27	0.15	0.16	1.5	18
1171-006-0110-01	NV1-SLF-LQ-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0111-01	NV1-SLF-LH-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.08	0.08	0.08	1.5	18
1171-006-0112-01	NV1-SLF-LT-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.15	0.11	0.11	1.5	18
1171-006-0113-01	NV1-SLF-LF-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.25	0.14	0.15	1.5	18
1171-006-0114-01	NV1-SLF-LQ-TLO-005-N-FIX-ITIN-AL	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0115-01	NV1-SLF-LH-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.11	0.09	0.09	1.5	18
1171-006-0116-01	NV1-SLF-LT-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.19	0.12	0.12	1.5	18
1171-006-0117-01	NV1-SLF-LF-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.30	0.16	0.16	1.5	18
1171-006-0118-01	NV1-SLF-LQ-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	0.91	0.02	0.02	1.5	18
1171-006-0119-01	NV1-SLF-LH-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.08	0.08	0.08	1.5	18
1171-006-0120-01	NV1-SLF-LT-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.15	0.10	0.11	1.5	18
1171-006-0121-01	NV1-SLF-LF-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.25	0.14	0.15	1.5	18
1171-006-0122-01	NV1-SLF-LQ-TLO-040-N-FIX-ITIN-AL	0.16(#4)	0.91	0.02	0.02	1.5	18
1171-006-0123-01	NV1-SLF-LH-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.11	0.09	0.09	1.5	18
1171-006-0124-01	NV1-SLF-LT-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.19	0.11	0.12	1.5	17
1171-006-0125-01	NV1-SLF-LF-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.30	0.15	0.16	1.5	17
1171-006-0126-01	NV1-SLF-LQ-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	0.92	0.02	0.02	1.5	18
1171-006-0127-01	NV1-SLF-LH-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.15	0.10	0.10	1.5	18
1171-006-0128-01	NV1-SLF-LT-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.24	0.13	0.13	1.5	17
1171-006-0129-01	NV1-SLF-LF-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.37	0.18	0.17	1.5	17
1171-006-0130-01	NV1-SLF-LQ-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	0.92	0.02	0.02	1.5	18
1171-006-0131-01	NV1-SLF-LH-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.15	0.10	0.09	1.5	18
1171-006-0132-01	NV1-SLF-LT-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.24	0.13	0.12	1.5	17
1171-006-0133-01	NV1-SLF-LF-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.37	0.17	0.16	1.5	17
1171-006-0134-01	NV1-SLF-LQ-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	0.92	0.02	0.02	1.5	18
1171-006-0135-01	NV1-SLF-LH-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.15	0.09	0.10	1.5	17
1171-006-0136-01	NV1-SLF-LT-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.24	0.12	0.13	1.5	17
1171-006-0137-01	NV1-SLF-LF-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.37	0.16	0.17	1.5	16
1171-006-0138-01	NV1-SLF-LQ-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	0.92	0.02	0.02	1.5	18
1171-006-0139-01	NV1-SLF-LH-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.15	0.09	0.09	1.5	17
1171-006-0140-01	NV1-SLF-LT-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.24	0.12	0.12	1.5	17
1171-006-0141-01	NV1-SLF-LF-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.37	0.15	0.16	1.5	16
1171-006-0142-01	NV1-SLF-LQ-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	0.90	0.02	0.02	1.5	18
1171-006-0143-01	NV1-SLF-LH-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.07	0.06	0.08	1.5	17
1171-006-0144-01	NV1-SLF-LT-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.13	0.08	0.10	1.5	17
1171-006-0145-01	NV1-SLF-LF-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.22	0.11	0.13	1.5	17

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0146-01	NV1-SLF-LQ-T84-005-C-FIX-ASAB-CN	0.12(#5)	0.91	0.02	0.02	1.5	18
1171-006-0147-01	NV1-SLF-LH-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.09	0.08	0.08	1.5	18
1171-006-0148-01	NV1-SLF-LT-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.17	0.10	0.11	1.5	17
1171-006-0149-01	NV1-SLF-LF-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.27	0.13	0.14	1.5	17
1171-006-0150-01	NV1-SLF-LQ-TLO-005-C-FIX-ASAB-CN	0.16(#5)	0.92	0.02	0.02	1.5	18
1171-006-0151-01	NV1-SLF-LH-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.11	0.08	0.08	1.5	17
1171-006-0152-01	NV1-SLF-LT-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.19	0.11	0.11	1.5	17
1171-006-0153-01	NV1-SLF-LF-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.29	0.14	0.15	1.5	17
1171-006-0154-01	NV1-SLF-LQ-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0155-01	NV1-SLF-LH-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.08	0.08	0.08	1.5	18
1171-006-0156-01	NV1-SLF-LT-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.15	0.10	0.10	1.5	18
1171-006-0157-01	NV1-SLF-LF-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.25	0.13	0.14	1.5	17
1171-006-0158-01	NV1-SLF-LQ-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	0.91	0.02	0.02	1.5	18
1171-006-0159-01	NV1-SLF-LH-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.07	0.06	0.08	1.5	17
1171-006-0160-01	NV1-SLF-LT-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.14	0.08	0.10	1.5	17
1171-006-0161-01	NV1-SLF-LF-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.23	0.11	0.14	1.5	16
1171-006-0162-01	NV1-SLF-LQ-DLO-ON3-N-FIX-IUST-CN	0.16(#3)	0.90	0.02	0.02	1.5	18
1171-006-0163-01	NV1-SLF-LH-DLO-ON3-N-FIX-IUST-CN	0.16(#3)	1.09	0.10	0.10	1.5	19
1171-006-0164-01	NV1-SLF-LT-DLO-ON3-N-FIX-IUST-CN	0.16(#3)	1.16	0.13	0.13	1.5	19
1171-006-0165-01	NV1-SLF-LF-DLO-ON3-N-FIX-IUST-CN	0.16(#3)	1.27	0.18	0.17	1.5	20
1171-006-0166-01	NV1-SLF-LQ-DLO-ON3-G-FIX-IUST-CN	0.16(#3)	0.90	0.02	0.02	1.5	18
1171-006-0167-01	NV1-SLF-LH-DLO-ON3-G-FIX-IUST-CN	0.16(#3)	1.09	0.10	0.09	1.5	19
1171-006-0168-01	NV1-SLF-LT-DLO-ON3-G-FIX-IUST-CN	0.16(#3)	1.16	0.13	0.12	1.5	19
1171-006-0169-01	NV1-SLF-LF-DLO-ON3-G-FIX-IUST-CN	0.16(#3)	1.27	0.17	0.16	1.5	19
1171-006-0170-01	NV1-SLF-LQ-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	0.90	0.02	0.02	1.5	18
1171-006-0171-01	NV1-SLF-LH-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.09	0.09	0.10	1.5	18
1171-006-0172-01	NV1-SLF-LT-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.16	0.12	0.13	1.5	19
1171-006-0173-01	NV1-SLF-LF-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.27	0.16	0.17	1.5	18
1171-006-0174-01	NV1-SLF-LQ-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	0.90	0.02	0.02	1.5	18
1171-006-0175-01	NV1-SLF-LH-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.09	0.09	0.09	1.5	18
1171-006-0176-01	NV1-SLF-LT-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.16	0.12	0.12	1.5	19
1171-006-0177-01	NV1-SLF-LF-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.27	0.15	0.16	1.5	18
1171-006-0178-01	NV1-SLF-LQ-DCL-ONA-N-FIX-ITIN-CN		0.93	0.03	0.02	1.5	18
1171-006-0179-01	NV1-SLF-LH-DCL-ONA-N-FIX-ITIN-CN		1.23	0.11	0.10	1.5	16
1171-006-0180-01	NV1-SLF-LT-DCL-ONA-N-FIX-ITIN-CN		1.35	0.14	0.14	1.5	16
1171-006-0181-01	NV1-SLF-LF-DCL-ONA-N-FIX-ITIN-CN		1.51	0.19	0.18	1.5	15
1171-006-0182-01	NV1-SLF-LQ-DCL-ONA-G-FIX-ITIN-CN		0.93	0.03	0.02	1.5	18
1171-006-0183-01	NV1-SLF-LH-DCL-ONA-G-FIX-ITIN-CN		1.23	0.10	0.10	1.5	16
1171-006-0184-01	NV1-SLF-LT-DCL-ONA-G-FIX-ITIN-CN		1.35	0.13	0.13	1.5	15
1171-006-0185-01	NV1-SLF-LF-DCL-ONA-G-FIX-ITIN-CN		1.51	0.18	0.17	1.5	14

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0186-01	NV1-SLF-LQ-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	0.91	0.02	0.02	1.5	18
1171-006-0187-01	NV1-SLF-LH-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.11	0.10	0.10	1.5	19
1171-006-0188-01	NV1-SLF-LT-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.19	0.13	0.13	1.5	18
1171-006-0189-01	NV1-SLF-LF-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.30	0.18	0.17	1.5	19
1171-006-0190-01	NV1-SLF-LQ-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	0.91	0.02	0.02	1.5	18
1171-006-0191-01	NV1-SLF-LH-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.11	0.10	0.09	1.5	19
1171-006-0192-01	NV1-SLF-LT-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.19	0.13	0.12	1.5	18
1171-006-0193-01	NV1-SLF-LF-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.30	0.17	0.16	1.5	18
1171-006-0194-01	NV1-SLF-LQ-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	0.91	0.02	0.02	1.5	18
1171-006-0195-01	NV1-SLF-LH-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.11	0.09	0.10	1.5	18
1171-006-0196-01	NV1-SLF-LT-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.19	0.12	0.13	1.5	18
1171-006-0197-01	NV1-SLF-LF-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.30	0.16	0.17	1.5	18
1171-006-0198-01	NV1-SLF-LQ-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	0.91	0.02	0.02	1.5	18
1171-006-0199-01	NV1-SLF-LH-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.11	0.09	0.09	1.5	18
1171-006-0200-01	NV1-SLF-LT-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.19	0.12	0.12	1.5	18
1171-006-0201-01	NV1-SLF-LF-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.30	0.15	0.16	1.5	17
1171-006-0202-01	NV1-SLF-LQ-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.88	0.02	0.02	1.5	19
1171-006-0203-01	NV1-SLF-LH-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.01	0.08	0.08	1.5	20
1171-006-0204-01	NV1-SLF-LT-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.07	0.10	0.10	1.5	19
1171-006-0205-01	NV1-SLF-LF-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.14	0.13	0.14	1.5	20
1171-006-0206-01	NV1-SLF-LQ-TLO-005-G-FIX-IUST-CN	0.16(#5)	0.89	0.02	0.02	1.5	19
1171-006-0207-01	NV1-SLF-LH-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.05	0.09	0.08	1.5	19
1171-006-0208-01	NV1-SLF-LT-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.12	0.12	0.11	1.5	19
1171-006-0209-01	NV1-SLF-LF-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.21	0.15	0.15	1.5	19
1171-006-0210-01	NV1-SLF-LQ-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.89	0.02	0.02	1.5	19
1171-006-0211-01	NV1-SLF-LH-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.03	0.08	0.08	1.5	19
1171-006-0212-01	NV1-SLF-LT-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.08	0.10	0.10	1.5	19
1171-006-0213-01	NV1-SLF-LF-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.16	0.13	0.14	1.5	19
1171-006-0214-01	NV1-SLF-LQ-TLO-005-G-FIX-ITIN-CN	0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0215-01	NV1-SLF-LH-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.06	0.09	0.08	1.5	19
1171-006-0216-01	NV1-SLF-LT-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.13	0.12	0.11	1.5	19
1171-006-0217-01	NV1-SLF-LF-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.22	0.15	0.15	1.5	19
1171-006-0218-01	NV1-SLF-LQ-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.88	0.02	0.02	1.5	19
1171-006-0219-01	NV1-SLF-LH-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.01	0.08	0.08	1.5	20
1171-006-0220-01	NV1-SLF-LT-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.07	0.11	0.11	1.5	20
1171-006-0221-01	NV1-SLF-LF-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.13	0.14	0.15	1.5	20
1171-006-0222-01	NV1-SLF-LQ-TLO-005-N-FIX-IUST-CN	0.16(#5)	0.89	0.02	0.02	1.5	19
1171-006-0223-01	NV1-SLF-LH-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.04	0.09	0.09	1.5	19
1171-006-0224-01	NV1-SLF-LT-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.11	0.12	0.12	1.5	20
1171-006-0225-01	NV1-SLF-LF-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.19	0.16	0.16	1.5	20

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0226-01	NV1-SLF-LQ-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	0.88	0.02	0.02	1.5	19
1171-006-0227-01	NV1-SLF-LH-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.01	0.08	0.08	1.5	20
1171-006-0228-01	NV1-SLF-LT-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.07	0.10	0.11	1.5	19
1171-006-0229-01	NV1-SLF-LF-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.13	0.14	0.15	1.5	20
1171-006-0230-01	NV1-SLF-LQ-TLO-040-N-FIX-IUST-CN	0.16(#4)	0.89	0.02	0.02	1.5	19
1171-006-0231-01	NV1-SLF-LH-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.04	0.09	0.09	1.5	19
1171-006-0232-01	NV1-SLF-LT-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.11	0.11	0.12	1.5	19
1171-006-0233-01	NV1-SLF-LF-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.19	0.15	0.16	1.5	20
1171-006-0234-01	NV1-SLF-LQ-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.89	0.02	0.02	1.5	19
1171-006-0235-01	NV1-SLF-LH-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.03	0.08	0.08	1.5	19
1171-006-0236-01	NV1-SLF-LT-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.08	0.11	0.11	1.5	20
1171-006-0237-01	NV1-SLF-LF-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.16	0.14	0.15	1.5	20
1171-006-0238-01	NV1-SLF-LQ-TLO-005-N-FIX-ITIN-CN	0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0239-01	NV1-SLF-LH-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.06	0.09	0.09	1.5	19
1171-006-0240-01	NV1-SLF-LT-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.13	0.12	0.12	1.5	19
1171-006-0241-01	NV1-SLF-LF-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.21	0.16	0.16	1.5	20
1171-006-0242-01	NV1-SLF-LQ-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	0.89	0.02	0.02	1.5	19
1171-006-0243-01	NV1-SLF-LH-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.03	0.08	0.08	1.5	19
1171-006-0244-01	NV1-SLF-LT-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.08	0.10	0.11	1.5	19
1171-006-0245-01	NV1-SLF-LF-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.16	0.14	0.15	1.5	20
1171-006-0246-01	NV1-SLF-LQ-TLO-040-N-FIX-ITIN-CN	0.16(#4)	0.90	0.02	0.02	1.5	18
1171-006-0247-01	NV1-SLF-LH-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.06	0.09	0.09	1.5	19
1171-006-0248-01	NV1-SLF-LT-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.13	0.11	0.12	1.5	19
1171-006-0249-01	NV1-SLF-LF-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.21	0.15	0.16	1.5	19
1171-006-0250-01	NV1-SLF-LQ-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	0.94	0.02	0.02	1.5	18
1171-006-0251-01	NV1-SLF-LH-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.20	0.10	0.10	1.5	17
1171-006-0252-01	NV1-SLF-LT-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.31	0.13	0.13	1.5	16
1171-006-0253-01	NV1-SLF-LF-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.45	0.18	0.17	1.5	16
1171-006-0254-01	NV1-SLF-LQ-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	0.94	0.02	0.02	1.5	18
1171-006-0255-01	NV1-SLF-LH-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.20	0.10	0.09	1.5	17
1171-006-0256-01	NV1-SLF-LT-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.31	0.13	0.12	1.5	16
1171-006-0257-01	NV1-SLF-LF-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.45	0.17	0.16	1.5	15
1171-006-0258-01	NV1-SLF-LQ-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	0.94	0.02	0.02	1.5	18
1171-006-0259-01	NV1-SLF-LH-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.20	0.09	0.10	1.5	16
1171-006-0260-01	NV1-SLF-LT-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.31	0.12	0.13	1.5	15
1171-006-0261-01	NV1-SLF-LF-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.45	0.16	0.17	1.5	15
1171-006-0262-01	NV1-SLF-LQ-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	0.94	0.02	0.02	1.5	18
1171-006-0263-01	NV1-SLF-LH-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.20	0.09	0.09	1.5	16
1171-006-0264-01	NV1-SLF-LT-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.31	0.12	0.12	1.5	15
1171-006-0265-01	NV1-SLF-LF-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.45	0.15	0.16	1.5	14

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0266-01	NV1-SLF-LQ-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	0.92	0.02	0.02	1.5	18
1171-006-0267-01	NV1-SLF-LH-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.12	0.06	0.08	1.5	16
1171-006-0268-01	NV1-SLF-LT-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.20	0.08	0.10	1.5	15
1171-006-0269-01	NV1-SLF-LF-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.31	0.11	0.13	1.5	15
1171-006-0270-01	NV1-SLF-LQ-T84-005-C-FIX-ASAB-SY	0.12(#5)	0.93	0.02	0.02	1.5	18
1171-006-0271-01	NV1-SLF-LH-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.15	0.08	0.08	1.5	16
1171-006-0272-01	NV1-SLF-LT-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.24	0.10	0.11	1.5	16
1171-006-0273-01	NV1-SLF-LF-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.36	0.13	0.14	1.5	15
1171-006-0274-01	NV1-SLF-LQ-TLO-005-C-FIX-ASAB-SY	0.16(#5)	0.93	0.02	0.02	1.5	18
1171-006-0275-01	NV1-SLF-LH-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.16	0.08	0.08	1.5	16
1171-006-0276-01	NV1-SLF-LT-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.25	0.11	0.11	1.5	16
1171-006-0277-01	NV1-SLF-LF-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.38	0.14	0.15	1.5	15
1171-006-0278-01	NV1-SLF-LQ-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	0.93	0.02	0.02	1.5	18
1171-006-0279-01	NV1-SLF-LH-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.13	0.08	0.08	1.5	17
1171-006-0280-01	NV1-SLF-LT-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.22	0.10	0.10	1.5	16
1171-006-0281-01	NV1-SLF-LF-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.33	0.13	0.14	1.5	15
1171-006-0282-01	NV1-SLF-LQ-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	0.93	0.02	0.02	1.5	18
1171-006-0283-01	NV1-SLF-LH-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.12	0.06	0.08	1.5	16
1171-006-0284-01	NV1-SLF-LT-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.20	0.08	0.10	1.5	15
1171-006-0285-01	NV1-SLF-LF-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.31	0.11	0.14	1.5	15
1171-006-0286-01	NV1-SLF-LQ-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	0.91	0.02	0.02	1.5	18
1171-006-0287-01	NV1-SLF-LH-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.12	0.10	0.10	1.5	18
1171-006-0288-01	NV1-SLF-LT-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.21	0.13	0.13	1.5	18
1171-006-0289-01	NV1-SLF-LF-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.32	0.18	0.17	1.5	19
1171-006-0290-01	NV1-SLF-LQ-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	0.91	0.02	0.02	1.5	18
1171-006-0291-01	NV1-SLF-LH-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.12	0.10	0.09	1.5	18
1171-006-0292-01	NV1-SLF-LT-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.21	0.13	0.12	1.5	18
1171-006-0293-01	NV1-SLF-LF-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.32	0.17	0.16	1.5	18
1171-006-0294-01	NV1-SLF-LQ-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	0.91	0.02	0.02	1.5	18
1171-006-0295-01	NV1-SLF-LH-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.12	0.09	0.10	1.5	18
1171-006-0296-01	NV1-SLF-LT-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.21	0.12	0.13	1.5	17
1171-006-0297-01	NV1-SLF-LF-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.32	0.16	0.17	1.5	17
1171-006-0298-01	NV1-SLF-LQ-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	0.91	0.02	0.02	1.5	18
1171-006-0299-01	NV1-SLF-LH-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.12	0.09	0.09	1.5	18
1171-006-0300-01	NV1-SLF-LT-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.21	0.12	0.12	1.5	17
1171-006-0301-01	NV1-SLF-LF-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.32	0.15	0.16	1.5	17
1171-006-0302-01	NV1-SLF-LQ-DCL-ONA-N-FIX-ITIN-SY		0.95	0.03	0.02	1.5	18
1171-006-0303-01	NV1-SLF-LH-DCL-ONA-N-FIX-ITIN-SY		1.27	0.11	0.10	1.5	16
1171-006-0304-01	NV1-SLF-LT-DCL-ONA-N-FIX-ITIN-SY		1.41	0.14	0.14	1.5	14
1171-006-0305-01	NV1-SLF-LF-DCL-ONA-N-FIX-ITIN-SY		1.59	0.19	0.18	1.5	13



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0306-01	NV1-SLF-LQ-DCL-0NA-G-FIX-ITIN-SY		0.95	0.03	0.02	1.5	18
1171-006-0307-01	NV1-SLF-LH-DCL-0NA-G-FIX-ITIN-SY		1.27	0.10	0.10	1.5	15
1171-006-0308-01	NV1-SLF-LT-DCL-0NA-G-FIX-ITIN-SY		1.41	0.13	0.13	1.5	14
1171-006-0309-01	NV1-SLF-LF-DCL-0NA-G-FIX-ITIN-SY		1.59	0.18	0.17	1.5	13
1171-006-0310-01	NV1-SLF-LQ-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	0.92	0.02	0.02	1.5	18
1171-006-0311-01	NV1-SLF-LH-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.15	0.10	0.10	1.5	18
1171-006-0312-01	NV1-SLF-LT-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.25	0.13	0.13	1.5	17
1171-006-0313-01	NV1-SLF-LF-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.37	0.18	0.17	1.5	17
1171-006-0314-01	NV1-SLF-LQ-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	0.92	0.02	0.02	1.5	18
1171-006-0315-01	NV1-SLF-LH-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.15	0.10	0.09	1.5	18
1171-006-0316-01	NV1-SLF-LT-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.25	0.13	0.12	1.5	17
1171-006-0317-01	NV1-SLF-LF-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.37	0.17	0.16	1.5	17
1171-006-0318-01	NV1-SLF-LQ-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	0.92	0.02	0.02	1.5	18
1171-006-0319-01	NV1-SLF-LH-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.15	0.09	0.10	1.5	17
1171-006-0320-01	NV1-SLF-LT-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.25	0.12	0.13	1.5	17
1171-006-0321-01	NV1-SLF-LF-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.37	0.16	0.17	1.5	16
1171-006-0322-01	NV1-SLF-LQ-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	0.92	0.02	0.02	1.5	18
1171-006-0323-01	NV1-SLF-LH-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.15	0.09	0.09	1.5	17
1171-006-0324-01	NV1-SLF-LT-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.25	0.12	0.12	1.5	17
1171-006-0325-01	NV1-SLF-LF-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.37	0.15	0.16	1.5	16
1171-006-0326-01	NV1-SLF-LQ-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0327-01	NV1-SLF-LH-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.05	0.08	0.08	1.5	19
1171-006-0328-01	NV1-SLF-LT-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.12	0.10	0.10	1.5	18
1171-006-0329-01	NV1-SLF-LF-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.20	0.13	0.14	1.5	18
1171-006-0330-01	NV1-SLF-LQ-TLO-005-G-FIX-IUST-SY	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0331-01	NV1-SLF-LH-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.09	0.09	0.08	1.5	18
1171-006-0332-01	NV1-SLF-LT-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.17	0.12	0.11	1.5	18
1171-006-0333-01	NV1-SLF-LF-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.27	0.15	0.15	1.5	18
1171-006-0334-01	NV1-SLF-LQ-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0335-01	NV1-SLF-LH-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.07	0.08	0.08	1.5	18
1171-006-0336-01	NV1-SLF-LT-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.13	0.10	0.10	1.5	18
1171-006-0337-01	NV1-SLF-LF-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.22	0.13	0.14	1.5	18
1171-006-0338-01	NV1-SLF-LQ-TLO-005-G-FIX-ITIN-SY	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0339-01	NV1-SLF-LH-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.10	0.09	0.08	1.5	18
1171-006-0340-01	NV1-SLF-LT-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.18	0.12	0.11	1.5	18
1171-006-0341-01	NV1-SLF-LF-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.29	0.15	0.15	1.5	17
1171-006-0342-01	NV1-SLF-LQ-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0343-01	NV1-SLF-LH-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.05	0.08	0.08	1.5	19
1171-006-0344-01	NV1-SLF-LT-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.11	0.11	0.11	1.5	19
1171-006-0345-01	NV1-SLF-LF-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.19	0.14	0.15	1.5	19

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-006-0346-01	NV1-SLF-LQ-TLO-005-N-FIX-IUST-SY	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0347-01	NV1-SLF-LH-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.08	0.09	0.09	1.5	19
1171-006-0348-01	NV1-SLF-LT-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.15	0.12	0.12	1.5	19
1171-006-0349-01	NV1-SLF-LF-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.25	0.16	0.16	1.5	19
1171-006-0350-01	NV1-SLF-LQ-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	0.90	0.02	0.02	1.5	18
1171-006-0351-01	NV1-SLF-LH-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.05	0.08	0.08	1.5	19
1171-006-0352-01	NV1-SLF-LT-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.11	0.10	0.11	1.5	19
1171-006-0353-01	NV1-SLF-LF-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.19	0.14	0.15	1.5	19
1171-006-0354-01	NV1-SLF-LQ-TLO-040-N-FIX-IUST-SY	0.16(#4)	0.91	0.02	0.02	1.5	18
1171-006-0355-01	NV1-SLF-LH-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.08	0.09	0.09	1.5	19
1171-006-0356-01	NV1-SLF-LT-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.15	0.11	0.12	1.5	18
1171-006-0357-01	NV1-SLF-LF-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.25	0.15	0.16	1.5	18
1171-006-0358-01	NV1-SLF-LQ-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.90	0.02	0.02	1.5	18
1171-006-0359-01	NV1-SLF-LH-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.07	0.08	0.08	1.5	18
1171-006-0360-01	NV1-SLF-LT-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.13	0.11	0.11	1.5	19
1171-006-0361-01	NV1-SLF-LF-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.22	0.14	0.15	1.5	18
1171-006-0362-01	NV1-SLF-LQ-TLO-005-N-FIX-ITIN-SY	0.16(#5)	0.91	0.02	0.02	1.5	18
1171-006-0363-01	NV1-SLF-LH-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.10	0.09	0.09	1.5	18
1171-006-0364-01	NV1-SLF-LT-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.18	0.12	0.12	1.5	18
1171-006-0365-01	NV1-SLF-LF-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.28	0.16	0.16	1.5	18
1171-006-0366-01	NV1-SLF-LQ-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	0.90	0.02	0.02	1.5	18
1171-006-0367-01	NV1-SLF-LH-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.07	0.08	0.08	1.5	18
1171-006-0368-01	NV1-SLF-LT-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.13	0.10	0.11	1.5	18
1171-006-0369-01	NV1-SLF-LF-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.22	0.14	0.15	1.5	18
1171-006-0370-01	NV1-SLF-LQ-TLO-040-N-FIX-ITIN-SY	0.16(#4)	0.91	0.02	0.02	1.5	18
1171-006-0371-01	NV1-SLF-LH-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.10	0.09	0.09	1.5	18
1171-006-0372-01	NV1-SLF-LT-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.18	0.11	0.12	1.5	18
1171-006-0373-01	NV1-SLF-LF-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.28	0.15	0.16	1.5	18
1171-006-0374-01	NV1-SLF-LF-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.42	0.16	0.16	1.5	15
1171-006-0375-01	NV1-SLF-LF-DLO-0N3-N-V55-IUST-55	0.16(#3)	1.41	0.17	0.17	1.5	16
1171-006-0376-01	NV1-SLF-LF-DCL-ONA-G-V55-ITIN-55		1.67	0.17	0.17	1.5	10
1171-006-0377-01	NV1-SLF-LF-DCL-ONA-N-V55-ITIN-55		1.66	0.18	0.18	1.5	11
1171-006-0378-01	NV1-SLF-LF-DLO-0N3-G-V55-ITIN-55	0.16(#3)	1.45	0.16	0.16	1.5	15
1171-006-0379-01	NV1-SLF-LF-DLO-0N3-N-V55-ITIN-55	0.16(#3)	1.44	0.17	0.17	1.5	15
1171-006-0380-01	NV1-SLF-LF-D70-0N3-G-V55-IUST-55	0.02(#3)	1.35	0.10	0.14	1.5	13
1171-006-0381-01	NV1-SLF-LF-D70-0N3-N-V55-IUST-55	0.02(#3)	1.34	0.10	0.15	1.5	13

This certification represents product conformity to the applicable specification and the certification criteria has been satisfied. NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "Shelley".

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com