

Notice of Product Certification

CERTIFICATION NO.: 1263-004
INITIAL CERTIFICATION DATE: August 7, 2023
REVISION DATE: October 11, 2023
REPORT NUMBER: QUA18001-14-C_LFIXD-a
SPECIFICATION: CSA A440.2-22

COMPANY: Menuiserie Desmeules, Inc.
CODE: 1263-1
EXPIRATION DATE: September 6, 2024
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03330-A2

PRODUCT/SERIES NAME: Neo Large Fixed OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1263-004-0001-01	Clr-arg95-Clr-arg95-SG400 iu	0.113(#5)	1.23	0.50	0.55	0.0	42
1263-004-0002-01	Clr-arg95-8071#3 su	0.082(#3)	1.50	0.55	0.61	0.0	39

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'MD' or similar, written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com