

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015445.04  
**DATE:** 10/11/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** ProVia Door  
**CODE:** 1212-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>ProVia, LLC</b> <b>2150 State Route 39</b> <b>Sugarcreek, OH 44681</b>	<b>Series "20 Ga. Smooth Steel Opaque &amp; Fiberglass Opaque"</b> <b>Inswing Steel and Fiberglass Opaque Entry Doors</b> <b>(w/Panalock® (1.1) Assembly</b>  Configuration: XO/XX  Frame: W-954mm(37.56") H-2481mm(97.69") Panel: W-908mm(35.75") H-2411mm(94.94")

SPECIFICATION	PRODUCT RATING
<b>ASTM E1886-19</b> <b>ASTM E1996-20</b>	<b>Design Pressure: ±2400 Pa (±50 psf)</b> <b>Wind Zone 3 - Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: Intertek, PLC  
Report No: P3162.02-501-47/NCTL-110-15660-2  
Expiration Date: **October 31, 2026**

Administrator's Signature: 

**NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)