

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015881  
**DATE:** 10/19/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Enerlux  
**CODE:** 2426-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Enerlux Windows &amp; Doors, LLC</b>  <b>1530 Pine Avenue</b>  <b>Crete, NE 68333</b>	<b>Series "825"</b>  <b>Fiberglass Awning Window</b>  Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-1324mm (52.13") H-1068mm (42.06") Sash: W-1284mm (50.56") H-1031mm (40.56") DLO: W-1175mm (46.25") H-920mm (36.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>CSA A440S1-17</b>	<b>Class CW-PG75 1324 x 1068 (52 x 42)-AP</b> <b>Design Pressure: 3600 Pa (75 psf)</b> <b>Positive Design Pressure: 3840 Pa (80 psf)</b> <b>Negative Design Pressure: 3840 Pa (80 psf)</b> Water Penetration Resistance Test Pressure: 730 Pa (15.25 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Intertek, PLC  
Report No: M0975.02-750-44  
Expiration Date: October 31, 2027

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023