

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015884
DATE: 10/19/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Enerlux
CODE: 2426-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Enerlux Windows & Doors, LLC 1530 Pine Avenue Crete, NE 68333	Enerlux Fiberglass Mullion Span: 2442mm (96.13") Tributary Width: 1221mm (48.07")

SPECIFICATION	PRODUCT RATING
AAMA 450-10	Applied Rating: Class LC-PG25 Mulled Fenestration Rating: Class LC-PG25-MA Design Pressure: ±1200 Pa (±25 psf) Water Penetration Resistance Test Pressure: 730 Pa (15.25 psf) Canadian Air Infiltration/Exfiltration Level: Fixed

Product Tested By: Intertek, PLC
Report No: M0988.02-750-44/M0973.02-750-44
Expiration Date: October 31, 2027

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com