

Notice of Product Certification

CERTIFICATION NO.: 1171-007

COMPANY: Auroral Portes et Fenêtres

INITIAL CERTIFICATION DATE: October 25, 2023

CODE: 1171-1

REVISION DATE: N/A

EXPIRATION DATE: October 3, 2028

REPORT NUMBER: TPE23012-1-C_CSSV-a-1

PRODUCT SIMULATED BY: Veridis Solutions

SPECIFICATION: CSA A440.2-22

AIR LEAKAGE REPORT NO.: NCTL-110-17775-1

PRODUCT/SERIES NAME: 4600 HYBRID CAS (4619 4618) OPERATOR TYPE: CSSV

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-007-0001-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu	0.025(#2)	1.51	0.25	0.49	0.2	21
1171-007-0002-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.51	0.23	0.44	0.2	20
1171-007-0003-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.51	0.21	0.40	0.2	19
1171-007-0004-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.51	0.21	0.40	0.2	19
1171-007-0005-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu	0.082(#3)	1.60	0.51	0.57	0.2	34
1171-007-0006-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids < 1"	0.082(#3)	1.60	0.47	0.52	0.2	32
1171-007-0007-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids >= 1"	0.082(#3)	1.60	0.42	0.47	0.2	29
1171-007-0008-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, SDL >= 1"	0.082(#3)	1.60	0.42	0.47	0.2	29
1171-007-0009-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.10	0.42	0.51	0.2	40
1171-007-0010-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	1.10	0.38	0.46	0.2	37
1171-007-0011-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	1.10	0.35	0.41	0.2	36
1171-007-0012-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	1.10	0.35	0.41	0.2	36
1171-007-0013-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu	0.025(#2) 0.025(#5)	1.04	0.21	0.38	0.2	29
1171-007-0014-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids < 1"	0.025(#2) 0.025(#5)	1.04	0.19	0.34	0.2	28
1171-007-0015-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids >= 1"	0.025(#2) 0.025(#5)	1.04	0.17	0.31	0.2	27
1171-007-0016-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, SDL >= 1"	0.025(#2) 0.025(#5)	1.04	0.17	0.31	0.2	27
1171-007-0017-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu	0.025(#2)	1.27	0.23	0.45	0.2	25
1171-007-0018-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.27	0.21	0.41	0.2	24
1171-007-0019-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.27	0.20	0.37	0.2	23
1171-007-0020-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.27	0.20	0.37	0.2	23
1171-007-0021-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu	0.082(#5)	1.29	0.47	0.52	0.2	39
1171-007-0022-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#5)	1.29	0.43	0.47	0.2	36
1171-007-0023-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#5)	1.29	0.39	0.43	0.2	34
1171-007-0024-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#5)	1.29	0.39	0.43	0.2	34
1171-007-0025-01	H1, 3mm, 7-8, CG70#2-arg95-GCI, ms	0.025(#2)	1.52	0.25	0.49	0.2	21

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-007-0026-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.52	0.23	0.44	0.2	20
1171-007-0027-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.52	0.21	0.40	0.2	18
1171-007-0028-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.52	0.21	0.40	0.2	18
1171-007-0029-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms	0.082(#3)	1.61	0.51	0.57	0.2	34
1171-007-0030-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.61	0.46	0.51	0.2	31
1171-007-0031-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.61	0.42	0.46	0.2	29
1171-007-0032-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.61	0.42	0.46	0.2	29
1171-007-0033-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms	0.082(#3)	1.61	0.53	0.57	0.2	35
1171-007-0034-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.61	0.48	0.52	0.2	32
1171-007-0035-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.61	0.44	0.47	0.2	30
1171-007-0036-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.61	0.44	0.47	0.2	30
1171-007-0037-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms	0.082(#2) 0.082(#5)	1.09	0.42	0.51	0.2	40
1171-007-0038-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	1.09	0.38	0.46	0.2	38
1171-007-0039-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	1.09	0.34	0.41	0.2	35
1171-007-0040-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	1.09	0.34	0.41	0.2	35
1171-007-0041-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms	0.025(#2) 0.025(#5)	1.02	0.21	0.37	0.2	29
1171-007-0042-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids < 1"	0.025(#2) 0.025(#5)	1.02	0.19	0.34	0.2	28
1171-007-0043-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids >= 1"	0.025(#2) 0.025(#5)	1.02	0.17	0.30	0.2	27
1171-007-0044-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, SDL >= 1"	0.025(#2) 0.025(#5)	1.02	0.17	0.30	0.2	27
1171-007-0045-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms	0.025(#2)	1.27	0.23	0.45	0.2	25
1171-007-0046-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.27	0.21	0.40	0.2	24
1171-007-0047-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.27	0.19	0.36	0.2	23
1171-007-0048-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.27	0.19	0.36	0.2	23
1171-007-0049-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms	0.082(#5)	1.28	0.46	0.52	0.2	38
1171-007-0050-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#5)	1.28	0.41	0.47	0.2	35
1171-007-0051-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#5)	1.28	0.38	0.42	0.2	34
1171-007-0052-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#5)	1.28	0.38	0.42	0.2	34
1171-007-0053-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp	0.082(#3)	1.56	0.51	0.57	0.2	35
1171-007-0054-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.56	0.46	0.51	0.2	32
1171-007-0055-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.56	0.42	0.46	0.2	30
1171-007-0056-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.56	0.42	0.46	0.2	30
1171-007-0057-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp	0.082(#3)	1.56	0.53	0.57	0.2	36
1171-007-0058-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.56	0.48	0.52	0.2	33
1171-007-0059-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.56	0.44	0.47	0.2	31
1171-007-0060-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.56	0.44	0.47	0.2	31
1171-007-0061-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss	0.023(#2) 0.198(#4)	1.31	0.18	0.42	0.2	21
1171-007-0062-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids < 1"	0.023(#2) 0.198(#4)	1.31	0.16	0.38	0.2	20
1171-007-0063-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids >= 1"	0.023(#2) 0.198(#4)	1.31	0.15	0.34	0.2	20
1171-007-0064-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, SDL >= 1"	0.023(#2) 0.198(#4)	1.31	0.15	0.34	0.2	20
1171-007-0065-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss	0.023(#2)	1.49	0.18	0.43	0.2	17

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-007-0066-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.49	0.17	0.39	0.2	17
1171-007-0067-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.49	0.15	0.35	0.2	16
1171-007-0068-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.49	0.15	0.35	0.2	16
1171-007-0069-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss	0.082(#2) 0.198(#4)	1.38	0.46	0.55	0.2	36
1171-007-0070-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids < 1"	0.082(#2) 0.198(#4)	1.38	0.42	0.50	0.2	34
1171-007-0071-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids >= 1"	0.082(#2) 0.198(#4)	1.38	0.38	0.45	0.2	31
1171-007-0072-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, SDL >= 1"	0.082(#2) 0.198(#4)	1.38	0.38	0.45	0.2	31
1171-007-0073-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss	0.025(#2) 0.198(#4)	1.31	0.24	0.47	0.2	25
1171-007-0074-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids < 1"	0.025(#2) 0.198(#4)	1.31	0.22	0.43	0.2	24
1171-007-0075-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids >= 1"	0.025(#2) 0.198(#4)	1.31	0.20	0.39	0.2	22
1171-007-0076-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, SDL >= 1"	0.025(#2) 0.198(#4)	1.31	0.20	0.39	0.2	22
1171-007-0077-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss	0.025(#2)	1.49	0.25	0.49	0.2	21
1171-007-0078-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.49	0.23	0.44	0.2	20
1171-007-0079-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.49	0.21	0.40	0.2	19
1171-007-0080-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.49	0.21	0.40	0.2	19
1171-007-0081-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.58	0.51	0.57	0.2	34
1171-007-0082-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.58	0.46	0.51	0.2	32
1171-007-0083-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.58	0.42	0.46	0.2	29
1171-007-0084-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.58	0.42	0.46	0.2	29
1171-007-0085-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss	0.023(#2) 0.023(#4) 0.198(#6)	0.93	0.13	0.28	0.2	27
1171-007-0086-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.93	0.12	0.26	0.2	26
1171-007-0087-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.93	0.11	0.23	0.2	26
1171-007-0088-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.93	0.11	0.23	0.2	26
1171-007-0089-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss	0.023(#2) 0.198(#6)	1.12	0.17	0.38	0.2	25
1171-007-0090-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.198(#6)	1.12	0.15	0.35	0.2	24
1171-007-0091-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.198(#6)	1.12	0.14	0.31	0.2	23
1171-007-0092-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.198(#6)	1.12	0.14	0.31	0.2	23
1171-007-0093-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss	0.023(#2) 0.023(#5)	0.99	0.16	0.29	0.2	27
1171-007-0094-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids < 1"	0.023(#2) 0.023(#5)	0.99	0.14	0.27	0.2	26
1171-007-0095-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids >= 1"	0.023(#2) 0.023(#5)	0.99	0.13	0.24	0.2	25
1171-007-0096-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, SDL >= 1"	0.023(#2) 0.023(#5)	0.99	0.13	0.24	0.2	25
1171-007-0097-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss	0.023(#2)	1.23	0.17	0.39	0.2	22
1171-007-0098-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.23	0.16	0.36	0.2	22
1171-007-0099-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.23	0.14	0.32	0.2	21
1171-007-0100-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.23	0.14	0.32	0.2	21
1171-007-0101-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss	0.082(#2) 0.082(#4) 0.198(#6)	0.99	0.39	0.49	0.2	40
1171-007-0102-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.99	0.36	0.45	0.2	39
1171-007-0103-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.99	0.33	0.40	0.2	37
1171-007-0104-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.99	0.33	0.40	0.2	37
1171-007-0105-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss	0.082(#2) 0.198(#6)	1.16	0.42	0.50	0.2	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-007-0106-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.198(#6)	1.16	0.38	0.46	0.2	36
1171-007-0107-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.198(#6)	1.16	0.35	0.41	0.2	34
1171-007-0108-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.198(#6)	1.16	0.35	0.41	0.2	34
1171-007-0109-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	1.05	0.42	0.51	0.2	41
1171-007-0110-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#2) 0.082(#5)	1.05	0.38	0.46	0.2	39
1171-007-0111-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#2) 0.082(#5)	1.05	0.34	0.41	0.2	36
1171-007-0112-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#2) 0.082(#5)	1.05	0.34	0.41	0.2	36
1171-007-0113-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.19	0.36	0.2	30
1171-007-0114-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.17	0.33	0.2	29
1171-007-0115-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.16	0.30	0.2	28
1171-007-0116-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.16	0.30	0.2	28
1171-007-0117-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss	0.025(#2) 0.198(#6)	1.12	0.23	0.43	0.2	28
1171-007-0118-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.198(#6)	1.12	0.21	0.39	0.2	27
1171-007-0119-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.198(#6)	1.12	0.19	0.35	0.2	26
1171-007-0120-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.198(#6)	1.12	0.19	0.35	0.2	26
1171-007-0121-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss	0.025(#2) 0.025(#5)	0.99	0.21	0.37	0.2	30
1171-007-0122-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids < 1"	0.025(#2) 0.025(#5)	0.99	0.19	0.34	0.2	29
1171-007-0123-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids >= 1"	0.025(#2) 0.025(#5)	0.99	0.17	0.30	0.2	28
1171-007-0124-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL >= 1"	0.025(#2) 0.025(#5)	0.99	0.17	0.30	0.2	28
1171-007-0125-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss	0.025(#2)	1.23	0.23	0.45	0.2	26
1171-007-0126-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.23	0.21	0.40	0.2	25
1171-007-0127-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.23	0.19	0.36	0.2	24
1171-007-0128-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.23	0.19	0.36	0.2	24
1171-007-0129-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss	0.082(#5)	1.24	0.46	0.52	0.2	39
1171-007-0130-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#5)	1.24	0.41	0.47	0.2	36
1171-007-0131-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#5)	1.24	0.38	0.42	0.2	34
1171-007-0132-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#5)	1.24	0.38	0.42	0.2	34
1171-007-0133-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su	0.025(#2)	1.47	0.25	0.49	0.2	22
1171-007-0134-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids < 1"	0.025(#2)	1.47	0.23	0.44	0.2	21
1171-007-0135-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.47	0.21	0.40	0.2	20
1171-007-0136-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.47	0.21	0.40	0.2	20
1171-007-0137-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su	0.082(#3)	1.56	0.51	0.57	0.2	35
1171-007-0138-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.56	0.47	0.52	0.2	33
1171-007-0139-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.56	0.42	0.47	0.2	30
1171-007-0140-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.56	0.42	0.47	0.2	30
1171-007-0141-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su	0.029(#2)	1.51	0.32	0.50	0.2	25
1171-007-0142-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.51	0.29	0.45	0.2	23
1171-007-0143-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.51	0.27	0.41	0.2	22
1171-007-0144-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.51	0.27	0.41	0.2	22
1171-007-0145-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.59	0.52	0.56	0.2	35

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-007-0146-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.59	0.47	0.51	0.2	32
1171-007-0147-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.59	0.43	0.46	0.2	30
1171-007-0148-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.59	0.43	0.46	0.2	30
1171-007-0149-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.08	0.42	0.51	0.2	40
1171-007-0150-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.08	0.38	0.46	0.2	38
1171-007-0151-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.08	0.35	0.41	0.2	36
1171-007-0152-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.08	0.35	0.41	0.2	36
1171-007-0153-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su	0.025(#2) 0.025(#5)	1.02	0.21	0.38	0.2	29
1171-007-0154-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids < 1"	0.025(#2) 0.025(#5)	1.02	0.19	0.34	0.2	28
1171-007-0155-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids >= 1"	0.025(#2) 0.025(#5)	1.02	0.17	0.31	0.2	27
1171-007-0156-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, SDL >= 1"	0.025(#2) 0.025(#5)	1.02	0.17	0.31	0.2	27
1171-007-0157-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su	0.025(#2)	1.25	0.23	0.45	0.2	26
1171-007-0158-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.025(#2)	1.25	0.21	0.41	0.2	24
1171-007-0159-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.25	0.20	0.37	0.2	24
1171-007-0160-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.25	0.20	0.37	0.2	24
1171-007-0161-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su	0.082(#5)	1.27	0.47	0.52	0.2	39
1171-007-0162-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#5)	1.27	0.43	0.47	0.2	37
1171-007-0163-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#5)	1.27	0.39	0.43	0.2	34
1171-007-0164-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#5)	1.27	0.39	0.43	0.2	34
1171-007-0165-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su	0.029(#2)	1.25	0.30	0.46	0.2	30
1171-007-0166-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.25	0.27	0.42	0.2	28
1171-007-0167-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.25	0.25	0.38	0.2	27
1171-007-0168-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.25	0.25	0.38	0.2	27
1171-007-0169-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su	0.029(#2) 0.029(#5)	1.02	0.25	0.40	0.2	32
1171-007-0170-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids < 1"	0.029(#2) 0.029(#5)	1.02	0.23	0.37	0.2	31
1171-007-0171-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids >= 1"	0.029(#2) 0.029(#5)	1.02	0.21	0.33	0.2	29
1171-007-0172-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL >= 1"	0.029(#2) 0.029(#5)	1.02	0.21	0.33	0.2	29
1171-007-0173-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su	0.082(#5)	1.27	0.47	0.51	0.2	39
1171-007-0174-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#5)	1.27	0.43	0.47	0.2	37
1171-007-0175-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.27	0.39	0.42	0.2	34
1171-007-0176-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.27	0.39	0.42	0.2	34
1171-007-0177-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su	0.082(#2) 0.082(#5)	1.08	0.42	0.49	0.2	40
1171-007-0178-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.08	0.39	0.45	0.2	38
1171-007-0179-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.08	0.35	0.40	0.2	36
1171-007-0180-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.08	0.35	0.40	0.2	36
1171-007-0181-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms	0.025(#2)	1.64	0.25	0.48	0.2	18
1171-007-0182-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms, Grids < 1"	0.025(#2)	1.64	0.23	0.44	0.2	17
1171-007-0183-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms, Grids >= 1"	0.025(#2)	1.64	0.21	0.40	0.2	16
1171-007-0184-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms, SDL >= 1"	0.025(#2)	1.64	0.21	0.40	0.2	16
1171-007-0185-01	H2, 3mm, 7-8, GCI-arg95-8071#3, ms	0.082(#3)	1.73	0.50	0.57	0.2	31

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-007-0186-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.73	0.46	0.51	0.2	28
1171-007-0187-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.73	0.42	0.46	0.2	26
1171-007-0188-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.73	0.42	0.46	0.2	26
1171-007-0189-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms	0.082(#2) 0.082(#5)	1.19	0.42	0.50	0.2	38
1171-007-0190-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	1.19	0.38	0.46	0.2	35
1171-007-0191-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	1.19	0.34	0.41	0.2	33
1171-007-0192-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	1.19	0.34	0.41	0.2	33
1171-007-0193-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms	0.025(#2) 0.025(#5)	1.13	0.21	0.37	0.2	27
1171-007-0194-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids < 1"	0.025(#2) 0.025(#5)	1.13	0.19	0.34	0.2	26
1171-007-0195-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids >= 1"	0.025(#2) 0.025(#5)	1.13	0.17	0.30	0.2	25
1171-007-0196-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, SDL >= 1"	0.025(#2) 0.025(#5)	1.13	0.17	0.30	0.2	25
1171-007-0197-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp	0.082(#3)	1.66	0.50	0.57	0.2	32
1171-007-0198-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.66	0.46	0.51	0.2	30
1171-007-0199-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.66	0.42	0.46	0.2	28
1171-007-0200-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.66	0.42	0.46	0.2	28
1171-007-0201-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss	0.023(#2)	1.60	0.18	0.43	0.2	15
1171-007-0202-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.60	0.17	0.39	0.2	14
1171-007-0203-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.60	0.15	0.35	0.2	13
1171-007-0204-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.60	0.15	0.35	0.2	13
1171-007-0205-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss	0.025(#2)	1.60	0.25	0.48	0.2	19
1171-007-0206-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.60	0.23	0.44	0.2	18
1171-007-0207-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.60	0.21	0.40	0.2	17
1171-007-0208-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.60	0.21	0.40	0.2	17
1171-007-0209-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.69	0.50	0.57	0.2	31
1171-007-0210-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.69	0.46	0.51	0.2	29
1171-007-0211-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.69	0.42	0.46	0.2	27
1171-007-0212-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.69	0.42	0.46	0.2	27
1171-007-0213-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss	0.023(#2) 0.023(#4) 0.198(#6)	1.04	0.13	0.28	0.2	24
1171-007-0214-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.023(#4) 0.198(#6)	1.04	0.12	0.26	0.2	24
1171-007-0215-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	1.04	0.11	0.23	0.2	23
1171-007-0216-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	1.04	0.11	0.23	0.2	23
1171-007-0217-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	1.15	0.42	0.50	0.2	39
1171-007-0218-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#2) 0.082(#5)	1.15	0.38	0.46	0.2	36
1171-007-0219-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#2) 0.082(#5)	1.15	0.34	0.41	0.2	34
1171-007-0220-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#2) 0.082(#5)	1.15	0.34	0.41	0.2	34
1171-007-0221-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss	0.025(#2) 0.025(#4) 0.198(#6)	1.04	0.19	0.36	0.2	28
1171-007-0222-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.025(#4) 0.198(#6)	1.04	0.17	0.33	0.2	27
1171-007-0223-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	1.04	0.16	0.29	0.2	26
1171-007-0224-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	1.04	0.16	0.29	0.2	26
1171-007-0225-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss	0.025(#2) 0.025(#5)	1.09	0.21	0.37	0.2	28

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1171-007-0226-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids < 1"	0.025(#2) 0.025(#5)	1.09	0.19	0.34	0.2	27
1171-007-0227-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids >= 1"	0.025(#2) 0.025(#5)	1.09	0.17	0.30	0.2	26
1171-007-0228-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL >= 1"	0.025(#2) 0.025(#5)	1.09	0.17	0.30	0.2	26
1171-007-0229-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su	0.029(#2)	1.63	0.32	0.50	0.2	22
1171-007-0230-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.63	0.29	0.45	0.2	21
1171-007-0231-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.63	0.27	0.41	0.2	20
1171-007-0232-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.63	0.27	0.41	0.2	20
1171-007-0233-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.72	0.52	0.56	0.2	32
1171-007-0234-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.72	0.47	0.51	0.2	29
1171-007-0235-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.72	0.43	0.46	0.2	27
1171-007-0236-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.72	0.43	0.46	0.2	27
1171-007-0237-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su	0.029(#2)	1.34	0.30	0.46	0.2	28
1171-007-0238-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.34	0.27	0.42	0.2	26
1171-007-0239-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.34	0.25	0.38	0.2	25
1171-007-0240-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.34	0.25	0.38	0.2	25
1171-007-0241-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su	0.029(#2) 0.029(#5)	1.11	0.25	0.40	0.2	30
1171-007-0242-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids < 1"	0.029(#2) 0.029(#5)	1.11	0.23	0.36	0.2	29
1171-007-0243-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids >= 1"	0.029(#2) 0.029(#5)	1.11	0.21	0.33	0.2	27
1171-007-0244-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL >= 1"	0.029(#2) 0.029(#5)	1.11	0.21	0.33	0.2	27
1171-007-0245-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su	0.082(#5)	1.36	0.47	0.51	0.2	37
1171-007-0246-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#5)	1.36	0.43	0.46	0.2	35
1171-007-0247-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.36	0.39	0.42	0.2	32
1171-007-0248-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.36	0.39	0.42	0.2	32
1171-007-0249-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su	0.082(#2) 0.082(#5)	1.17	0.42	0.49	0.2	38
1171-007-0250-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.17	0.39	0.45	0.2	37
1171-007-0251-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.17	0.35	0.40	0.2	34
1171-007-0252-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.17	0.35	0.40	0.2	34

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.".

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com