

# Notice of Product Certification

**CERTIFICATION NO.:** 1289-002  
**INITIAL CERTIFICATION DATE:** November 28, 2023  
**REVISION DATE:** N/A  
**REPORT NUMBER:** TPE23008-6-C\_FIXD-b-23  
**SPECIFICATION:** CSA A440.2-22

**COMPANY:** Portes & Fenêtres Président  
**CODE:** 1289-1  
**EXPIRATION DATE:** October 19, 2028  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** NCTL-110-17778-1

**PRODUCT/SERIES NAME:** 4600 H1-H2 (Panoramique) **OPERATOR TYPE:** FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0001-01	H1, 3mm, 7-8, CG70#2-arg97-GCl, ee	0.025(#2)	1.45	0.29	0.57	0.1	25
1289-002-0002-01	H1, 3mm, 7-8, CG70#2-arg97-GCl, ee, Grids < 1"	0.025(#2)	1.45	0.26	0.51	0.1	23
1289-002-0003-01	H1, 3mm, 7-8, CG70#2-arg97-GCl, ee, Grids >= 1"	0.025(#2)	1.45	0.24	0.45	0.1	22
1289-002-0004-01	H1, 3mm, 7-8, CG70#2-arg97-GCl, ee, SDL >= 1"	0.025(#2)	1.45	0.24	0.45	0.1	22
1289-002-0005-01	H1, 3mm, 7-8, GCl-arg97-8071#3, ee	0.082(#3)	1.56	0.59	0.66	0.1	40
1289-002-0006-01	H1, 3mm, 7-8, GCl-arg97-8071#3, ee, Grids < 1"	0.082(#3)	1.56	0.53	0.59	0.1	36
1289-002-0007-01	H1, 3mm, 7-8, GCl-arg97-8071#3, ee, Grids >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
1289-002-0008-01	H1, 3mm, 7-8, GCl-arg97-8071#3, ee, SDL >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
1289-002-0009-01	H1, 3mm, 7-8, GUCI-arg97-8071#3, ee	0.082(#3)	1.56	0.62	0.67	0.1	41
1289-002-0010-01	H1, 3mm, 7-8, GUCI-arg97-8071#3, ee, Grids < 1"	0.082(#3)	1.56	0.56	0.60	0.1	38
1289-002-0011-01	H1, 3mm, 7-8, GUCI-arg97-8071#3, ee, Grids >= 1"	0.082(#3)	1.56	0.50	0.53	0.1	35
1289-002-0012-01	H1, 3mm, 7-8, GUCI-arg97-8071#3, ee, SDL >= 1"	0.082(#3)	1.56	0.50	0.53	0.1	35
1289-002-0013-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee	0.082(#2) 0.082(#5)	0.94	0.49	0.59	0.1	48
1289-002-0014-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, Grids < 1"	0.082(#2) 0.082(#5)	0.94	0.44	0.53	0.1	45
1289-002-0015-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, Grids >= 1"	0.082(#2) 0.082(#5)	0.94	0.39	0.47	0.1	42
1289-002-0016-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, SDL >= 1"	0.082(#2) 0.082(#5)	0.94	0.39	0.47	0.1	42
1289-002-0017-01	H1, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee	0.082(#2) 0.082(#5)	0.94	0.50	0.60	0.1	48
1289-002-0018-01	H1, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, Grids < 1"	0.082(#2) 0.082(#5)	0.94	0.45	0.54	0.1	45
1289-002-0019-01	H1, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, Grids >= 1"	0.082(#2) 0.082(#5)	0.94	0.40	0.48	0.1	42
1289-002-0020-01	H1, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, SDL >= 1"	0.082(#2) 0.082(#5)	0.94	0.40	0.48	0.1	42
1289-002-0021-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee	0.025(#2) 0.025(#5)	0.86	0.24	0.44	0.1	35
1289-002-0022-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, Grids < 1"	0.025(#2) 0.025(#5)	0.86	0.22	0.39	0.1	34
1289-002-0023-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, Grids >= 1"	0.025(#2) 0.025(#5)	0.86	0.20	0.35	0.1	33
1289-002-0024-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, SDL >= 1"	0.025(#2) 0.025(#5)	0.86	0.20	0.35	0.1	33
1289-002-0025-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee	0.025(#2)	1.14	0.27	0.52	0.1	30

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0026-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, Grids < 1"	0.025(#2)	1.14	0.24	0.47	0.1	29
1289-002-0027-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, Grids >= 1"	0.025(#2)	1.14	0.22	0.41	0.1	28
1289-002-0028-01	H1, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, SDL >= 1"	0.025(#2)	1.14	0.22	0.41	0.1	28
1289-002-0029-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee	0.082(#5)	1.17	0.53	0.61	0.1	45
1289-002-0030-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, Grids < 1"	0.082(#5)	1.17	0.48	0.54	0.1	42
1289-002-0031-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, Grids >= 1"	0.082(#5)	1.17	0.43	0.48	0.1	39
1289-002-0032-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, SDL >= 1"	0.082(#5)	1.17	0.43	0.48	0.1	39
1289-002-0033-01	H1, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee	0.082(#5)	1.17	0.57	0.62	0.1	47
1289-002-0034-01	H1, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, Grids < 1"	0.082(#5)	1.17	0.52	0.55	0.1	44
1289-002-0035-01	H1, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, Grids >= 1"	0.082(#5)	1.17	0.46	0.49	0.1	41
1289-002-0036-01	H1, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, SDL >= 1"	0.082(#5)	1.17	0.46	0.49	0.1	41
1289-002-0037-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu	0.025(#2)	1.47	0.29	0.57	0.1	24
1289-002-0038-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.47	0.26	0.51	0.1	23
1289-002-0039-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.47	0.24	0.45	0.1	21
1289-002-0040-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.47	0.24	0.45	0.1	21
1289-002-0041-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu	0.082(#3)	1.58	0.60	0.67	0.1	40
1289-002-0042-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids < 1"	0.082(#3)	1.58	0.54	0.60	0.1	36
1289-002-0043-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids >= 1"	0.082(#3)	1.58	0.48	0.53	0.1	33
1289-002-0044-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, SDL >= 1"	0.082(#3)	1.58	0.48	0.53	0.1	33
1289-002-0045-01	H1, 3mm, 7-8, PCI-arg95-PTLUX#3, iu	0.082(#3)	1.58	0.61	0.66	0.1	40
1289-002-0046-01	H1, 3mm, 7-8, PCI-arg95-PTLUX#3, iu, Grids < 1"	0.082(#3)	1.58	0.55	0.59	0.1	37
1289-002-0047-01	H1, 3mm, 7-8, PCI-arg95-PTLUX#3, iu, Grids >= 1"	0.082(#3)	1.58	0.49	0.52	0.1	34
1289-002-0048-01	H1, 3mm, 7-8, PCI-arg95-PTLUX#3, iu, SDL >= 1"	0.082(#3)	1.58	0.49	0.52	0.1	34
1289-002-0049-01	H1, 3mm, 7-8, PCI-arg95-SG400#3, iu	0.113(#3)	1.63	0.59	0.66	0.1	38
1289-002-0050-01	H1, 3mm, 7-8, PCI-arg95-SG400#3, iu, Grids < 1"	0.113(#3)	1.63	0.53	0.59	0.1	35
1289-002-0051-01	H1, 3mm, 7-8, PCI-arg95-SG400#3, iu, Grids >= 1"	0.113(#3)	1.63	0.48	0.52	0.1	32
1289-002-0052-01	H1, 3mm, 7-8, PCI-arg95-SG400#3, iu, SDL >= 1"	0.113(#3)	1.63	0.48	0.52	0.1	32
1289-002-0053-01	H1, 3mm, 7-8, SB60#2-arg95-PCI, iu	0.035(#2)	1.49	0.33	0.61	0.1	26
1289-002-0054-01	H1, 3mm, 7-8, SB60#2-arg95-PCI, iu, Grids < 1"	0.035(#2)	1.49	0.30	0.54	0.1	25
1289-002-0055-01	H1, 3mm, 7-8, SB60#2-arg95-PCI, iu, Grids >= 1"	0.035(#2)	1.49	0.27	0.48	0.1	23
1289-002-0056-01	H1, 3mm, 7-8, SB60#2-arg95-PCI, iu, SDL >= 1"	0.035(#2)	1.49	0.27	0.48	0.1	23
1289-002-0057-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu	0.082(#2) 0.082(#5)	0.99	0.49	0.59	0.1	46
1289-002-0058-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	0.99	0.44	0.53	0.1	44
1289-002-0059-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	0.99	0.40	0.47	0.1	41
1289-002-0060-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	0.99	0.40	0.47	0.1	41
1289-002-0061-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu	0.025(#2) 0.025(#5)	0.91	0.24	0.44	0.1	34
1289-002-0062-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids < 1"	0.025(#2) 0.025(#5)	0.91	0.22	0.39	0.1	33
1289-002-0063-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids >= 1"	0.025(#2) 0.025(#5)	0.91	0.20	0.35	0.1	31
1289-002-0064-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, SDL >= 1"	0.025(#2) 0.025(#5)	0.91	0.20	0.35	0.1	31
1289-002-0065-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu	0.025(#2)	1.18	0.27	0.53	0.1	30

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0066-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.18	0.25	0.47	0.1	28
1289-002-0067-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.18	0.22	0.42	0.1	27
1289-002-0068-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.18	0.22	0.42	0.1	27
1289-002-0069-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu	0.082(#5)	1.22	0.55	0.61	0.1	45
1289-002-0070-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#5)	1.22	0.49	0.55	0.1	41
1289-002-0071-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#5)	1.22	0.44	0.49	0.1	38
1289-002-0072-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#5)	1.22	0.44	0.49	0.1	38
1289-002-0073-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu	0.082(#5)	1.22	0.56	0.60	0.1	45
1289-002-0074-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, Grids < 1"	0.082(#5)	1.22	0.50	0.54	0.1	42
1289-002-0075-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, Grids >= 1"	0.082(#5)	1.22	0.45	0.48	0.1	39
1289-002-0076-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, SDL >= 1"	0.082(#5)	1.22	0.45	0.48	0.1	39
1289-002-0077-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu	0.113(#5)	1.25	0.54	0.60	0.1	44
1289-002-0078-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, Grids < 1"	0.113(#5)	1.25	0.49	0.54	0.1	41
1289-002-0079-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, Grids >= 1"	0.113(#5)	1.25	0.44	0.48	0.1	38
1289-002-0080-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, SDL >= 1"	0.113(#5)	1.25	0.44	0.48	0.1	38
1289-002-0081-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu	0.082(#2) 0.082(#5)	0.99	0.50	0.58	0.1	47
1289-002-0082-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	0.99	0.45	0.52	0.1	44
1289-002-0083-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	0.99	0.40	0.46	0.1	41
1289-002-0084-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	0.99	0.40	0.46	0.1	41
1289-002-0085-01	H1, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu	0.113(#2) 0.113(#5)	1.03	0.47	0.57	0.1	44
1289-002-0086-01	H1, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, Grids < 1"	0.113(#2) 0.113(#5)	1.03	0.42	0.51	0.1	42
1289-002-0087-01	H1, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, Grids >= 1"	0.113(#2) 0.113(#5)	1.03	0.38	0.46	0.1	39
1289-002-0088-01	H1, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, SDL >= 1"	0.113(#2) 0.113(#5)	1.03	0.38	0.46	0.1	39
1289-002-0089-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu	0.035(#2)	1.19	0.31	0.55	0.1	32
1289-002-0090-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.035(#2)	1.19	0.28	0.50	0.1	30
1289-002-0091-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.035(#2)	1.19	0.25	0.44	0.1	28
1289-002-0092-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.035(#2)	1.19	0.25	0.44	0.1	28
1289-002-0093-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu	0.035(#2) 0.035(#5)	0.93	0.29	0.49	0.1	36
1289-002-0094-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, Grids < 1"	0.035(#2) 0.035(#5)	0.93	0.26	0.44	0.1	34
1289-002-0095-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, Grids >= 1"	0.035(#2) 0.035(#5)	0.93	0.23	0.39	0.1	33
1289-002-0096-01	H1, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, SDL >= 1"	0.035(#2) 0.035(#5)	0.93	0.23	0.39	0.1	33
1289-002-0097-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms	0.025(#2)	1.48	0.29	0.57	0.1	24
1289-002-0098-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.48	0.26	0.51	0.1	22
1289-002-0099-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.48	0.24	0.45	0.1	21
1289-002-0100-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.48	0.24	0.45	0.1	21
1289-002-0101-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms	0.082(#3)	1.58	0.59	0.66	0.1	39
1289-002-0102-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.58	0.53	0.59	0.1	36
1289-002-0103-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.58	0.48	0.53	0.1	33
1289-002-0104-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.58	0.48	0.53	0.1	33
1289-002-0105-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms	0.082(#3)	1.58	0.61	0.66	0.1	40

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0106-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms, Grids < 1"	0.082(#3)	1.58	0.55	0.59	0.1	37
1289-002-0107-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms, Grids >= 1"	0.082(#3)	1.58	0.49	0.52	0.1	34
1289-002-0108-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms, SDL >= 1"	0.082(#3)	1.58	0.49	0.52	0.1	34
1289-002-0109-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms	0.082(#3)	1.58	0.62	0.67	0.1	41
1289-002-0110-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.58	0.56	0.60	0.1	38
1289-002-0111-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.58	0.50	0.53	0.1	34
1289-002-0112-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.58	0.50	0.53	0.1	34
1289-002-0113-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCI-arg95-8071#5, ms	0.082(#2) 0.082(#5)	0.97	0.49	0.59	0.1	47
1289-002-0114-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCI-arg95-8071#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	0.97	0.44	0.53	0.1	44
1289-002-0115-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCI-arg95-8071#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	0.97	0.39	0.47	0.1	41
1289-002-0116-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCI-arg95-8071#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	0.97	0.39	0.47	0.1	41
1289-002-0117-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-CG70#5, ms	0.025(#2) 0.025(#5)	0.89	0.24	0.44	0.1	34
1289-002-0118-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-CG70#5, ms, Grids < 1"	0.025(#2) 0.025(#5)	0.89	0.22	0.39	0.1	33
1289-002-0119-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-CG70#5, ms, Grids >= 1"	0.025(#2) 0.025(#5)	0.89	0.20	0.35	0.1	32
1289-002-0120-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-CG70#5, ms, SDL >= 1"	0.025(#2) 0.025(#5)	0.89	0.20	0.35	0.1	32
1289-002-0121-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-GCI, ms	0.025(#2)	1.16	0.27	0.52	0.1	30
1289-002-0122-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-GCI, ms, Grids < 1"	0.025(#2)	1.16	0.24	0.47	0.1	28
1289-002-0123-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-GCI, ms, Grids >= 1"	0.025(#2)	1.16	0.22	0.41	0.1	27
1289-002-0124-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCI-arg95-GCI, ms, SDL >= 1"	0.025(#2)	1.16	0.22	0.41	0.1	27
1289-002-0125-01	H1, 3mm, 1 1-4, GCI-arg95-GCI-arg95-8071#5, ms	0.082(#5)	1.20	0.53	0.61	0.1	44
1289-002-0126-01	H1, 3mm, 1 1-4, GCI-arg95-GCI-arg95-8071#5, ms, Grids < 1"	0.082(#5)	1.20	0.48	0.54	0.1	41
1289-002-0127-01	H1, 3mm, 1 1-4, GCI-arg95-GCI-arg95-8071#5, ms, Grids >= 1"	0.082(#5)	1.20	0.43	0.48	0.1	38
1289-002-0128-01	H1, 3mm, 1 1-4, GCI-arg95-GCI-arg95-8071#5, ms, SDL >= 1"	0.082(#5)	1.20	0.43	0.48	0.1	38
1289-002-0129-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms	0.082(#5)	1.20	0.55	0.60	0.1	45
1289-002-0130-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms, Grids < 1"	0.082(#5)	1.20	0.49	0.54	0.1	42
1289-002-0131-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms, Grids >= 1"	0.082(#5)	1.20	0.44	0.48	0.1	39
1289-002-0132-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms, SDL >= 1"	0.082(#5)	1.20	0.44	0.48	0.1	39
1289-002-0133-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms	0.082(#2) 0.082(#5)	0.97	0.49	0.58	0.1	47
1289-002-0134-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	0.97	0.44	0.52	0.1	44
1289-002-0135-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	0.97	0.40	0.46	0.1	42
1289-002-0136-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	0.97	0.40	0.46	0.1	42
1289-002-0137-01	H1, 3mm, 7-8, CG70#2-arg95-GCI, se	0.025(#2)	1.46	0.29	0.57	0.1	25
1289-002-0138-01	H1, 3mm, 7-8, CG70#2-arg95-GCI, se, Grids < 1"	0.025(#2)	1.46	0.26	0.51	0.1	23
1289-002-0139-01	H1, 3mm, 7-8, CG70#2-arg95-GCI, se, Grids >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
1289-002-0140-01	H1, 3mm, 7-8, CG70#2-arg95-GCI, se, SDL >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
1289-002-0141-01	H1, 3mm, 7-8, GCI-arg95-8071#3, se	0.082(#3)	1.56	0.59	0.66	0.1	40
1289-002-0142-01	H1, 3mm, 7-8, GCI-arg95-8071#3, se, Grids < 1"	0.082(#3)	1.56	0.53	0.59	0.1	36
1289-002-0143-01	H1, 3mm, 7-8, GCI-arg95-8071#3, se, Grids >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
1289-002-0144-01	H1, 3mm, 7-8, GCI-arg95-8071#3, se, SDL >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
1289-002-0145-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCI-arg95-8071#5, se	0.082(#2) 0.082(#5)	0.95	0.49	0.59	0.1	47

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0146-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, Grids < 1"	0.082(#2) 0.082(#5)	0.95	0.44	0.53	0.1	44
1289-002-0147-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, Grids >= 1"	0.082(#2) 0.082(#5)	0.95	0.39	0.47	0.1	42
1289-002-0148-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, SDL >= 1"	0.082(#2) 0.082(#5)	0.95	0.39	0.47	0.1	42
1289-002-0149-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se	0.025(#2) 0.025(#5)	0.88	0.24	0.44	0.1	34
1289-002-0150-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, Grids < 1"	0.025(#2) 0.025(#5)	0.88	0.22	0.39	0.1	33
1289-002-0151-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, Grids >= 1"	0.025(#2) 0.025(#5)	0.88	0.20	0.35	0.1	32
1289-002-0152-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, SDL >= 1"	0.025(#2) 0.025(#5)	0.88	0.20	0.35	0.1	32
1289-002-0153-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se	0.025(#2)	1.15	0.27	0.52	0.1	30
1289-002-0154-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, Grids < 1"	0.025(#2)	1.15	0.24	0.47	0.1	28
1289-002-0155-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, Grids >= 1"	0.025(#2)	1.15	0.22	0.41	0.1	27
1289-002-0156-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, SDL >= 1"	0.025(#2)	1.15	0.22	0.41	0.1	27
1289-002-0157-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se	0.082(#5)	1.19	0.53	0.61	0.1	44
1289-002-0158-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, Grids < 1"	0.082(#5)	1.19	0.48	0.54	0.1	41
1289-002-0159-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, Grids >= 1"	0.082(#5)	1.19	0.43	0.48	0.1	39
1289-002-0160-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, SDL >= 1"	0.082(#5)	1.19	0.43	0.48	0.1	39
1289-002-0161-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp	0.082(#3)	1.55	0.59	0.66	0.1	40
1289-002-0162-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.55	0.53	0.59	0.1	36
1289-002-0163-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
1289-002-0164-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
1289-002-0165-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp	0.082(#3)	1.55	0.62	0.67	0.1	42
1289-002-0166-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.55	0.56	0.60	0.1	38
1289-002-0167-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.55	0.50	0.53	0.1	35
1289-002-0168-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.55	0.50	0.53	0.1	35
1289-002-0169-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss	0.023(#2) 0.198(#4)	1.24	0.21	0.49	0.1	25
1289-002-0170-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids < 1"	0.023(#2) 0.198(#4)	1.24	0.19	0.44	0.1	24
1289-002-0171-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids >= 1"	0.023(#2) 0.198(#4)	1.24	0.17	0.39	0.1	22
1289-002-0172-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, SDL >= 1"	0.023(#2) 0.198(#4)	1.24	0.17	0.39	0.1	22
1289-002-0173-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss	0.023(#2)	1.46	0.21	0.50	0.1	20
1289-002-0174-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.46	0.19	0.45	0.1	19
1289-002-0175-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.46	0.17	0.40	0.1	18
1289-002-0176-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.46	0.17	0.40	0.1	18
1289-002-0177-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss	0.082(#2) 0.198(#4)	1.32	0.54	0.64	0.1	42
1289-002-0178-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids < 1"	0.082(#2) 0.198(#4)	1.32	0.48	0.58	0.1	39
1289-002-0179-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids >= 1"	0.082(#2) 0.198(#4)	1.32	0.43	0.51	0.1	36
1289-002-0180-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, SDL >= 1"	0.082(#2) 0.198(#4)	1.32	0.43	0.51	0.1	36
1289-002-0181-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss	0.025(#2) 0.198(#4)	1.24	0.28	0.55	0.1	29
1289-002-0182-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids < 1"	0.025(#2) 0.198(#4)	1.24	0.26	0.49	0.1	28
1289-002-0183-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids >= 1"	0.025(#2) 0.198(#4)	1.24	0.23	0.44	0.1	26
1289-002-0184-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, SDL >= 1"	0.025(#2) 0.198(#4)	1.24	0.23	0.44	0.1	26
1289-002-0185-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss	0.025(#2)	1.46	0.29	0.57	0.1	25

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0186-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.46	0.26	0.51	0.1	23
1289-002-0187-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
1289-002-0188-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.46	0.24	0.45	0.1	22
1289-002-0189-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.56	0.59	0.66	0.1	40
1289-002-0190-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.56	0.53	0.59	0.1	36
1289-002-0191-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
1289-002-0192-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.56	0.48	0.53	0.1	33
1289-002-0193-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss	0.023(#2) 0.023(#4) 0.198(#6)	0.80	0.16	0.33	0.1	32
1289-002-0194-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.80	0.14	0.30	0.1	30
1289-002-0195-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.80	0.13	0.26	0.1	30
1289-002-0196-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.80	0.13	0.26	0.1	30
1289-002-0197-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss	0.023(#2) 0.198(#6)	1.01	0.19	0.45	0.1	29
1289-002-0198-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.198(#6)	1.01	0.18	0.40	0.1	28
1289-002-0199-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.198(#6)	1.01	0.16	0.36	0.1	27
1289-002-0200-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.198(#6)	1.01	0.16	0.36	0.1	27
1289-002-0201-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss	0.023(#2) 0.023(#5)	0.86	0.18	0.34	0.1	31
1289-002-0202-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids < 1"	0.023(#2) 0.023(#5)	0.86	0.17	0.31	0.1	31
1289-002-0203-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids >= 1"	0.023(#2) 0.023(#5)	0.86	0.15	0.27	0.1	30
1289-002-0204-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, SDL >= 1"	0.023(#2) 0.023(#5)	0.86	0.15	0.27	0.1	30
1289-002-0205-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss	0.023(#2)	1.14	0.20	0.46	0.1	26
1289-002-0206-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.14	0.18	0.41	0.1	25
1289-002-0207-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.14	0.16	0.37	0.1	24
1289-002-0208-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.14	0.16	0.37	0.1	24
1289-002-0209-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss	0.082(#2) 0.082(#4) 0.198(#6)	0.86	0.46	0.57	0.1	48
1289-002-0210-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.86	0.41	0.51	0.1	45
1289-002-0211-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.86	0.37	0.46	0.1	42
1289-002-0212-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.86	0.37	0.46	0.1	42
1289-002-0213-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss	0.082(#2) 0.198(#6)	1.06	0.49	0.59	0.1	45
1289-002-0214-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.198(#6)	1.06	0.44	0.53	0.1	42
1289-002-0215-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.198(#6)	1.06	0.40	0.47	0.1	40
1289-002-0216-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.198(#6)	1.06	0.40	0.47	0.1	40
1289-002-0217-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	0.94	0.49	0.59	0.1	48
1289-002-0218-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#2) 0.082(#5)	0.94	0.44	0.53	0.1	45
1289-002-0219-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#2) 0.082(#5)	0.94	0.39	0.47	0.1	42
1289-002-0220-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#2) 0.082(#5)	0.94	0.39	0.47	0.1	42
1289-002-0221-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss	0.025(#2) 0.025(#4) 0.198(#6)	0.80	0.22	0.42	0.1	35
1289-002-0222-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.80	0.20	0.38	0.1	34
1289-002-0223-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.80	0.18	0.34	0.1	33
1289-002-0224-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.80	0.18	0.34	0.1	33
1289-002-0225-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss	0.025(#2) 0.198(#6)	1.01	0.26	0.51	0.1	33



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0226-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.198(#6)	1.01	0.24	0.45	0.1	32
1289-002-0227-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.198(#6)	1.01	0.21	0.40	0.1	30
1289-002-0228-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.198(#6)	1.01	0.21	0.40	0.1	30
1289-002-0229-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss	0.025(#2) 0.025(#5)	0.87	0.24	0.44	0.1	35
1289-002-0230-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids < 1"	0.025(#2) 0.025(#5)	0.87	0.22	0.39	0.1	33
1289-002-0231-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids >= 1"	0.025(#2) 0.025(#5)	0.87	0.20	0.35	0.1	32
1289-002-0232-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL >= 1"	0.025(#2) 0.025(#5)	0.87	0.20	0.35	0.1	32
1289-002-0233-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss	0.025(#2)	1.14	0.27	0.52	0.1	30
1289-002-0234-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.14	0.24	0.47	0.1	29
1289-002-0235-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.14	0.22	0.41	0.1	28
1289-002-0236-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.14	0.22	0.41	0.1	28
1289-002-0237-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss	0.082(#5)	1.18	0.53	0.61	0.1	45
1289-002-0238-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#5)	1.18	0.48	0.54	0.1	42
1289-002-0239-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#5)	1.18	0.43	0.48	0.1	39
1289-002-0240-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#5)	1.18	0.43	0.48	0.1	39
1289-002-0241-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su	0.025(#2)	1.44	0.29	0.57	0.1	25
1289-002-0242-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids < 1"	0.025(#2)	1.44	0.26	0.51	0.1	23
1289-002-0243-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.44	0.24	0.45	0.1	22
1289-002-0244-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.44	0.24	0.45	0.1	22
1289-002-0245-01	H1, 3mm, 7-8, GCl-arg97-8071#3, su	0.082(#3)	1.55	0.59	0.66	0.1	40
1289-002-0246-01	H1, 3mm, 7-8, GCl-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.55	0.53	0.59	0.1	36
1289-002-0247-01	H1, 3mm, 7-8, GCl-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.55	0.47	0.53	0.1	33
1289-002-0248-01	H1, 3mm, 7-8, GCl-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.55	0.47	0.53	0.1	33
1289-002-0249-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su	0.082(#3)	1.55	0.60	0.67	0.1	41
1289-002-0250-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.55	0.54	0.60	0.1	37
1289-002-0251-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
1289-002-0252-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
1289-002-0253-01	H1, 3mm, 7-8, PCI-arg97-PTLUX#3, su	0.082(#3)	1.55	0.61	0.66	0.1	41
1289-002-0254-01	H1, 3mm, 7-8, PCI-arg97-PTLUX#3, su, Grids < 1"	0.082(#3)	1.55	0.55	0.59	0.1	38
1289-002-0255-01	H1, 3mm, 7-8, PCI-arg97-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.55	0.49	0.52	0.1	34
1289-002-0256-01	H1, 3mm, 7-8, PCI-arg97-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.55	0.49	0.52	0.1	34
1289-002-0257-01	H1, 3mm, 7-8, PCI-arg97-SG400#3, su	0.113(#3)	1.60	0.59	0.66	0.1	39
1289-002-0258-01	H1, 3mm, 7-8, PCI-arg97-SG400#3, su, Grids < 1"	0.113(#3)	1.60	0.53	0.59	0.1	35
1289-002-0259-01	H1, 3mm, 7-8, PCI-arg97-SG400#3, su, Grids >= 1"	0.113(#3)	1.60	0.48	0.52	0.1	32
1289-002-0260-01	H1, 3mm, 7-8, PCI-arg97-SG400#3, su, SDL >= 1"	0.113(#3)	1.60	0.48	0.52	0.1	32
1289-002-0261-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su	0.029(#2)	1.48	0.37	0.59	0.1	29
1289-002-0262-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.48	0.34	0.53	0.1	27
1289-002-0263-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.48	0.30	0.47	0.1	25
1289-002-0264-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.48	0.30	0.47	0.1	25
1289-002-0265-01	H1, 3mm, 7-8, PTOne#2-arg95-PLUX, su	0.029(#2)	1.45	0.37	0.59	0.1	29

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0266-01	H1, 3mm, 7-8, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.45	0.34	0.53	0.1	28
1289-002-0267-01	H1, 3mm, 7-8, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.45	0.30	0.47	0.1	25
1289-002-0268-01	H1, 3mm, 7-8, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.45	0.30	0.47	0.1	25
1289-002-0269-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.57	0.61	0.66	0.1	41
1289-002-0270-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.57	0.55	0.59	0.1	37
1289-002-0271-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.57	0.49	0.52	0.1	34
1289-002-0272-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.57	0.49	0.52	0.1	34
1289-002-0273-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.55	0.61	0.66	0.1	41
1289-002-0274-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.55	0.55	0.59	0.1	38
1289-002-0275-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.55	0.49	0.52	0.1	34
1289-002-0276-01	H1, 3mm, 7-8, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.55	0.49	0.52	0.1	34
1289-002-0277-01	H1, 3mm, 7-8, SB60#2-arg97-PCI, su	0.035(#2)	1.46	0.33	0.61	0.1	27
1289-002-0278-01	H1, 3mm, 7-8, SB60#2-arg97-PCI, su, Grids < 1"	0.035(#2)	1.46	0.30	0.54	0.1	25
1289-002-0279-01	H1, 3mm, 7-8, SB60#2-arg97-PCI, su, Grids >= 1"	0.035(#2)	1.46	0.27	0.48	0.1	23
1289-002-0280-01	H1, 3mm, 7-8, SB60#2-arg97-PCI, su, SDL >= 1"	0.035(#2)	1.46	0.27	0.48	0.1	23
1289-002-0281-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	0.98	0.49	0.59	0.1	47
1289-002-0282-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su, Grids < 1"	0.082(#2) 0.082(#5)	0.98	0.44	0.53	0.1	44
1289-002-0283-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	0.98	0.39	0.47	0.1	41
1289-002-0284-01	H1, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	0.98	0.39	0.47	0.1	41
1289-002-0285-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su	0.082(#2) 0.082(#5)	0.98	0.49	0.59	0.1	47
1289-002-0286-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#2) 0.082(#5)	0.98	0.44	0.53	0.1	44
1289-002-0287-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.47	0.1	41
1289-002-0288-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.47	0.1	41
1289-002-0289-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su	0.025(#2) 0.025(#5)	0.90	0.24	0.44	0.1	34
1289-002-0290-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids < 1"	0.025(#2) 0.025(#5)	0.90	0.22	0.39	0.1	33
1289-002-0291-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids >= 1"	0.025(#2) 0.025(#5)	0.90	0.20	0.35	0.1	32
1289-002-0292-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, SDL >= 1"	0.025(#2) 0.025(#5)	0.90	0.20	0.35	0.1	32
1289-002-0293-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su	0.025(#2)	1.17	0.27	0.53	0.1	30
1289-002-0294-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.025(#2)	1.17	0.25	0.47	0.1	29
1289-002-0295-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.17	0.22	0.42	0.1	27
1289-002-0296-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.17	0.22	0.42	0.1	27
1289-002-0297-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, su	0.082(#5)	1.21	0.53	0.61	0.1	44
1289-002-0298-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, su, Grids < 1"	0.082(#5)	1.21	0.48	0.54	0.1	41
1289-002-0299-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, su, Grids >= 1"	0.082(#5)	1.21	0.43	0.48	0.1	38
1289-002-0300-01	H1, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, su, SDL >= 1"	0.082(#5)	1.21	0.43	0.48	0.1	38
1289-002-0301-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su	0.082(#5)	1.21	0.55	0.61	0.1	45
1289-002-0302-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#5)	1.21	0.49	0.55	0.1	42
1289-002-0303-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#5)	1.21	0.44	0.49	0.1	39
1289-002-0304-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#5)	1.21	0.44	0.49	0.1	39
1289-002-0305-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su	0.082(#5)	1.21	0.56	0.60	0.1	46



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0306-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, Grids < 1"	0.082(#5)	1.21	0.50	0.54	0.1	42
1289-002-0307-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.21	0.45	0.48	0.1	39
1289-002-0308-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.21	0.45	0.48	0.1	39
1289-002-0309-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su	0.113(#5)	1.24	0.54	0.60	0.1	44
1289-002-0310-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, Grids < 1"	0.113(#5)	1.24	0.49	0.54	0.1	41
1289-002-0311-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, Grids >= 1"	0.113(#5)	1.24	0.44	0.48	0.1	38
1289-002-0312-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, SDL >= 1"	0.113(#5)	1.24	0.44	0.48	0.1	38
1289-002-0313-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su	0.029(#2)	1.18	0.35	0.54	0.1	34
1289-002-0314-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.18	0.32	0.48	0.1	32
1289-002-0315-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.18	0.28	0.43	0.1	30
1289-002-0316-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.18	0.28	0.43	0.1	30
1289-002-0317-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su	0.029(#2) 0.029(#5)	0.91	0.29	0.47	0.1	37
1289-002-0318-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids < 1"	0.029(#2) 0.029(#5)	0.91	0.26	0.42	0.1	35
1289-002-0319-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids >= 1"	0.029(#2) 0.029(#5)	0.91	0.24	0.38	0.1	34
1289-002-0320-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL >= 1"	0.029(#2) 0.029(#5)	0.91	0.24	0.38	0.1	34
1289-002-0321-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su	0.082(#5)	1.22	0.55	0.60	0.1	45
1289-002-0322-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#5)	1.22	0.49	0.54	0.1	41
1289-002-0323-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.22	0.44	0.48	0.1	38
1289-002-0324-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.22	0.44	0.48	0.1	38
1289-002-0325-01	H1, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su	0.082(#2) 0.082(#5)	0.98	0.50	0.58	0.1	47
1289-002-0326-01	H1, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	0.98	0.45	0.52	0.1	44
1289-002-0327-01	H1, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
1289-002-0328-01	H1, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
1289-002-0329-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su	0.082(#2) 0.082(#5)	0.98	0.49	0.58	0.1	47
1289-002-0330-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	0.98	0.44	0.52	0.1	44
1289-002-0331-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
1289-002-0332-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	0.98	0.40	0.46	0.1	41
1289-002-0333-01	H1, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su	0.113(#2) 0.113(#5)	1.02	0.47	0.57	0.1	45
1289-002-0334-01	H1, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, Grids < 1"	0.113(#2) 0.113(#5)	1.02	0.42	0.51	0.1	42
1289-002-0335-01	H1, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, Grids >= 1"	0.113(#2) 0.113(#5)	1.02	0.38	0.46	0.1	39
1289-002-0336-01	H1, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, SDL >= 1"	0.113(#2) 0.113(#5)	1.02	0.38	0.46	0.1	39
1289-002-0337-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su	0.035(#2)	1.18	0.31	0.55	0.1	32
1289-002-0338-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.035(#2)	1.18	0.28	0.50	0.1	30
1289-002-0339-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.035(#2)	1.18	0.25	0.44	0.1	28
1289-002-0340-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.035(#2)	1.18	0.25	0.44	0.1	28
1289-002-0341-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su	0.035(#2) 0.035(#5)	0.92	0.29	0.49	0.1	36
1289-002-0342-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, Grids < 1"	0.035(#2) 0.035(#5)	0.92	0.26	0.44	0.1	35
1289-002-0343-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, Grids >= 1"	0.035(#2) 0.035(#5)	0.92	0.23	0.39	0.1	33
1289-002-0344-01	H1, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, SDL >= 1"	0.035(#2) 0.035(#5)	0.92	0.23	0.39	0.1	33
1289-002-0345-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms	0.042(#2) 0.042(#5)	0.91	0.29	0.47	0.1	37

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0346-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, Grids < 1"	0.042(#2) 0.042(#5)	0.91	0.26	0.42	0.1	35
1289-002-0347-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, Grids >= 1"	0.042(#2) 0.042(#5)	0.91	0.24	0.38	0.1	34
1289-002-0348-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, SDL >= 1"	0.042(#2) 0.042(#5)	0.91	0.24	0.38	0.1	34
1289-002-0349-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms	0.042(#2)	1.18	0.32	0.54	0.1	32
1289-002-0350-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, Grids < 1"	0.042(#2)	1.18	0.29	0.49	0.1	31
1289-002-0351-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, Grids >= 1"	0.042(#2)	1.18	0.26	0.43	0.1	29
1289-002-0352-01	H1, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, SDL >= 1"	0.042(#2)	1.18	0.26	0.43	0.1	29
1289-002-0353-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms	0.164(#5)	1.28	0.56	0.58	0.1	44
1289-002-0354-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, Grids < 1"	0.164(#5)	1.28	0.50	0.52	0.1	41
1289-002-0355-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, Grids >= 1"	0.164(#5)	1.28	0.45	0.46	0.1	38
1289-002-0356-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, SDL >= 1"	0.164(#5)	1.28	0.45	0.46	0.1	38
1289-002-0357-01	H1, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms	0.164(#2) 0.164(#5)	1.07	0.50	0.55	0.1	45
1289-002-0358-01	H1, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, Grids < 1"	0.164(#2) 0.164(#5)	1.07	0.45	0.49	0.1	42
1289-002-0359-01	H1, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, Grids >= 1"	0.164(#2) 0.164(#5)	1.07	0.41	0.43	0.1	40
1289-002-0360-01	H1, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, SDL >= 1"	0.164(#2) 0.164(#5)	1.07	0.41	0.43	0.1	40
1289-002-0361-01	H1, 3mm, 7-8, 272#2-arg95-GCl, sp	0.042(#2)	1.48	0.34	0.60	0.1	27
1289-002-0362-01	H1, 3mm, 7-8, 272#2-arg95-GCl, sp, Grids < 1"	0.042(#2)	1.48	0.31	0.53	0.1	25
1289-002-0363-01	H1, 3mm, 7-8, 272#2-arg95-GCl, sp, Grids >= 1"	0.042(#2)	1.48	0.28	0.47	0.1	24
1289-002-0364-01	H1, 3mm, 7-8, 272#2-arg95-GCl, sp, SDL >= 1"	0.042(#2)	1.48	0.28	0.47	0.1	24
1289-002-0365-01	H1, 3mm, 7-8, GCl-arg95-LOF#3, sp	0.164(#3)	1.68	0.62	0.64	0.1	39
1289-002-0366-01	H1, 3mm, 7-8, GCl-arg95-LOF#3, sp, Grids < 1"	0.164(#3)	1.68	0.56	0.57	0.1	35
1289-002-0367-01	H1, 3mm, 7-8, GCl-arg95-LOF#3, sp, Grids >= 1"	0.164(#3)	1.68	0.50	0.51	0.1	32
1289-002-0368-01	H1, 3mm, 7-8, GCl-arg95-LOF#3, sp, SDL >= 1"	0.164(#3)	1.68	0.50	0.51	0.1	32
1289-002-0369-01	H1, 3mm, 7-8, PCI-arg95-8071#3, sp	0.082(#3)	1.55	0.60	0.67	0.1	41
1289-002-0370-01	H1, 3mm, 7-8, PCI-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.55	0.54	0.60	0.1	37
1289-002-0371-01	H1, 3mm, 7-8, PCI-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
1289-002-0372-01	H1, 3mm, 7-8, PCI-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.55	0.48	0.53	0.1	34
1289-002-0373-01	H1, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee	0.082(#3) 0.082(#5)	0.94	0.51	0.59	0.1	49
1289-002-0374-01	H1, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee, Grids < 1"	0.082(#3) 0.082(#5)	0.94	0.46	0.53	0.1	46
1289-002-0375-01	H1, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee, Grids >= 1"	0.082(#3) 0.082(#5)	0.94	0.41	0.47	0.1	43
1289-002-0376-01	H1, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee, SDL >= 1"	0.082(#3) 0.082(#5)	0.94	0.41	0.47	0.1	43
1289-002-0377-01	H1, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee	0.082(#3) 0.082(#5)	0.94	0.53	0.60	0.1	50
1289-002-0378-01	H1, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee, Grids < 1"	0.082(#3) 0.082(#5)	0.94	0.48	0.54	0.1	47
1289-002-0379-01	H1, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee, Grids >= 1"	0.082(#3) 0.082(#5)	0.94	0.43	0.48	0.1	44
1289-002-0380-01	H1, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee, SDL >= 1"	0.082(#3) 0.082(#5)	0.94	0.43	0.48	0.1	44
1289-002-0381-01	H1, 3mm, 7-8, STCl-arg95-8071#3, iu	0.082(#3)	1.58	0.62	0.67	0.1	41
1289-002-0382-01	H1, 3mm, 7-8, STCl-arg95-8071#3, iu, Grids < 1"	0.082(#3)	1.58	0.55	0.60	0.1	37
1289-002-0383-01	H1, 3mm, 7-8, STCl-arg95-8071#3, iu, Grids >= 1"	0.082(#3)	1.58	0.50	0.53	0.1	34
1289-002-0384-01	H1, 3mm, 7-8, STCl-arg95-8071#3, iu, SDL >= 1"	0.082(#3)	1.58	0.50	0.53	0.1	34
1289-002-0385-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu	0.082(#3)	1.58	0.63	0.66	0.1	42

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0386-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu, Grids < 1"	0.082(#3)	1.58	0.57	0.59	0.1	38
1289-002-0387-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu, Grids >= 1"	0.082(#3)	1.58	0.51	0.53	0.1	35
1289-002-0388-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu, SDL >= 1"	0.082(#3)	1.58	0.51	0.53	0.1	35
1289-002-0389-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se	0.082(#3) 0.082(#5)	0.95	0.51	0.59	0.1	48
1289-002-0390-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se, Grids < 1"	0.082(#3) 0.082(#5)	0.95	0.46	0.53	0.1	46
1289-002-0391-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se, Grids >= 1"	0.082(#3) 0.082(#5)	0.95	0.41	0.47	0.1	43
1289-002-0392-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se, SDL >= 1"	0.082(#3) 0.082(#5)	0.95	0.41	0.47	0.1	43
1289-002-0393-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ss	0.082(#3)	1.56	0.62	0.67	0.1	41
1289-002-0394-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.56	0.56	0.60	0.1	38
1289-002-0395-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.56	0.50	0.53	0.1	35
1289-002-0396-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.56	0.50	0.53	0.1	35
1289-002-0397-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss	0.082(#3) 0.082(#5)	0.94	0.51	0.59	0.1	49
1289-002-0398-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss, Grids < 1"	0.082(#3) 0.082(#5)	0.94	0.46	0.53	0.1	46
1289-002-0399-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss, Grids >= 1"	0.082(#3) 0.082(#5)	0.94	0.41	0.47	0.1	43
1289-002-0400-01	H1, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss, SDL >= 1"	0.082(#3) 0.082(#5)	0.94	0.41	0.47	0.1	43
1289-002-0401-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, su	0.082(#3)	1.55	0.63	0.66	0.1	42
1289-002-0402-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.55	0.57	0.59	0.1	39
1289-002-0403-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.55	0.51	0.53	0.1	35
1289-002-0404-01	H1, 3mm, 7-8, SDCl-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.55	0.51	0.53	0.1	35
1289-002-0405-01	H1, 3mm, 7-8, STCl-arg97-8071#3, su	0.082(#3)	1.55	0.62	0.67	0.1	42
1289-002-0406-01	H1, 3mm, 7-8, STCl-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.55	0.55	0.60	0.1	38
1289-002-0407-01	H1, 3mm, 7-8, STCl-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.55	0.50	0.53	0.1	35
1289-002-0408-01	H1, 3mm, 7-8, STCl-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.55	0.50	0.53	0.1	35
1289-002-0409-01	H1, 3mm, 1, SDCl-arg95-PTLUX#3, su	0.082(#3)	1.57	0.63	0.66	0.1	42
1289-002-0410-01	H1, 3mm, 1, SDCl-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.57	0.57	0.59	0.1	38
1289-002-0411-01	H1, 3mm, 1, SDCl-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.57	0.51	0.53	0.1	35
1289-002-0412-01	H1, 3mm, 1, SDCl-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.57	0.51	0.53	0.1	35
1289-002-0413-01	H1, 3mm, 1 1-4, PCl-arg97-8071#3-arg97-8071#5, su	0.082(#3) 0.082(#5)	0.98	0.52	0.59	0.1	48
1289-002-0414-01	H1, 3mm, 1 1-4, PCl-arg97-8071#3-arg97-8071#5, su, Grids < 1"	0.082(#3) 0.082(#5)	0.98	0.47	0.53	0.1	45
1289-002-0415-01	H1, 3mm, 1 1-4, PCl-arg97-8071#3-arg97-8071#5, su, Grids >= 1"	0.082(#3) 0.082(#5)	0.98	0.42	0.47	0.1	43
1289-002-0416-01	H1, 3mm, 1 1-4, PCl-arg97-8071#3-arg97-8071#5, su, SDL >= 1"	0.082(#3) 0.082(#5)	0.98	0.42	0.47	0.1	43
1289-002-0417-01	H1, 3mm, 1 1-4, PCl-arg97-PTLUX#3-arg97-PTLUX#5, su	0.082(#3) 0.082(#5)	0.98	0.53	0.58	0.1	49
1289-002-0418-01	H1, 3mm, 1 1-4, PCl-arg97-PTLUX#3-arg97-PTLUX#5, su, Grids < 1"	0.082(#3) 0.082(#5)	0.98	0.48	0.52	0.1	46
1289-002-0419-01	H1, 3mm, 1 1-4, PCl-arg97-PTLUX#3-arg97-PTLUX#5, su, Grids >= 1"	0.082(#3) 0.082(#5)	0.98	0.43	0.46	0.1	43
1289-002-0420-01	H1, 3mm, 1 1-4, PCl-arg97-PTLUX#3-arg97-PTLUX#5, su, SDL >= 1"	0.082(#3) 0.082(#5)	0.98	0.43	0.46	0.1	43
1289-002-0421-01	H2, 3mm, 7-8, CG70#2-arg97-GCl, ee	0.025(#2)	1.55	0.29	0.57	0.1	23
1289-002-0422-01	H2, 3mm, 7-8, CG70#2-arg97-GCl, ee, Grids < 1"	0.025(#2)	1.55	0.26	0.51	0.1	21
1289-002-0423-01	H2, 3mm, 7-8, CG70#2-arg97-GCl, ee, Grids >= 1"	0.025(#2)	1.55	0.24	0.45	0.1	20
1289-002-0424-01	H2, 3mm, 7-8, CG70#2-arg97-GCl, ee, SDL >= 1"	0.025(#2)	1.55	0.24	0.45	0.1	20
1289-002-0425-01	H2, 3mm, 7-8, GCl-arg97-8071#3, ee	0.082(#3)	1.65	0.59	0.66	0.1	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0426-01	H2, 3mm, 7-8, GCl-arg97-8071#3, ee, Grids < 1"	0.082(#3)	1.65	0.53	0.59	0.1	34
1289-002-0427-01	H2, 3mm, 7-8, GCl-arg97-8071#3, ee, Grids >= 1"	0.082(#3)	1.65	0.48	0.53	0.1	31
1289-002-0428-01	H2, 3mm, 7-8, GCl-arg97-8071#3, ee, SDL >= 1"	0.082(#3)	1.65	0.48	0.53	0.1	31
1289-002-0429-01	H2, 3mm, 7-8, GUCI-arg97-8071#3, ee	0.082(#3)	1.65	0.62	0.67	0.1	39
1289-002-0430-01	H2, 3mm, 7-8, GUCI-arg97-8071#3, ee, Grids < 1"	0.082(#3)	1.65	0.56	0.60	0.1	36
1289-002-0431-01	H2, 3mm, 7-8, GUCI-arg97-8071#3, ee, Grids >= 1"	0.082(#3)	1.65	0.50	0.53	0.1	33
1289-002-0432-01	H2, 3mm, 7-8, GUCI-arg97-8071#3, ee, SDL >= 1"	0.082(#3)	1.65	0.50	0.53	0.1	33
1289-002-0433-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee	0.082(#2) 0.082(#5)	1.04	0.49	0.59	0.1	45
1289-002-0434-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, Grids < 1"	0.082(#2) 0.082(#5)	1.04	0.44	0.53	0.1	42
1289-002-0435-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, Grids >= 1"	0.082(#2) 0.082(#5)	1.04	0.39	0.47	0.1	40
1289-002-0436-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, ee, SDL >= 1"	0.082(#2) 0.082(#5)	1.04	0.39	0.47	0.1	40
1289-002-0437-01	H2, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee	0.082(#2) 0.082(#5)	1.04	0.50	0.60	0.1	46
1289-002-0438-01	H2, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, Grids < 1"	0.082(#2) 0.082(#5)	1.04	0.45	0.53	0.1	43
1289-002-0439-01	H2, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, Grids >= 1"	0.082(#2) 0.082(#5)	1.04	0.40	0.48	0.1	40
1289-002-0440-01	H2, 3mm, 1 1-4, 8071#2-arg97-GUCI-arg97-8071#5, ee, SDL >= 1"	0.082(#2) 0.082(#5)	1.04	0.40	0.48	0.1	40
1289-002-0441-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee	0.025(#2) 0.025(#5)	0.96	0.24	0.44	0.1	33
1289-002-0442-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, Grids < 1"	0.025(#2) 0.025(#5)	0.96	0.22	0.39	0.1	31
1289-002-0443-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, Grids >= 1"	0.025(#2) 0.025(#5)	0.96	0.20	0.35	0.1	30
1289-002-0444-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-CG70#5, ee, SDL >= 1"	0.025(#2) 0.025(#5)	0.96	0.20	0.35	0.1	30
1289-002-0445-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee	0.025(#2)	1.23	0.27	0.52	0.1	28
1289-002-0446-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, Grids < 1"	0.025(#2)	1.23	0.24	0.47	0.1	27
1289-002-0447-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, Grids >= 1"	0.025(#2)	1.23	0.22	0.41	0.1	26
1289-002-0448-01	H2, 3mm, 1 1-4, CG70#2-arg97-GCl-arg97-GCl, ee, SDL >= 1"	0.025(#2)	1.23	0.22	0.41	0.1	26
1289-002-0449-01	H2, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee	0.082(#5)	1.28	0.53	0.61	0.1	42
1289-002-0450-01	H2, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, Grids < 1"	0.082(#5)	1.28	0.48	0.54	0.1	39
1289-002-0451-01	H2, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, Grids >= 1"	0.082(#5)	1.28	0.43	0.48	0.1	37
1289-002-0452-01	H2, 3mm, 1 1-4, GCl-arg97-GCl-arg97-8071#5, ee, SDL >= 1"	0.082(#5)	1.28	0.43	0.48	0.1	37
1289-002-0453-01	H2, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee	0.082(#5)	1.28	0.57	0.62	0.1	45
1289-002-0454-01	H2, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, Grids < 1"	0.082(#5)	1.28	0.52	0.55	0.1	42
1289-002-0455-01	H2, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, Grids >= 1"	0.082(#5)	1.28	0.46	0.49	0.1	38
1289-002-0456-01	H2, 3mm, 1 1-4, GUCI-arg97-GUCI-arg97-8071#5, ee, SDL >= 1"	0.082(#5)	1.28	0.46	0.49	0.1	38
1289-002-0457-01	H2, 3mm, 7-8, CG70#2-arg95-PCI, iu	0.025(#2)	1.58	0.29	0.57	0.1	22
1289-002-0458-01	H2, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.58	0.26	0.51	0.1	20
1289-002-0459-01	H2, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.58	0.24	0.45	0.1	19
1289-002-0460-01	H2, 3mm, 7-8, CG70#2-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.58	0.24	0.45	0.1	19
1289-002-0461-01	H2, 3mm, 7-8, PCI-arg95-8071#3, iu	0.082(#3)	1.68	0.60	0.67	0.1	38
1289-002-0462-01	H2, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids < 1"	0.082(#3)	1.68	0.54	0.60	0.1	34
1289-002-0463-01	H2, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids >= 1"	0.082(#3)	1.68	0.48	0.53	0.1	31
1289-002-0464-01	H2, 3mm, 7-8, PCI-arg95-8071#3, iu, SDL >= 1"	0.082(#3)	1.68	0.48	0.53	0.1	31
1289-002-0465-01	H2, 3mm, 7-8, PCI-arg95-PTLUX#3, iu	0.082(#3)	1.68	0.61	0.66	0.1	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0466-01	H2, 3mm, 7-8, PCI-arg95-PTLUX#3, iu, Grids < 1"	0.082(#3)	1.68	0.55	0.59	0.1	35
1289-002-0467-01	H2, 3mm, 7-8, PCI-arg95-PTLUX#3, iu, Grids >= 1"	0.082(#3)	1.68	0.49	0.52	0.1	31
1289-002-0468-01	H2, 3mm, 7-8, PCI-arg95-PTLUX#3, iu, SDL >= 1"	0.082(#3)	1.68	0.49	0.52	0.1	31
1289-002-0469-01	H2, 3mm, 7-8, PCI-arg95-SG400#3, iu	0.113(#3)	1.73	0.59	0.65	0.1	36
1289-002-0470-01	H2, 3mm, 7-8, PCI-arg95-SG400#3, iu, Grids < 1"	0.113(#3)	1.73	0.53	0.59	0.1	33
1289-002-0471-01	H2, 3mm, 7-8, PCI-arg95-SG400#3, iu, Grids >= 1"	0.113(#3)	1.73	0.48	0.52	0.1	30
1289-002-0472-01	H2, 3mm, 7-8, PCI-arg95-SG400#3, iu, SDL >= 1"	0.113(#3)	1.73	0.48	0.52	0.1	30
1289-002-0473-01	H2, 3mm, 7-8, SB60#2-arg95-PCI, iu	0.035(#2)	1.60	0.33	0.60	0.1	24
1289-002-0474-01	H2, 3mm, 7-8, SB60#2-arg95-PCI, iu, Grids < 1"	0.035(#2)	1.60	0.30	0.54	0.1	22
1289-002-0475-01	H2, 3mm, 7-8, SB60#2-arg95-PCI, iu, Grids >= 1"	0.035(#2)	1.60	0.27	0.48	0.1	20
1289-002-0476-01	H2, 3mm, 7-8, SB60#2-arg95-PCI, iu, SDL >= 1"	0.035(#2)	1.60	0.27	0.48	0.1	20
1289-002-0477-01	H2, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.09	0.49	0.59	0.1	44
1289-002-0478-01	H2, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	1.09	0.44	0.53	0.1	41
1289-002-0479-01	H2, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	1.09	0.40	0.47	0.1	39
1289-002-0480-01	H2, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	1.09	0.40	0.47	0.1	39
1289-002-0481-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu	0.025(#2) 0.025(#5)	1.01	0.24	0.44	0.1	32
1289-002-0482-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids < 1"	0.025(#2) 0.025(#5)	1.01	0.22	0.39	0.1	30
1289-002-0483-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids >= 1"	0.025(#2) 0.025(#5)	1.01	0.20	0.35	0.1	29
1289-002-0484-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, SDL >= 1"	0.025(#2) 0.025(#5)	1.01	0.20	0.35	0.1	29
1289-002-0485-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu	0.025(#2)	1.27	0.27	0.53	0.1	28
1289-002-0486-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.27	0.25	0.47	0.1	26
1289-002-0487-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.27	0.22	0.42	0.1	25
1289-002-0488-01	H2, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.27	0.22	0.42	0.1	25
1289-002-0489-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu	0.082(#5)	1.33	0.55	0.61	0.1	42
1289-002-0490-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#5)	1.33	0.49	0.55	0.1	39
1289-002-0491-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#5)	1.33	0.44	0.49	0.1	36
1289-002-0492-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#5)	1.33	0.44	0.49	0.1	36
1289-002-0493-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu	0.082(#5)	1.33	0.56	0.60	0.1	43
1289-002-0494-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, Grids < 1"	0.082(#5)	1.33	0.50	0.54	0.1	40
1289-002-0495-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, Grids >= 1"	0.082(#5)	1.33	0.45	0.48	0.1	37
1289-002-0496-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-PTLUX#5, iu, SDL >= 1"	0.082(#5)	1.33	0.45	0.48	0.1	37
1289-002-0497-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu	0.113(#5)	1.36	0.54	0.60	0.1	41
1289-002-0498-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, Grids < 1"	0.113(#5)	1.36	0.49	0.54	0.1	38
1289-002-0499-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, Grids >= 1"	0.113(#5)	1.36	0.44	0.48	0.1	35
1289-002-0500-01	H2, 3mm, 1 1-4, PCI-arg95-PCI-arg95-SG400#5, iu, SDL >= 1"	0.113(#5)	1.36	0.44	0.48	0.1	35
1289-002-0501-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu	0.082(#2) 0.082(#5)	1.09	0.50	0.58	0.1	45
1289-002-0502-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	1.09	0.45	0.52	0.1	42
1289-002-0503-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	1.09	0.40	0.46	0.1	39
1289-002-0504-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PCI-arg95-PTLUX#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	1.09	0.40	0.46	0.1	39
1289-002-0505-01	H2, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu	0.113(#2) 0.113(#5)	1.13	0.47	0.57	0.1	42

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0506-01	H2, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, Grids < 1"	0.113(#2) 0.113(#5)	1.13	0.42	0.51	0.1	39
1289-002-0507-01	H2, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, Grids >= 1"	0.113(#2) 0.113(#5)	1.13	0.38	0.46	0.1	37
1289-002-0508-01	H2, 3mm, 1 1-4, SG400#2-arg95-PCI-arg95-SG400#5, iu, SDL >= 1"	0.113(#2) 0.113(#5)	1.13	0.38	0.46	0.1	37
1289-002-0509-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu	0.035(#2)	1.29	0.31	0.55	0.1	29
1289-002-0510-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.035(#2)	1.29	0.28	0.50	0.1	28
1289-002-0511-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.035(#2)	1.29	0.25	0.44	0.1	26
1289-002-0512-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.035(#2)	1.29	0.25	0.44	0.1	26
1289-002-0513-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu	0.035(#2) 0.035(#5)	1.03	0.29	0.49	0.1	34
1289-002-0514-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, Grids < 1"	0.035(#2) 0.035(#5)	1.03	0.26	0.44	0.1	32
1289-002-0515-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, Grids >= 1"	0.035(#2) 0.035(#5)	1.03	0.23	0.39	0.1	31
1289-002-0516-01	H2, 3mm, 1 1-4, SB60#2-arg95-PCI-arg95-SB60#5, iu, SDL >= 1"	0.035(#2) 0.035(#5)	1.03	0.23	0.39	0.1	31
1289-002-0517-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ms	0.025(#2)	1.58	0.29	0.57	0.1	22
1289-002-0518-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.58	0.26	0.51	0.1	20
1289-002-0519-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.58	0.24	0.45	0.1	19
1289-002-0520-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.58	0.24	0.45	0.1	19
1289-002-0521-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms	0.082(#3)	1.68	0.59	0.66	0.1	37
1289-002-0522-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.68	0.53	0.59	0.1	34
1289-002-0523-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.68	0.48	0.53	0.1	31
1289-002-0524-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.68	0.48	0.53	0.1	31
1289-002-0525-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms	0.082(#3)	1.68	0.61	0.66	0.1	38
1289-002-0526-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms, Grids < 1"	0.082(#3)	1.68	0.55	0.59	0.1	35
1289-002-0527-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms, Grids >= 1"	0.082(#3)	1.68	0.49	0.52	0.1	31
1289-002-0528-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, ms, SDL >= 1"	0.082(#3)	1.68	0.49	0.52	0.1	31
1289-002-0529-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ms	0.082(#3)	1.68	0.62	0.67	0.1	39
1289-002-0530-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.68	0.56	0.60	0.1	35
1289-002-0531-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.68	0.50	0.53	0.1	32
1289-002-0532-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.68	0.50	0.53	0.1	32
1289-002-0533-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms	0.082(#2) 0.082(#5)	1.07	0.49	0.59	0.1	45
1289-002-0534-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	1.07	0.44	0.53	0.1	42
1289-002-0535-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	1.07	0.39	0.47	0.1	39
1289-002-0536-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	1.07	0.39	0.47	0.1	39
1289-002-0537-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms	0.025(#2) 0.025(#5)	0.99	0.24	0.44	0.1	32
1289-002-0538-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids < 1"	0.025(#2) 0.025(#5)	0.99	0.22	0.39	0.1	31
1289-002-0539-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids >= 1"	0.025(#2) 0.025(#5)	0.99	0.20	0.35	0.1	30
1289-002-0540-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, SDL >= 1"	0.025(#2) 0.025(#5)	0.99	0.20	0.35	0.1	30
1289-002-0541-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms	0.025(#2)	1.26	0.27	0.52	0.1	28
1289-002-0542-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.26	0.24	0.47	0.1	26
1289-002-0543-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.26	0.22	0.41	0.1	25
1289-002-0544-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.26	0.22	0.41	0.1	25
1289-002-0545-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms	0.082(#5)	1.31	0.53	0.61	0.1	42



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0546-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#5)	1.31	0.48	0.54	0.1	39
1289-002-0547-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#5)	1.31	0.43	0.48	0.1	36
1289-002-0548-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#5)	1.31	0.43	0.48	0.1	36
1289-002-0549-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms	0.082(#5)	1.31	0.55	0.60	0.1	43
1289-002-0550-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms, Grids < 1"	0.082(#5)	1.31	0.49	0.54	0.1	39
1289-002-0551-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms, Grids >= 1"	0.082(#5)	1.31	0.44	0.48	0.1	37
1289-002-0552-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, ms, SDL >= 1"	0.082(#5)	1.31	0.44	0.48	0.1	37
1289-002-0553-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms	0.082(#2) 0.082(#5)	1.07	0.49	0.58	0.1	45
1289-002-0554-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	1.07	0.44	0.52	0.1	42
1289-002-0555-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	1.07	0.40	0.46	0.1	39
1289-002-0556-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	1.07	0.40	0.46	0.1	39
1289-002-0557-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, se	0.025(#2)	1.55	0.29	0.57	0.1	23
1289-002-0558-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, se, Grids < 1"	0.025(#2)	1.55	0.26	0.51	0.1	21
1289-002-0559-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, se, Grids >= 1"	0.025(#2)	1.55	0.24	0.45	0.1	20
1289-002-0560-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, se, SDL >= 1"	0.025(#2)	1.55	0.24	0.45	0.1	20
1289-002-0561-01	H2, 3mm, 7-8, GCl-arg95-8071#3, se	0.082(#3)	1.66	0.59	0.66	0.1	38
1289-002-0562-01	H2, 3mm, 7-8, GCl-arg95-8071#3, se, Grids < 1"	0.082(#3)	1.66	0.53	0.59	0.1	34
1289-002-0563-01	H2, 3mm, 7-8, GCl-arg95-8071#3, se, Grids >= 1"	0.082(#3)	1.66	0.48	0.53	0.1	31
1289-002-0564-01	H2, 3mm, 7-8, GCl-arg95-8071#3, se, SDL >= 1"	0.082(#3)	1.66	0.48	0.53	0.1	31
1289-002-0565-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se	0.082(#2) 0.082(#5)	1.05	0.49	0.59	0.1	45
1289-002-0566-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, Grids < 1"	0.082(#2) 0.082(#5)	1.05	0.44	0.53	0.1	42
1289-002-0567-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, Grids >= 1"	0.082(#2) 0.082(#5)	1.05	0.39	0.47	0.1	39
1289-002-0568-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, se, SDL >= 1"	0.082(#2) 0.082(#5)	1.05	0.39	0.47	0.1	39
1289-002-0569-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se	0.025(#2) 0.025(#5)	0.97	0.24	0.44	0.1	32
1289-002-0570-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, Grids < 1"	0.025(#2) 0.025(#5)	0.97	0.22	0.39	0.1	31
1289-002-0571-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, Grids >= 1"	0.025(#2) 0.025(#5)	0.97	0.20	0.35	0.1	30
1289-002-0572-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, se, SDL >= 1"	0.025(#2) 0.025(#5)	0.97	0.20	0.35	0.1	30
1289-002-0573-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se	0.025(#2)	1.24	0.27	0.52	0.1	28
1289-002-0574-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, Grids < 1"	0.025(#2)	1.24	0.24	0.47	0.1	27
1289-002-0575-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, Grids >= 1"	0.025(#2)	1.24	0.22	0.41	0.1	25
1289-002-0576-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, se, SDL >= 1"	0.025(#2)	1.24	0.22	0.41	0.1	25
1289-002-0577-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se	0.082(#5)	1.29	0.53	0.61	0.1	42
1289-002-0578-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, Grids < 1"	0.082(#5)	1.29	0.48	0.54	0.1	39
1289-002-0579-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, Grids >= 1"	0.082(#5)	1.29	0.43	0.48	0.1	36
1289-002-0580-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, se, SDL >= 1"	0.082(#5)	1.29	0.43	0.48	0.1	36
1289-002-0581-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp	0.082(#3)	1.64	0.59	0.66	0.1	38
1289-002-0582-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.64	0.53	0.59	0.1	34
1289-002-0583-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0584-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0585-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, sp	0.082(#3)	1.64	0.62	0.67	0.1	40

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0586-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.64	0.56	0.60	0.1	36
1289-002-0587-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.64	0.50	0.53	0.1	33
1289-002-0588-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.64	0.50	0.53	0.1	33
1289-002-0589-01	H2, 3mm, 7-8, 6227#2-arg95-IS20#4, ss	0.023(#2) 0.198(#4)	1.34	0.21	0.49	0.1	23
1289-002-0590-01	H2, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids < 1"	0.023(#2) 0.198(#4)	1.34	0.19	0.44	0.1	21
1289-002-0591-01	H2, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids >= 1"	0.023(#2) 0.198(#4)	1.34	0.17	0.39	0.1	20
1289-002-0592-01	H2, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, SDL >= 1"	0.023(#2) 0.198(#4)	1.34	0.17	0.39	0.1	20
1289-002-0593-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss	0.023(#2)	1.55	0.21	0.50	0.1	18
1289-002-0594-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.55	0.19	0.45	0.1	17
1289-002-0595-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.55	0.18	0.40	0.1	16
1289-002-0596-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.55	0.18	0.40	0.1	16
1289-002-0597-01	H2, 3mm, 7-8, 8071#2-arg95-IS20#4, ss	0.082(#2) 0.198(#4)	1.42	0.54	0.64	0.1	40
1289-002-0598-01	H2, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids < 1"	0.082(#2) 0.198(#4)	1.42	0.48	0.58	0.1	36
1289-002-0599-01	H2, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids >= 1"	0.082(#2) 0.198(#4)	1.42	0.43	0.51	0.1	34
1289-002-0600-01	H2, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, SDL >= 1"	0.082(#2) 0.198(#4)	1.42	0.43	0.51	0.1	34
1289-002-0601-01	H2, 3mm, 7-8, CG70#2-arg95-IS20#4, ss	0.025(#2) 0.198(#4)	1.35	0.28	0.55	0.1	26
1289-002-0602-01	H2, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids < 1"	0.025(#2) 0.198(#4)	1.35	0.26	0.49	0.1	25
1289-002-0603-01	H2, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids >= 1"	0.025(#2) 0.198(#4)	1.35	0.23	0.44	0.1	24
1289-002-0604-01	H2, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, SDL >= 1"	0.025(#2) 0.198(#4)	1.35	0.23	0.44	0.1	24
1289-002-0605-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss	0.025(#2)	1.55	0.29	0.57	0.1	23
1289-002-0606-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.55	0.26	0.51	0.1	21
1289-002-0607-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.55	0.24	0.45	0.1	20
1289-002-0608-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.55	0.24	0.45	0.1	20
1289-002-0609-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.66	0.59	0.66	0.1	38
1289-002-0610-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.66	0.53	0.59	0.1	34
1289-002-0611-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.66	0.48	0.53	0.1	31
1289-002-0612-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.66	0.48	0.53	0.1	31
1289-002-0613-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss	0.023(#2) 0.023(#4) 0.198(#6)	0.90	0.16	0.33	0.1	29
1289-002-0614-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.90	0.14	0.30	0.1	28
1289-002-0615-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.90	0.13	0.26	0.1	28
1289-002-0616-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.90	0.13	0.26	0.1	28
1289-002-0617-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss	0.023(#2) 0.198(#6)	1.11	0.19	0.45	0.1	26
1289-002-0618-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.198(#6)	1.11	0.18	0.40	0.1	26
1289-002-0619-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.198(#6)	1.11	0.16	0.36	0.1	25
1289-002-0620-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.198(#6)	1.11	0.16	0.36	0.1	25
1289-002-0621-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss	0.023(#2) 0.023(#5)	0.96	0.18	0.34	0.1	29
1289-002-0622-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids < 1"	0.023(#2) 0.023(#5)	0.96	0.17	0.31	0.1	29
1289-002-0623-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids >= 1"	0.023(#2) 0.023(#5)	0.96	0.15	0.27	0.1	27
1289-002-0624-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, SDL >= 1"	0.023(#2) 0.023(#5)	0.96	0.15	0.27	0.1	27
1289-002-0625-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss	0.023(#2)	1.23	0.20	0.46	0.1	24

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0626-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.23	0.18	0.41	0.1	23
1289-002-0627-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.23	0.16	0.37	0.1	22
1289-002-0628-01	H2, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.23	0.16	0.37	0.1	22
1289-002-0629-01	H2, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss	0.082(#2) 0.082(#4) 0.198(#6)	0.97	0.46	0.57	0.1	45
1289-002-0630-01	H2, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.97	0.41	0.51	0.1	42
1289-002-0631-01	H2, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.97	0.37	0.46	0.1	40
1289-002-0632-01	H2, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.97	0.37	0.46	0.1	40
1289-002-0633-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss	0.082(#2) 0.198(#6)	1.16	0.49	0.59	0.1	43
1289-002-0634-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.198(#6)	1.16	0.44	0.53	0.1	40
1289-002-0635-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.198(#6)	1.16	0.40	0.47	0.1	38
1289-002-0636-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.198(#6)	1.16	0.40	0.47	0.1	38
1289-002-0637-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	1.04	0.49	0.59	0.1	45
1289-002-0638-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#2) 0.082(#5)	1.04	0.44	0.53	0.1	42
1289-002-0639-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#2) 0.082(#5)	1.04	0.39	0.47	0.1	40
1289-002-0640-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#2) 0.082(#5)	1.04	0.39	0.47	0.1	40
1289-002-0641-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss	0.025(#2) 0.025(#4) 0.198(#6)	0.90	0.22	0.42	0.1	33
1289-002-0642-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.90	0.20	0.38	0.1	32
1289-002-0643-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.90	0.18	0.34	0.1	30
1289-002-0644-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.90	0.18	0.34	0.1	30
1289-002-0645-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss	0.025(#2) 0.198(#6)	1.11	0.26	0.51	0.1	31
1289-002-0646-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.198(#6)	1.11	0.24	0.45	0.1	29
1289-002-0647-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.198(#6)	1.11	0.22	0.40	0.1	28
1289-002-0648-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.198(#6)	1.11	0.22	0.40	0.1	28
1289-002-0649-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss	0.025(#2) 0.025(#5)	0.96	0.24	0.44	0.1	33
1289-002-0650-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids < 1"	0.025(#2) 0.025(#5)	0.96	0.22	0.39	0.1	31
1289-002-0651-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids >= 1"	0.025(#2) 0.025(#5)	0.96	0.20	0.35	0.1	30
1289-002-0652-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL >= 1"	0.025(#2) 0.025(#5)	0.96	0.20	0.35	0.1	30
1289-002-0653-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss	0.025(#2)	1.23	0.27	0.52	0.1	28
1289-002-0654-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.23	0.24	0.47	0.1	27
1289-002-0655-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.23	0.22	0.41	0.1	26
1289-002-0656-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.23	0.22	0.41	0.1	26
1289-002-0657-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss	0.082(#5)	1.28	0.53	0.61	0.1	42
1289-002-0658-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#5)	1.28	0.48	0.54	0.1	39
1289-002-0659-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#5)	1.28	0.43	0.48	0.1	37
1289-002-0660-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#5)	1.28	0.43	0.48	0.1	37
1289-002-0661-01	H2, 3mm, 7-8, CG70#2-arg97-PCI, su	0.025(#2)	1.53	0.29	0.57	0.1	23
1289-002-0662-01	H2, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids < 1"	0.025(#2)	1.53	0.26	0.51	0.1	21
1289-002-0663-01	H2, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.53	0.24	0.45	0.1	20
1289-002-0664-01	H2, 3mm, 7-8, CG70#2-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.53	0.24	0.45	0.1	20
1289-002-0665-01	H2, 3mm, 7-8, GCl-arg97-8071#3, su	0.082(#3)	1.64	0.59	0.66	0.1	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0666-01	H2, 3mm, 7-8, GCl-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.64	0.53	0.59	0.1	34
1289-002-0667-01	H2, 3mm, 7-8, GCl-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0668-01	H2, 3mm, 7-8, GCl-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0669-01	H2, 3mm, 7-8, PCI-arg97-8071#3, su	0.082(#3)	1.64	0.60	0.67	0.1	39
1289-002-0670-01	H2, 3mm, 7-8, PCI-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.64	0.54	0.60	0.1	35
1289-002-0671-01	H2, 3mm, 7-8, PCI-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0672-01	H2, 3mm, 7-8, PCI-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0673-01	H2, 3mm, 7-8, PCI-arg97-PTLUX#3, su	0.082(#3)	1.64	0.61	0.66	0.1	39
1289-002-0674-01	H2, 3mm, 7-8, PCI-arg97-PTLUX#3, su, Grids < 1"	0.082(#3)	1.64	0.55	0.59	0.1	36
1289-002-0675-01	H2, 3mm, 7-8, PCI-arg97-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.64	0.49	0.52	0.1	32
1289-002-0676-01	H2, 3mm, 7-8, PCI-arg97-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.64	0.49	0.52	0.1	32
1289-002-0677-01	H2, 3mm, 7-8, PCI-arg97-SG400#3, su	0.113(#3)	1.69	0.59	0.65	0.1	37
1289-002-0678-01	H2, 3mm, 7-8, PCI-arg97-SG400#3, su, Grids < 1"	0.113(#3)	1.69	0.53	0.59	0.1	33
1289-002-0679-01	H2, 3mm, 7-8, PCI-arg97-SG400#3, su, Grids >= 1"	0.113(#3)	1.69	0.48	0.52	0.1	31
1289-002-0680-01	H2, 3mm, 7-8, PCI-arg97-SG400#3, su, SDL >= 1"	0.113(#3)	1.69	0.48	0.52	0.1	31
1289-002-0681-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su	0.029(#2)	1.57	0.37	0.59	0.1	27
1289-002-0682-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.57	0.34	0.52	0.1	25
1289-002-0683-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.57	0.30	0.47	0.1	23
1289-002-0684-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.57	0.30	0.47	0.1	23
1289-002-0685-01	H2, 3mm, 7-8, PTOne#2-arg95-PLUX, su	0.029(#2)	1.54	0.37	0.59	0.1	27
1289-002-0686-01	H2, 3mm, 7-8, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.54	0.34	0.52	0.1	26
1289-002-0687-01	H2, 3mm, 7-8, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.54	0.30	0.47	0.1	23
1289-002-0688-01	H2, 3mm, 7-8, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.54	0.30	0.47	0.1	23
1289-002-0689-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.67	0.61	0.66	0.1	38
1289-002-0690-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.67	0.55	0.59	0.1	35
1289-002-0691-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.67	0.49	0.52	0.1	32
1289-002-0692-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.67	0.49	0.52	0.1	32
1289-002-0693-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.64	0.61	0.66	0.1	39
1289-002-0694-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.64	0.55	0.59	0.1	36
1289-002-0695-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.64	0.49	0.52	0.1	32
1289-002-0696-01	H2, 3mm, 7-8, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.64	0.49	0.52	0.1	32
1289-002-0697-01	H2, 3mm, 7-8, SB60#2-arg97-PCI, su	0.035(#2)	1.55	0.33	0.60	0.1	25
1289-002-0698-01	H2, 3mm, 7-8, SB60#2-arg97-PCI, su, Grids < 1"	0.035(#2)	1.55	0.30	0.54	0.1	23
1289-002-0699-01	H2, 3mm, 7-8, SB60#2-arg97-PCI, su, Grids >= 1"	0.035(#2)	1.55	0.27	0.48	0.1	21
1289-002-0700-01	H2, 3mm, 7-8, SB60#2-arg97-PCI, su, SDL >= 1"	0.035(#2)	1.55	0.27	0.48	0.1	21
1289-002-0701-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.07	0.49	0.59	0.1	45
1289-002-0702-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.07	0.44	0.53	0.1	42
1289-002-0703-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.07	0.39	0.47	0.1	39
1289-002-0704-01	H2, 3mm, 1 1-4, 8071#2-arg97-GCl-arg97-8071#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.07	0.39	0.47	0.1	39
1289-002-0705-01	H2, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.07	0.49	0.59	0.1	45

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0706-01	H2, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.07	0.44	0.53	0.1	42
1289-002-0707-01	H2, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.07	0.40	0.47	0.1	39
1289-002-0708-01	H2, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.07	0.40	0.47	0.1	39
1289-002-0709-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su	0.025(#2) 0.025(#5)	1.00	0.24	0.44	0.1	32
1289-002-0710-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids < 1"	0.025(#2) 0.025(#5)	1.00	0.22	0.39	0.1	31
1289-002-0711-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids >= 1"	0.025(#2) 0.025(#5)	1.00	0.20	0.35	0.1	29
1289-002-0712-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, SDL >= 1"	0.025(#2) 0.025(#5)	1.00	0.20	0.35	0.1	29
1289-002-0713-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su	0.025(#2)	1.25	0.27	0.53	0.1	28
1289-002-0714-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.025(#2)	1.25	0.25	0.47	0.1	27
1289-002-0715-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.25	0.22	0.42	0.1	25
1289-002-0716-01	H2, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.25	0.22	0.42	0.1	25
1289-002-0717-01	H2, 3mm, 1 1-4, GCI-arg97-GCI-arg97-8071#5, su	0.082(#5)	1.31	0.53	0.61	0.1	42
1289-002-0718-01	H2, 3mm, 1 1-4, GCI-arg97-GCI-arg97-8071#5, su, Grids < 1"	0.082(#5)	1.31	0.48	0.54	0.1	39
1289-002-0719-01	H2, 3mm, 1 1-4, GCI-arg97-GCI-arg97-8071#5, su, Grids >= 1"	0.082(#5)	1.31	0.43	0.48	0.1	36
1289-002-0720-01	H2, 3mm, 1 1-4, GCI-arg97-GCI-arg97-8071#5, su, SDL >= 1"	0.082(#5)	1.31	0.43	0.48	0.1	36
1289-002-0721-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su	0.082(#5)	1.31	0.55	0.61	0.1	43
1289-002-0722-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#5)	1.31	0.49	0.55	0.1	39
1289-002-0723-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#5)	1.31	0.44	0.49	0.1	37
1289-002-0724-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#5)	1.31	0.44	0.49	0.1	37
1289-002-0725-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su	0.082(#5)	1.31	0.56	0.60	0.1	43
1289-002-0726-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, Grids < 1"	0.082(#5)	1.31	0.50	0.54	0.1	40
1289-002-0727-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.31	0.45	0.48	0.1	37
1289-002-0728-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.31	0.45	0.48	0.1	37
1289-002-0729-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su	0.113(#5)	1.35	0.54	0.60	0.1	41
1289-002-0730-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, Grids < 1"	0.113(#5)	1.35	0.49	0.54	0.1	39
1289-002-0731-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, Grids >= 1"	0.113(#5)	1.35	0.44	0.48	0.1	36
1289-002-0732-01	H2, 3mm, 1 1-4, PCI-arg97-PCI-arg97-SG400#5, su, SDL >= 1"	0.113(#5)	1.35	0.44	0.48	0.1	36
1289-002-0733-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su	0.029(#2)	1.26	0.35	0.54	0.1	32
1289-002-0734-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.26	0.32	0.48	0.1	31
1289-002-0735-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.26	0.28	0.43	0.1	28
1289-002-0736-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.26	0.28	0.43	0.1	28
1289-002-0737-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su	0.029(#2) 0.029(#5)	1.01	0.29	0.47	0.1	34
1289-002-0738-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids < 1"	0.029(#2) 0.029(#5)	1.01	0.26	0.42	0.1	33
1289-002-0739-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids >= 1"	0.029(#2) 0.029(#5)	1.01	0.24	0.37	0.1	32
1289-002-0740-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL >= 1"	0.029(#2) 0.029(#5)	1.01	0.24	0.37	0.1	32
1289-002-0741-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su	0.082(#5)	1.32	0.55	0.60	0.1	43
1289-002-0742-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#5)	1.32	0.49	0.54	0.1	39
1289-002-0743-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.32	0.44	0.48	0.1	36
1289-002-0744-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.32	0.44	0.48	0.1	36
1289-002-0745-01	H2, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su	0.082(#2) 0.082(#5)	1.07	0.50	0.58	0.1	45

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0746-01	H2, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.07	0.45	0.52	0.1	42
1289-002-0747-01	H2, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.07	0.40	0.46	0.1	39
1289-002-0748-01	H2, 3mm, 1 1-4, PTLUX#2-arg97-PCI-arg97-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.07	0.40	0.46	0.1	39
1289-002-0749-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su	0.082(#2) 0.082(#5)	1.08	0.49	0.58	0.1	44
1289-002-0750-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.08	0.44	0.52	0.1	42
1289-002-0751-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.08	0.40	0.46	0.1	39
1289-002-0752-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.08	0.40	0.46	0.1	39
1289-002-0753-01	H2, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su	0.113(#2) 0.113(#5)	1.11	0.47	0.57	0.1	43
1289-002-0754-01	H2, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, Grids < 1"	0.113(#2) 0.113(#5)	1.11	0.42	0.51	0.1	40
1289-002-0755-01	H2, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, Grids >= 1"	0.113(#2) 0.113(#5)	1.11	0.38	0.46	0.1	37
1289-002-0756-01	H2, 3mm, 1 1-4, SG400#2-arg97-PCI-arg97-SG400#5, su, SDL >= 1"	0.113(#2) 0.113(#5)	1.11	0.38	0.46	0.1	37
1289-002-0757-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su	0.035(#2)	1.27	0.31	0.55	0.1	30
1289-002-0758-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.035(#2)	1.27	0.28	0.50	0.1	28
1289-002-0759-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.035(#2)	1.27	0.25	0.44	0.1	26
1289-002-0760-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.035(#2)	1.27	0.25	0.44	0.1	26
1289-002-0761-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su	0.035(#2) 0.035(#5)	1.01	0.29	0.49	0.1	34
1289-002-0762-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, Grids < 1"	0.035(#2) 0.035(#5)	1.01	0.26	0.44	0.1	33
1289-002-0763-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, Grids >= 1"	0.035(#2) 0.035(#5)	1.01	0.23	0.39	0.1	31
1289-002-0764-01	H2, 3mm, 1 1-4, SB60#2-arg97-PCI-arg97-SB60#5, su, SDL >= 1"	0.035(#2) 0.035(#5)	1.01	0.23	0.39	0.1	31
1289-002-0765-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms	0.042(#2) 0.042(#5)	1.01	0.29	0.47	0.1	34
1289-002-0766-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, Grids < 1"	0.042(#2) 0.042(#5)	1.01	0.27	0.42	0.1	33
1289-002-0767-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, Grids >= 1"	0.042(#2) 0.042(#5)	1.01	0.24	0.38	0.1	32
1289-002-0768-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-272#5, ms, SDL >= 1"	0.042(#2) 0.042(#5)	1.01	0.24	0.38	0.1	32
1289-002-0769-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms	0.042(#2)	1.28	0.32	0.54	0.1	30
1289-002-0770-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, Grids < 1"	0.042(#2)	1.28	0.29	0.49	0.1	29
1289-002-0771-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, Grids >= 1"	0.042(#2)	1.28	0.26	0.43	0.1	27
1289-002-0772-01	H2, 3mm, 1 1-4, 272#2-arg95-GCl-arg95-GCl, ms, SDL >= 1"	0.042(#2)	1.28	0.26	0.43	0.1	27
1289-002-0773-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms	0.164(#5)	1.39	0.56	0.58	0.1	42
1289-002-0774-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, Grids < 1"	0.164(#5)	1.39	0.50	0.52	0.1	38
1289-002-0775-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, Grids >= 1"	0.164(#5)	1.39	0.45	0.46	0.1	35
1289-002-0776-01	H2, 3mm, 1 1-4, GCl-arg95-GCl-arg95-LOF#5, ms, SDL >= 1"	0.164(#5)	1.39	0.45	0.46	0.1	35
1289-002-0777-01	H2, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms	0.164(#2) 0.164(#5)	1.17	0.50	0.55	0.1	43
1289-002-0778-01	H2, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, Grids < 1"	0.164(#2) 0.164(#5)	1.17	0.45	0.49	0.1	40
1289-002-0779-01	H2, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, Grids >= 1"	0.164(#2) 0.164(#5)	1.17	0.41	0.43	0.1	38
1289-002-0780-01	H2, 3mm, 1 1-4, LOF#2-arg95-GCl-arg95-LOF#5, ms, SDL >= 1"	0.164(#2) 0.164(#5)	1.17	0.41	0.43	0.1	38
1289-002-0781-01	H2, 3mm, 7-8, 272#2-arg95-GCl, sp	0.042(#2)	1.57	0.34	0.59	0.1	25
1289-002-0782-01	H2, 3mm, 7-8, 272#2-arg95-GCl, sp, Grids < 1"	0.042(#2)	1.57	0.31	0.53	0.1	23
1289-002-0783-01	H2, 3mm, 7-8, 272#2-arg95-GCl, sp, Grids >= 1"	0.042(#2)	1.57	0.28	0.47	0.1	22
1289-002-0784-01	H2, 3mm, 7-8, 272#2-arg95-GCl, sp, SDL >= 1"	0.042(#2)	1.57	0.28	0.47	0.1	22
1289-002-0785-01	H2, 3mm, 7-8, GCl-arg95-LOF#3, sp	0.164(#3)	1.78	0.62	0.63	0.1	37



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0786-01	H2, 3mm, 7-8, GCl-arg95-LOF#3, sp, Grids < 1"	0.164(#3)	1.78	0.56	0.57	0.1	33
1289-002-0787-01	H2, 3mm, 7-8, GCl-arg95-LOF#3, sp, Grids >= 1"	0.164(#3)	1.78	0.50	0.50	0.1	30
1289-002-0788-01	H2, 3mm, 7-8, GCl-arg95-LOF#3, sp, SDL >= 1"	0.164(#3)	1.78	0.50	0.50	0.1	30
1289-002-0789-01	H2, 3mm, 7-8, PCI-arg95-8071#3, sp	0.082(#3)	1.64	0.60	0.67	0.1	39
1289-002-0790-01	H2, 3mm, 7-8, PCI-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.64	0.54	0.60	0.1	35
1289-002-0791-01	H2, 3mm, 7-8, PCI-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0792-01	H2, 3mm, 7-8, PCI-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.64	0.48	0.53	0.1	32
1289-002-0793-01	H2, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee	0.082(#3) 0.082(#5)	1.04	0.51	0.59	0.1	46
1289-002-0794-01	H2, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee, Grids < 1"	0.082(#3) 0.082(#5)	1.04	0.46	0.53	0.1	44
1289-002-0795-01	H2, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee, Grids >= 1"	0.082(#3) 0.082(#5)	1.04	0.41	0.47	0.1	41
1289-002-0796-01	H2, 3mm, 1 1-4, GCl-arg97-8071#3-arg97-8071#5, ee, SDL >= 1"	0.082(#3) 0.082(#5)	1.04	0.41	0.47	0.1	41
1289-002-0797-01	H2, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee	0.082(#3) 0.082(#5)	1.04	0.53	0.60	0.1	48
1289-002-0798-01	H2, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee, Grids < 1"	0.082(#3) 0.082(#5)	1.04	0.48	0.53	0.1	45
1289-002-0799-01	H2, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee, Grids >= 1"	0.082(#3) 0.082(#5)	1.04	0.43	0.48	0.1	42
1289-002-0800-01	H2, 3mm, 1 1-4, GUCI-arg97-8071#3-arg97-8071#5, ee, SDL >= 1"	0.082(#3) 0.082(#5)	1.04	0.43	0.48	0.1	42
1289-002-0801-01	H2, 3mm, 7-8, STCl-arg95-8071#3, iu	0.082(#3)	1.68	0.62	0.67	0.1	39
1289-002-0802-01	H2, 3mm, 7-8, STCl-arg95-8071#3, iu, Grids < 1"	0.082(#3)	1.68	0.55	0.60	0.1	35
1289-002-0803-01	H2, 3mm, 7-8, STCl-arg95-8071#3, iu, Grids >= 1"	0.082(#3)	1.68	0.50	0.53	0.1	32
1289-002-0804-01	H2, 3mm, 7-8, STCl-arg95-8071#3, iu, SDL >= 1"	0.082(#3)	1.68	0.50	0.53	0.1	32
1289-002-0805-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu	0.082(#3)	1.68	0.63	0.66	0.1	39
1289-002-0806-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu, Grids < 1"	0.082(#3)	1.68	0.57	0.59	0.1	36
1289-002-0807-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu, Grids >= 1"	0.082(#3)	1.68	0.51	0.53	0.1	32
1289-002-0808-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, iu, SDL >= 1"	0.082(#3)	1.68	0.51	0.53	0.1	32
1289-002-0809-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se	0.082(#3) 0.082(#5)	1.05	0.51	0.59	0.1	46
1289-002-0810-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se, Grids < 1"	0.082(#3) 0.082(#5)	1.05	0.46	0.53	0.1	43
1289-002-0811-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se, Grids >= 1"	0.082(#3) 0.082(#5)	1.05	0.41	0.47	0.1	40
1289-002-0812-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, se, SDL >= 1"	0.082(#3) 0.082(#5)	1.05	0.41	0.47	0.1	40
1289-002-0813-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ss	0.082(#3)	1.66	0.62	0.67	0.1	39
1289-002-0814-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.66	0.56	0.60	0.1	36
1289-002-0815-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.66	0.50	0.53	0.1	32
1289-002-0816-01	H2, 3mm, 7-8, GUCI-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.66	0.50	0.53	0.1	32
1289-002-0817-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss	0.082(#3) 0.082(#5)	1.04	0.51	0.59	0.1	46
1289-002-0818-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss, Grids < 1"	0.082(#3) 0.082(#5)	1.04	0.46	0.53	0.1	44
1289-002-0819-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss, Grids >= 1"	0.082(#3) 0.082(#5)	1.04	0.41	0.47	0.1	41
1289-002-0820-01	H2, 3mm, 1 1-4, GCl-arg95-8071#3-arg95-8071#5, ss, SDL >= 1"	0.082(#3) 0.082(#5)	1.04	0.41	0.47	0.1	41
1289-002-0821-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, su	0.082(#3)	1.64	0.63	0.66	0.1	40
1289-002-0822-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.64	0.57	0.59	0.1	37
1289-002-0823-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.64	0.51	0.53	0.1	33
1289-002-0824-01	H2, 3mm, 7-8, SDCl-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.64	0.51	0.53	0.1	33
1289-002-0825-01	H2, 3mm, 7-8, STCl-arg97-8071#3, su	0.082(#3)	1.64	0.62	0.67	0.1	40

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1289-002-0826-01	H2, 3mm, 7-8, STCI-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.64	0.55	0.60	0.1	36
1289-002-0827-01	H2, 3mm, 7-8, STCI-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.64	0.50	0.53	0.1	33
1289-002-0828-01	H2, 3mm, 7-8, STCI-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.64	0.50	0.53	0.1	33
1289-002-0829-01	H2, 3mm, 1, SDCl-arg95-PTLUX#3, su	0.082(#3)	1.67	0.63	0.66	0.1	40
1289-002-0830-01	H2, 3mm, 1, SDCl-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.67	0.57	0.59	0.1	36
1289-002-0831-01	H2, 3mm, 1, SDCl-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.67	0.51	0.53	0.1	33
1289-002-0832-01	H2, 3mm, 1, SDCl-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.67	0.51	0.53	0.1	33
1289-002-0833-01	H2, 3mm, 1 1-4, PCL-arg97-8071#3-arg97-8071#5, su	0.082(#3) 0.082(#5)	1.07	0.52	0.59	0.1	46
1289-002-0834-01	H2, 3mm, 1 1-4, PCL-arg97-8071#3-arg97-8071#5, su, Grids < 1"	0.082(#3) 0.082(#5)	1.07	0.47	0.53	0.1	44
1289-002-0835-01	H2, 3mm, 1 1-4, PCL-arg97-8071#3-arg97-8071#5, su, Grids >= 1"	0.082(#3) 0.082(#5)	1.07	0.42	0.47	0.1	41
1289-002-0836-01	H2, 3mm, 1 1-4, PCL-arg97-8071#3-arg97-8071#5, su, SDL >= 1"	0.082(#3) 0.082(#5)	1.07	0.42	0.47	0.1	41
1289-002-0837-01	H2, 3mm, 1 1-4, PCI-arg97-PTLUX#3-arg97-PTLUX#5, su	0.082(#3) 0.082(#5)	1.07	0.53	0.58	0.1	47
1289-002-0838-01	H2, 3mm, 1 1-4, PCI-arg97-PTLUX#3-arg97-PTLUX#5, su, Grids < 1"	0.082(#3) 0.082(#5)	1.07	0.48	0.52	0.1	44
1289-002-0839-01	H2, 3mm, 1 1-4, PCI-arg97-PTLUX#3-arg97-PTLUX#5, su, Grids >= 1"	0.082(#3) 0.082(#5)	1.07	0.43	0.46	0.1	41
1289-002-0840-01	H2, 3mm, 1 1-4, PCI-arg97-PTLUX#3-arg97-PTLUX#5, su, SDL >= 1"	0.082(#3) 0.082(#5)	1.07	0.43	0.46	0.1	41

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com