

Notice of Product Certification

CERTIFICATION NO.: 1358-003

COMPANY: Starr Door & Window Co.

INITIAL CERTIFICATION DATE: November 27, 2023

CODE: 1358-1

REVISION DATE: N/A

EXPIRATION DATE: October 12, 2028

REPORT NUMBER: TPE23019-1-C_FIXD-a-2

PRODUCT SIMULATED BY: Veridis Solutions

SPECIFICATION: CSA A440.2-22

AIR LEAKAGE REPORT NO.: AI-03661-J1

PRODUCT/SERIES NAME: 4500-8600 Picture

OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1358-003-0001-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, iu	0.113(#5)	1.24	0.50	0.56	0.1	42
1358-003-0002-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, iu, Grids<1"	0.113(#5)	1.24	0.45	0.50	0.1	39
1358-003-0003-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, iu, Grids>1"	0.113(#5)	1.24	0.40	0.45	0.1	36
1358-003-0004-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, iu, SDL>1"	0.113(#5)	1.24	0.40	0.45	0.1	36
1358-003-0005-01	3mm, 7-8, GCl-arg95-SG400#3, iu	0.113(#3)	1.60	0.55	0.62	0.1	37
1358-003-0006-01	3mm, 7-8, GCl-arg95-SG400#3, iu, Grids<1"	0.113(#3)	1.60	0.50	0.55	0.1	34
1358-003-0007-01	3mm, 7-8, GCl-arg95-SG400#3, iu, Grids>1"	0.113(#3)	1.60	0.44	0.49	0.1	30
1358-003-0008-01	3mm, 7-8, GCl-arg95-SG400#3, iu, SDL>1"	0.113(#3)	1.60	0.44	0.49	0.1	30
1358-003-0009-01	3mm, 7-8, SB60#2-arg95-GCl, iu	0.035(#2)	1.47	0.31	0.57	0.1	26
1358-003-0010-01	3mm, 7-8, SB60#2-arg95-GCl, iu, Grids<1"	0.035(#2)	1.47	0.28	0.51	0.1	24
1358-003-0011-01	3mm, 7-8, SB60#2-arg95-GCl, iu, Grids>1"	0.035(#2)	1.47	0.25	0.45	0.1	22
1358-003-0012-01	3mm, 7-8, SB60#2-arg95-GCl, iu, SDL>1"	0.035(#2)	1.47	0.25	0.45	0.1	22
1358-003-0013-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, iu	0.035(#2)	1.18	0.29	0.52	0.1	31
1358-003-0014-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, iu, Grids<1"	0.035(#2)	1.18	0.26	0.46	0.1	29
1358-003-0015-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, iu, Grids>1"	0.035(#2)	1.18	0.24	0.41	0.1	28
1358-003-0016-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, iu, SDL>1"	0.035(#2)	1.18	0.24	0.41	0.1	28
1358-003-0017-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, iu	0.113(#2) 0.113(#5)	1.03	0.44	0.54	0.1	43
1358-003-0018-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, iu, Grids<1"	0.113(#2) 0.113(#5)	1.03	0.39	0.48	0.1	40
1358-003-0019-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, iu, Grids>1"	0.113(#2) 0.113(#5)	1.03	0.35	0.43	0.1	37
1358-003-0020-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, iu, SDL>1"	0.113(#2) 0.113(#5)	1.03	0.35	0.43	0.1	37
1358-003-0021-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, iu	0.035(#2) 0.035(#5)	0.93	0.27	0.46	0.1	35
1358-003-0022-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, iu, Grids<1"	0.035(#2) 0.035(#5)	0.93	0.25	0.41	0.1	34
1358-003-0023-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, iu, Grids>1"	0.035(#2) 0.035(#5)	0.93	0.22	0.36	0.1	32
1358-003-0024-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, iu, SDL>1"	0.035(#2) 0.035(#5)	0.93	0.22	0.36	0.1	32
1358-003-0025-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, ss	0.113(#5)	1.20	0.50	0.56	0.1	42

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1358-003-0026-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, ss, Grids<1"	0.113(#5)	1.20	0.45	0.50	0.1	40
1358-003-0027-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, ss, Grids>1"	0.113(#5)	1.20	0.40	0.45	0.1	37
1358-003-0028-01	3mm, 1 1-4, GCl-arg95-GCl-arg95-SG400#5, ss, SDL>1"	0.113(#5)	1.20	0.40	0.45	0.1	37
1358-003-0029-01	3mm, 7-8, GCl-arg95-SG400#3, ss	0.113(#3)	1.58	0.55	0.62	0.1	37
1358-003-0030-01	3mm, 7-8, GCl-arg95-SG400#3, ss, Grids<1"	0.113(#3)	1.58	0.50	0.55	0.1	34
1358-003-0031-01	3mm, 7-8, GCl-arg95-SG400#3, ss, Grids>1"	0.113(#3)	1.58	0.44	0.49	0.1	31
1358-003-0032-01	3mm, 7-8, GCl-arg95-SG400#3, ss, SDL>1"	0.113(#3)	1.58	0.44	0.49	0.1	31
1358-003-0033-01	3mm, 7-8, SB60#2-arg95-GCl, ss	0.035(#2)	1.46	0.31	0.57	0.1	26
1358-003-0034-01	3mm, 7-8, SB60#2-arg95-GCl, ss, Grids<1"	0.035(#2)	1.46	0.28	0.51	0.1	24
1358-003-0035-01	3mm, 7-8, SB60#2-arg95-GCl, ss, Grids>1"	0.035(#2)	1.46	0.25	0.45	0.1	22
1358-003-0036-01	3mm, 7-8, SB60#2-arg95-GCl, ss, SDL>1"	0.035(#2)	1.46	0.25	0.45	0.1	22
1358-003-0037-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, ss	0.035(#2)	1.14	0.29	0.52	0.1	32
1358-003-0038-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, ss, Grids<1"	0.035(#2)	1.14	0.26	0.46	0.1	30
1358-003-0039-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, ss, Grids>1"	0.035(#2)	1.14	0.24	0.41	0.1	29
1358-003-0040-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-GCl, ss, SDL>1"	0.035(#2)	1.14	0.24	0.41	0.1	29
1358-003-0041-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, ss	0.113(#2) 0.113(#5)	0.98	0.44	0.54	0.1	44
1358-003-0042-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, ss, Grids<1"	0.113(#2) 0.113(#5)	0.98	0.39	0.48	0.1	41
1358-003-0043-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, ss, Grids>1"	0.113(#2) 0.113(#5)	0.98	0.35	0.43	0.1	39
1358-003-0044-01	3mm, 1 1-4, SG400#2-arg95-GCl-arg95-SG400#5, ss, SDL>1"	0.113(#2) 0.113(#5)	0.98	0.35	0.43	0.1	39
1358-003-0045-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, ss	0.035(#2) 0.035(#5)	0.89	0.27	0.46	0.1	36
1358-003-0046-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, ss, Grids<1"	0.035(#2) 0.035(#5)	0.89	0.25	0.41	0.1	35
1358-003-0047-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, ss, Grids>1"	0.035(#2) 0.035(#5)	0.89	0.22	0.36	0.1	33
1358-003-0048-01	3mm, 1 1-4, SB60#2-arg95-GCl-arg95-SB60#5, ss, SDL>1"	0.035(#2) 0.035(#5)	0.89	0.22	0.36	0.1	33

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com