

Notice of Product Certification

CERTIFICATION NO.: 2943-006
INITIAL CERTIFICATION DATE: November 2, 2023
REVISION DATE: N/A
REPORT NUMBER: TPE23012-1-C_PRAW-a-3
SPECIFICATION: CSA A440.2-22

COMPANY: Fenestral, Inc.
CODE: 2943-1
EXPIRATION DATE: October 3, 2028
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: NCTL-110-19027-1

PRODUCT/SERIES NAME: 4600 HYBRID AWN (4619 4618) **OPERATOR TYPE:** PRAW

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2943-006-0001-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu	0.025(#2)	1.51	0.25	0.49	0.3	21
2943-006-0002-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.51	0.23	0.44	0.3	20
2943-006-0003-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.51	0.21	0.40	0.3	18
2943-006-0004-01	H1, 3mm, 7-8, CG70#2-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.51	0.21	0.40	0.3	18
2943-006-0005-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu	0.082(#3)	1.60	0.51	0.57	0.3	34
2943-006-0006-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids < 1"	0.082(#3)	1.60	0.47	0.52	0.3	32
2943-006-0007-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, Grids >= 1"	0.082(#3)	1.60	0.42	0.47	0.3	29
2943-006-0008-01	H1, 3mm, 7-8, PCI-arg95-8071#3, iu, SDL >= 1"	0.082(#3)	1.60	0.42	0.47	0.3	29
2943-006-0009-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu	0.082(#2) 0.082(#5)	1.09	0.42	0.51	0.3	40
2943-006-0010-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#2) 0.082(#5)	1.09	0.38	0.46	0.3	37
2943-006-0011-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#2) 0.082(#5)	1.09	0.35	0.41	0.3	36
2943-006-0012-01	H1, 3mm, 1 1-4, 8071#2-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#2) 0.082(#5)	1.09	0.35	0.41	0.3	36
2943-006-0013-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu	0.025(#2) 0.025(#5)	1.03	0.21	0.38	0.3	29
2943-006-0014-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids < 1"	0.025(#2) 0.025(#5)	1.03	0.19	0.34	0.3	28
2943-006-0015-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, Grids >= 1"	0.025(#2) 0.025(#5)	1.03	0.17	0.31	0.3	27
2943-006-0016-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-CG70#5, iu, SDL >= 1"	0.025(#2) 0.025(#5)	1.03	0.17	0.31	0.3	27
2943-006-0017-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu	0.025(#2)	1.27	0.23	0.45	0.3	25
2943-006-0018-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids < 1"	0.025(#2)	1.27	0.21	0.41	0.3	24
2943-006-0019-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, Grids >= 1"	0.025(#2)	1.27	0.20	0.37	0.3	23
2943-006-0020-01	H1, 3mm, 1 1-4, CG70#2-arg95-PCI-arg95-PCI, iu, SDL >= 1"	0.025(#2)	1.27	0.20	0.37	0.3	23
2943-006-0021-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu	0.082(#5)	1.28	0.47	0.52	0.3	39
2943-006-0022-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids < 1"	0.082(#5)	1.28	0.43	0.47	0.3	36
2943-006-0023-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, Grids >= 1"	0.082(#5)	1.28	0.39	0.43	0.3	34
2943-006-0024-01	H1, 3mm, 1 1-4, PCI-arg95-PCI-arg95-8071#5, iu, SDL >= 1"	0.082(#5)	1.28	0.39	0.43	0.3	34
2943-006-0025-01	H1, 3mm, 7-8, CG70#2-arg95-GCI, ms	0.025(#2)	1.52	0.25	0.49	0.3	21

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2943-006-0026-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.52	0.23	0.44	0.3	19
2943-006-0027-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.52	0.21	0.40	0.3	18
2943-006-0028-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.52	0.21	0.40	0.3	18
2943-006-0029-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms	0.082(#3)	1.61	0.51	0.57	0.3	34
2943-006-0030-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.61	0.46	0.51	0.3	31
2943-006-0031-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.61	0.42	0.46	0.3	28
2943-006-0032-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.61	0.42	0.46	0.3	28
2943-006-0033-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms	0.082(#3)	1.61	0.53	0.57	0.3	35
2943-006-0034-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.61	0.48	0.52	0.3	32
2943-006-0035-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.61	0.44	0.47	0.3	30
2943-006-0036-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.61	0.44	0.47	0.3	30
2943-006-0037-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms	0.082(#2) 0.082(#5)	1.08	0.42	0.51	0.3	40
2943-006-0038-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	1.08	0.38	0.46	0.3	38
2943-006-0039-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	1.08	0.34	0.41	0.3	35
2943-006-0040-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	1.08	0.34	0.41	0.3	35
2943-006-0041-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms	0.025(#2) 0.025(#5)	1.01	0.21	0.37	0.3	29
2943-006-0042-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids < 1"	0.025(#2) 0.025(#5)	1.01	0.19	0.34	0.3	28
2943-006-0043-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids >= 1"	0.025(#2) 0.025(#5)	1.01	0.17	0.30	0.3	27
2943-006-0044-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, SDL >= 1"	0.025(#2) 0.025(#5)	1.01	0.17	0.30	0.3	27
2943-006-0045-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms	0.025(#2)	1.26	0.23	0.45	0.3	25
2943-006-0046-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids < 1"	0.025(#2)	1.26	0.21	0.40	0.3	24
2943-006-0047-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, Grids >= 1"	0.025(#2)	1.26	0.19	0.36	0.3	23
2943-006-0048-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ms, SDL >= 1"	0.025(#2)	1.26	0.19	0.36	0.3	23
2943-006-0049-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms	0.082(#5)	1.27	0.46	0.52	0.3	38
2943-006-0050-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#5)	1.27	0.41	0.47	0.3	35
2943-006-0051-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#5)	1.27	0.38	0.42	0.3	34
2943-006-0052-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#5)	1.27	0.38	0.42	0.3	34
2943-006-0053-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp	0.082(#3)	1.56	0.51	0.57	0.3	35
2943-006-0054-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.56	0.46	0.51	0.3	32
2943-006-0055-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.56	0.42	0.46	0.3	30
2943-006-0056-01	H1, 3mm, 7-8, GCl-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.56	0.42	0.46	0.3	30
2943-006-0057-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp	0.082(#3)	1.56	0.53	0.57	0.3	36
2943-006-0058-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.56	0.48	0.52	0.3	33
2943-006-0059-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.56	0.44	0.47	0.3	31
2943-006-0060-01	H1, 3mm, 7-8, GUCI-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.56	0.44	0.47	0.3	31
2943-006-0061-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss	0.023(#2) 0.198(#4)	1.33	0.18	0.42	0.3	21
2943-006-0062-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids < 1"	0.023(#2) 0.198(#4)	1.33	0.16	0.38	0.3	20
2943-006-0063-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, Grids >= 1"	0.023(#2) 0.198(#4)	1.33	0.15	0.34	0.3	19
2943-006-0064-01	H1, 3mm, 7-8, 6227#2-arg95-IS20#4, ss, SDL >= 1"	0.023(#2) 0.198(#4)	1.33	0.15	0.34	0.3	19
2943-006-0065-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss	0.023(#2)	1.49	0.18	0.43	0.3	17

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2943-006-0066-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.49	0.17	0.39	0.3	17
2943-006-0067-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.49	0.15	0.35	0.3	15
2943-006-0068-01	H1, 3mm, 7-8, 6227#2-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.49	0.15	0.35	0.3	15
2943-006-0069-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss	0.082(#2) 0.198(#4)	1.40	0.46	0.55	0.3	35
2943-006-0070-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids < 1"	0.082(#2) 0.198(#4)	1.40	0.42	0.50	0.3	33
2943-006-0071-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, Grids >= 1"	0.082(#2) 0.198(#4)	1.40	0.38	0.45	0.3	31
2943-006-0072-01	H1, 3mm, 7-8, 8071#2-arg95-IS20#4, ss, SDL >= 1"	0.082(#2) 0.198(#4)	1.40	0.38	0.45	0.3	31
2943-006-0073-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss	0.025(#2) 0.198(#4)	1.33	0.24	0.47	0.3	24
2943-006-0074-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids < 1"	0.025(#2) 0.198(#4)	1.33	0.22	0.43	0.3	23
2943-006-0075-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, Grids >= 1"	0.025(#2) 0.198(#4)	1.33	0.20	0.39	0.3	22
2943-006-0076-01	H1, 3mm, 7-8, CG70#2-arg95-IS20#4, ss, SDL >= 1"	0.025(#2) 0.198(#4)	1.33	0.20	0.39	0.3	22
2943-006-0077-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss	0.025(#2)	1.49	0.25	0.49	0.3	21
2943-006-0078-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.49	0.23	0.44	0.3	20
2943-006-0079-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.49	0.21	0.40	0.3	19
2943-006-0080-01	H1, 3mm, 7-8, CG70#2-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.49	0.21	0.40	0.3	19
2943-006-0081-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.58	0.51	0.57	0.3	34
2943-006-0082-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.58	0.46	0.51	0.3	31
2943-006-0083-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.58	0.42	0.46	0.3	29
2943-006-0084-01	H1, 3mm, 7-8, GCl-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.58	0.42	0.46	0.3	29
2943-006-0085-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss	0.023(#2) 0.023(#4) 0.198(#6)	0.92	0.13	0.28	0.3	27
2943-006-0086-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.92	0.12	0.26	0.3	26
2943-006-0087-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.92	0.11	0.23	0.3	26
2943-006-0088-01	H1, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	0.92	0.11	0.23	0.3	26
2943-006-0089-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss	0.023(#2) 0.198(#6)	1.12	0.17	0.38	0.3	25
2943-006-0090-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.198(#6)	1.12	0.15	0.35	0.3	24
2943-006-0091-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.198(#6)	1.12	0.14	0.31	0.3	23
2943-006-0092-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.198(#6)	1.12	0.14	0.31	0.3	23
2943-006-0093-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss	0.023(#2) 0.023(#5)	0.98	0.16	0.29	0.3	27
2943-006-0094-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids < 1"	0.023(#2) 0.023(#5)	0.98	0.14	0.27	0.3	26
2943-006-0095-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, Grids >= 1"	0.023(#2) 0.023(#5)	0.98	0.13	0.24	0.3	25
2943-006-0096-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-6227#5, ss, SDL >= 1"	0.023(#2) 0.023(#5)	0.98	0.13	0.24	0.3	25
2943-006-0097-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss	0.023(#2)	1.22	0.17	0.39	0.3	23
2943-006-0098-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.22	0.16	0.36	0.3	22
2943-006-0099-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.22	0.14	0.32	0.3	21
2943-006-0100-01	H1, 3mm, 1 1-4, 6227#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.22	0.14	0.32	0.3	21
2943-006-0101-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss	0.082(#2) 0.082(#4) 0.198(#6)	0.98	0.39	0.49	0.3	40
2943-006-0102-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.98	0.36	0.45	0.3	39
2943-006-0103-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.98	0.33	0.40	0.3	37
2943-006-0104-01	H1, 3mm, 1 1-4, 8071#2-arg95-8071#4-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.082(#4) 0.198(#6)	0.98	0.33	0.40	0.3	37
2943-006-0105-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss	0.082(#2) 0.198(#6)	1.17	0.42	0.50	0.3	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2943-006-0106-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.082(#2) 0.198(#6)	1.17	0.38	0.46	0.3	36
2943-006-0107-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, Grids >= 1"	0.082(#2) 0.198(#6)	1.17	0.35	0.41	0.3	34
2943-006-0108-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.082(#2) 0.198(#6)	1.17	0.35	0.41	0.3	34
2943-006-0109-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	1.04	0.42	0.51	0.3	41
2943-006-0110-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#2) 0.082(#5)	1.04	0.38	0.46	0.3	39
2943-006-0111-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#2) 0.082(#5)	1.04	0.34	0.41	0.3	36
2943-006-0112-01	H1, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#2) 0.082(#5)	1.04	0.34	0.41	0.3	36
2943-006-0113-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.19	0.36	0.3	30
2943-006-0114-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.17	0.33	0.3	29
2943-006-0115-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.16	0.30	0.3	28
2943-006-0116-01	H1, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	0.93	0.16	0.30	0.3	28
2943-006-0117-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss	0.025(#2) 0.198(#6)	1.13	0.23	0.43	0.3	28
2943-006-0118-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.198(#6)	1.13	0.21	0.39	0.3	27
2943-006-0119-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.198(#6)	1.13	0.19	0.35	0.3	26
2943-006-0120-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.198(#6)	1.13	0.19	0.35	0.3	26
2943-006-0121-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss	0.025(#2) 0.025(#5)	0.98	0.21	0.37	0.3	30
2943-006-0122-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids < 1"	0.025(#2) 0.025(#5)	0.98	0.19	0.34	0.3	29
2943-006-0123-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids >= 1"	0.025(#2) 0.025(#5)	0.98	0.17	0.30	0.3	28
2943-006-0124-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL >= 1"	0.025(#2) 0.025(#5)	0.98	0.17	0.30	0.3	28
2943-006-0125-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss	0.025(#2)	1.23	0.23	0.45	0.3	26
2943-006-0126-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.23	0.21	0.40	0.3	25
2943-006-0127-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.23	0.19	0.36	0.3	23
2943-006-0128-01	H1, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.23	0.19	0.36	0.3	23
2943-006-0129-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss	0.082(#5)	1.24	0.46	0.52	0.3	39
2943-006-0130-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#5)	1.24	0.41	0.47	0.3	36
2943-006-0131-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#5)	1.24	0.38	0.42	0.3	34
2943-006-0132-01	H1, 3mm, 1 1-4, GCl-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#5)	1.24	0.38	0.42	0.3	34
2943-006-0133-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su	0.025(#2)	1.47	0.25	0.49	0.3	22
2943-006-0134-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids < 1"	0.025(#2)	1.47	0.23	0.44	0.3	21
2943-006-0135-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.47	0.21	0.40	0.3	19
2943-006-0136-01	H1, 3mm, 7-8, CG70#2-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.47	0.21	0.40	0.3	19
2943-006-0137-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su	0.082(#3)	1.56	0.51	0.57	0.3	35
2943-006-0138-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, Grids < 1"	0.082(#3)	1.56	0.47	0.52	0.3	32
2943-006-0139-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, Grids >= 1"	0.082(#3)	1.56	0.42	0.47	0.3	30
2943-006-0140-01	H1, 3mm, 7-8, PCI-arg97-8071#3, su, SDL >= 1"	0.082(#3)	1.56	0.42	0.47	0.3	30
2943-006-0141-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su	0.029(#2)	1.51	0.32	0.50	0.3	25
2943-006-0142-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.51	0.29	0.45	0.3	23
2943-006-0143-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.51	0.27	0.41	0.3	22
2943-006-0144-01	H1, 3mm, 1, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.51	0.27	0.41	0.3	22
2943-006-0145-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.59	0.52	0.56	0.3	35

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2943-006-0146-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.59	0.47	0.51	0.3	32
2943-006-0147-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.59	0.43	0.46	0.3	29
2943-006-0148-01	H1, 3mm, 1, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.59	0.43	0.46	0.3	29
2943-006-0149-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su	0.082(#2) 0.082(#5)	1.07	0.42	0.51	0.3	40
2943-006-0150-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.07	0.38	0.46	0.3	38
2943-006-0151-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.07	0.35	0.41	0.3	36
2943-006-0152-01	H1, 3mm, 1 1-4, 8071#2-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.07	0.35	0.41	0.3	36
2943-006-0153-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su	0.025(#2) 0.025(#5)	1.00	0.21	0.38	0.3	30
2943-006-0154-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids < 1"	0.025(#2) 0.025(#5)	1.00	0.19	0.34	0.3	28
2943-006-0155-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, Grids >= 1"	0.025(#2) 0.025(#5)	1.00	0.17	0.31	0.3	27
2943-006-0156-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-CG70#5, su, SDL >= 1"	0.025(#2) 0.025(#5)	1.00	0.17	0.31	0.3	27
2943-006-0157-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su	0.025(#2)	1.24	0.23	0.45	0.3	26
2943-006-0158-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids < 1"	0.025(#2)	1.24	0.21	0.41	0.3	24
2943-006-0159-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, Grids >= 1"	0.025(#2)	1.24	0.20	0.37	0.3	24
2943-006-0160-01	H1, 3mm, 1 1-4, CG70#2-arg97-PCI-arg97-PCI, su, SDL >= 1"	0.025(#2)	1.24	0.20	0.37	0.3	24
2943-006-0161-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su	0.082(#5)	1.26	0.47	0.52	0.3	39
2943-006-0162-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids < 1"	0.082(#5)	1.26	0.43	0.47	0.3	37
2943-006-0163-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, Grids >= 1"	0.082(#5)	1.26	0.39	0.43	0.3	34
2943-006-0164-01	H1, 3mm, 1 1-4, PCI-arg97-PCI-arg97-8071#5, su, SDL >= 1"	0.082(#5)	1.26	0.39	0.43	0.3	34
2943-006-0165-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su	0.029(#2)	1.24	0.30	0.46	0.3	30
2943-006-0166-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.24	0.27	0.42	0.3	28
2943-006-0167-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.24	0.25	0.38	0.3	27
2943-006-0168-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.24	0.25	0.38	0.3	27
2943-006-0169-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su	0.029(#2) 0.029(#5)	1.01	0.25	0.40	0.3	32
2943-006-0170-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids < 1"	0.029(#2) 0.029(#5)	1.01	0.23	0.37	0.3	31
2943-006-0171-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids >= 1"	0.029(#2) 0.029(#5)	1.01	0.21	0.33	0.3	29
2943-006-0172-01	H1, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL >= 1"	0.029(#2) 0.029(#5)	1.01	0.21	0.33	0.3	29
2943-006-0173-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su	0.082(#5)	1.26	0.47	0.51	0.3	39
2943-006-0174-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#5)	1.26	0.43	0.47	0.3	37
2943-006-0175-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.26	0.39	0.42	0.3	34
2943-006-0176-01	H1, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.26	0.39	0.42	0.3	34
2943-006-0177-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su	0.082(#2) 0.082(#5)	1.07	0.42	0.49	0.3	40
2943-006-0178-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.07	0.39	0.45	0.3	39
2943-006-0179-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.07	0.35	0.40	0.3	36
2943-006-0180-01	H1, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.07	0.35	0.40	0.3	36
2943-006-0181-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms	0.025(#2)	1.63	0.25	0.48	0.3	18
2943-006-0182-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms, Grids < 1"	0.025(#2)	1.63	0.23	0.44	0.3	17
2943-006-0183-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms, Grids >= 1"	0.025(#2)	1.63	0.21	0.40	0.3	16
2943-006-0184-01	H2, 3mm, 7-8, CG70#2-arg95-GCI, ms, SDL >= 1"	0.025(#2)	1.63	0.21	0.40	0.3	16
2943-006-0185-01	H2, 3mm, 7-8, GCI-arg95-8071#3, ms	0.082(#3)	1.72	0.50	0.57	0.3	31

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2943-006-0186-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids < 1"	0.082(#3)	1.72	0.46	0.51	0.3	28
2943-006-0187-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, Grids >= 1"	0.082(#3)	1.72	0.42	0.46	0.3	26
2943-006-0188-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ms, SDL >= 1"	0.082(#3)	1.72	0.42	0.46	0.3	26
2943-006-0189-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms	0.082(#2) 0.082(#5)	1.17	0.42	0.50	0.3	38
2943-006-0190-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids < 1"	0.082(#2) 0.082(#5)	1.17	0.38	0.46	0.3	36
2943-006-0191-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, Grids >= 1"	0.082(#2) 0.082(#5)	1.17	0.34	0.41	0.3	33
2943-006-0192-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ms, SDL >= 1"	0.082(#2) 0.082(#5)	1.17	0.34	0.41	0.3	33
2943-006-0193-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms	0.025(#2) 0.025(#5)	1.11	0.21	0.37	0.3	27
2943-006-0194-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids < 1"	0.025(#2) 0.025(#5)	1.11	0.19	0.34	0.3	26
2943-006-0195-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, Grids >= 1"	0.025(#2) 0.025(#5)	1.11	0.17	0.30	0.3	25
2943-006-0196-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ms, SDL >= 1"	0.025(#2) 0.025(#5)	1.11	0.17	0.30	0.3	25
2943-006-0197-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp	0.082(#3)	1.66	0.50	0.57	0.3	32
2943-006-0198-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids < 1"	0.082(#3)	1.66	0.46	0.51	0.3	30
2943-006-0199-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, Grids >= 1"	0.082(#3)	1.66	0.42	0.46	0.3	27
2943-006-0200-01	H2, 3mm, 7-8, GCl-arg95-8071#3, sp, SDL >= 1"	0.082(#3)	1.66	0.42	0.46	0.3	27
2943-006-0201-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss	0.023(#2)	1.59	0.18	0.43	0.3	15
2943-006-0202-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids < 1"	0.023(#2)	1.59	0.17	0.39	0.3	14
2943-006-0203-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, Grids >= 1"	0.023(#2)	1.59	0.15	0.35	0.3	13
2943-006-0204-01	H2, 3mm, 7-8, 6227#2-arg95-GCl, ss, SDL >= 1"	0.023(#2)	1.59	0.15	0.35	0.3	13
2943-006-0205-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss	0.025(#2)	1.59	0.25	0.48	0.3	19
2943-006-0206-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids < 1"	0.025(#2)	1.59	0.23	0.44	0.3	18
2943-006-0207-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, Grids >= 1"	0.025(#2)	1.59	0.21	0.40	0.3	17
2943-006-0208-01	H2, 3mm, 7-8, CG70#2-arg95-GCl, ss, SDL >= 1"	0.025(#2)	1.59	0.21	0.40	0.3	17
2943-006-0209-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss	0.082(#3)	1.68	0.50	0.57	0.3	31
2943-006-0210-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids < 1"	0.082(#3)	1.68	0.46	0.51	0.3	29
2943-006-0211-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, Grids >= 1"	0.082(#3)	1.68	0.42	0.46	0.3	27
2943-006-0212-01	H2, 3mm, 7-8, GCl-arg95-8071#3, ss, SDL >= 1"	0.082(#3)	1.68	0.42	0.46	0.3	27
2943-006-0213-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss	0.023(#2) 0.023(#4) 0.198(#6)	1.03	0.13	0.28	0.3	24
2943-006-0214-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids < 1"	0.023(#2) 0.023(#4) 0.198(#6)	1.03	0.12	0.26	0.3	24
2943-006-0215-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, Grids >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	1.03	0.11	0.23	0.3	23
2943-006-0216-01	H2, 3mm, 1 1-4, 6227#2-arg95-6227#4-arg95-IS20#6, ss, SDL >= 1"	0.023(#2) 0.023(#4) 0.198(#6)	1.03	0.11	0.23	0.3	23
2943-006-0217-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss	0.082(#2) 0.082(#5)	1.13	0.42	0.50	0.3	39
2943-006-0218-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids < 1"	0.082(#2) 0.082(#5)	1.13	0.38	0.46	0.3	37
2943-006-0219-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, Grids >= 1"	0.082(#2) 0.082(#5)	1.13	0.34	0.41	0.3	34
2943-006-0220-01	H2, 3mm, 1 1-4, 8071#2-arg95-GCl-arg95-8071#5, ss, SDL >= 1"	0.082(#2) 0.082(#5)	1.13	0.34	0.41	0.3	34
2943-006-0221-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss	0.025(#2) 0.025(#4) 0.198(#6)	1.03	0.19	0.36	0.3	28
2943-006-0222-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids < 1"	0.025(#2) 0.025(#4) 0.198(#6)	1.03	0.17	0.33	0.3	27
2943-006-0223-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, Grids >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	1.03	0.16	0.29	0.3	26
2943-006-0224-01	H2, 3mm, 1 1-4, CG70#2-arg95-CG70#4-arg95-IS20#6, ss, SDL >= 1"	0.025(#2) 0.025(#4) 0.198(#6)	1.03	0.16	0.29	0.3	26
2943-006-0225-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss	0.025(#2) 0.025(#5)	1.07	0.21	0.37	0.3	28

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2943-006-0226-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids < 1"	0.025(#2) 0.025(#5)	1.07	0.19	0.34	0.3	27
2943-006-0227-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, Grids >= 1"	0.025(#2) 0.025(#5)	1.07	0.17	0.30	0.3	26
2943-006-0228-01	H2, 3mm, 1 1-4, CG70#2-arg95-GCl-arg95-CG70#5, ss, SDL >= 1"	0.025(#2) 0.025(#5)	1.07	0.17	0.30	0.3	26
2943-006-0229-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su	0.029(#2)	1.63	0.32	0.50	0.3	22
2943-006-0230-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.63	0.29	0.45	0.3	20
2943-006-0231-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.63	0.27	0.41	0.3	19
2943-006-0232-01	H2, 3mm, 1, PTOne#2-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.63	0.27	0.41	0.3	19
2943-006-0233-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su	0.082(#3)	1.71	0.52	0.56	0.3	32
2943-006-0234-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids < 1"	0.082(#3)	1.71	0.47	0.51	0.3	29
2943-006-0235-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, Grids >= 1"	0.082(#3)	1.71	0.43	0.46	0.3	27
2943-006-0236-01	H2, 3mm, 1, PLUX-arg95-PTLUX#3, su, SDL >= 1"	0.082(#3)	1.71	0.43	0.46	0.3	27
2943-006-0237-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su	0.029(#2)	1.33	0.30	0.46	0.3	28
2943-006-0238-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids < 1"	0.029(#2)	1.33	0.27	0.42	0.3	26
2943-006-0239-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, Grids >= 1"	0.029(#2)	1.33	0.25	0.38	0.3	25
2943-006-0240-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PLUX, su, SDL >= 1"	0.029(#2)	1.33	0.25	0.38	0.3	25
2943-006-0241-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su	0.029(#2) 0.029(#5)	1.09	0.25	0.40	0.3	30
2943-006-0242-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids < 1"	0.029(#2) 0.029(#5)	1.09	0.23	0.36	0.3	29
2943-006-0243-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, Grids >= 1"	0.029(#2) 0.029(#5)	1.09	0.21	0.33	0.3	28
2943-006-0244-01	H2, 3mm, 1 1-4, PTOne#2-arg95-PLUX-arg95-PTOne#5, su, SDL >= 1"	0.029(#2) 0.029(#5)	1.09	0.21	0.33	0.3	28
2943-006-0245-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su	0.082(#5)	1.35	0.47	0.51	0.3	37
2943-006-0246-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#5)	1.35	0.43	0.46	0.3	35
2943-006-0247-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#5)	1.35	0.39	0.42	0.3	32
2943-006-0248-01	H2, 3mm, 1 1-4, PLUX-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#5)	1.35	0.39	0.42	0.3	32
2943-006-0249-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su	0.082(#2) 0.082(#5)	1.15	0.42	0.49	0.3	38
2943-006-0250-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids < 1"	0.082(#2) 0.082(#5)	1.15	0.38	0.45	0.3	36
2943-006-0251-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, Grids >= 1"	0.082(#2) 0.082(#5)	1.15	0.35	0.40	0.3	34
2943-006-0252-01	H2, 3mm, 1 1-4, PTLUX#2-arg95-PLUX-arg95-PTLUX#5, su, SDL >= 1"	0.082(#2) 0.082(#5)	1.15	0.35	0.40	0.3	34

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "Shirley".

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com