NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014627.04 **DATE:** 11/15/2023

CERTIFICATION PROGRAM: Structural

Sunset Windows COMPANY: 2348-1 CODE:

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION		
Sunset Windows and Doors, LLC	Series "V750"		
910 Warehouse Road, Unit 110104	Vinyl Casement Window		
Orlando, FL 32803	w/Integral Mullion		
	Configuration: X/O Glazing: Insulating Glass (Tempered)		
	Frame:	W-914mm(36")	H-2362mm(93")
	Vent:	W-845mm(33.25")	H-1324mm(52.13")
	DLO:	W-708mm(27.88")	H-1172mm(46.13")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class LC-PG40 914 x 2362 (36 x 93)-C Design Pressure: ±1920 Pa (±40 psf) Water Penetration Resistance Level: 290 Pa (6.06 psf)

Product Tested By: PRI Construction Materials Technologies, LLC 2580T0006NCTL-210-4130-06/NCTL-210-4130-08 Report No:

Expiration Date: October 31, 2027

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway **Hayes, VA 23072** Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC 03/30/2023