NOTICE OI	F PRODUCT CERTIFIC	ATION
SUCCEPTING SUCCEPTING	CERTIFICATION NO: DATE: CERTIFICATION PROGRAM: COMPANY: CODE:	<u>NI015894</u> <u>11/13/2023</u> <u>Structural</u> <u>Harbin Sayyas</u> <u>2974-1</u>
CEATIFIED PRODUCT	COMPANY:	Harbin Sayyas

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Harbin Sayyas Windows Stock Co., Ltd.	Series "F120"	
Xinxing Ind. Zone, Shuangcheng District,	Aluminum Clad Wood Hopper Window	
Harbin City, Heilongjiang, China 150199		
	Configuration: X Glazing: Insulating Glass (Tempered)	
	Frame: W-1200mm(47.24") H-800mm(31.50")	
	Sash: W-1118mm(44.02") H-718mm(28.28")	
	DLO: W-1011mm(39.80") H-611mm(24.06")	

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class CW-PG45 1200 x 800 (47 x 32)-AP Design Pressure: ±2160 Pa (±45 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.11psf)

Product Tested By: Report No: Expiration Date: Intertek Testing Services Shenzhen Ltd. 230626008SHF-001 July 31, 2027

Shi

Administrator's Signature:

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023