

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015898.01
DATE: 11/13/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Upstate Door
CODE: 2934-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Upstate Door, Inc. 26 Industrial Street Warsaw, NY 14569	Series "Coastal" Wood Out-Swing Side-Hinged Door w/Sidelites Configuration: XX Glazing: IG - 1/8" Tempered Glass/1/8" Annealed Glass/0.090" Trosifol PVB Interlayer/1/8" Annealed Glass Frame: W-2200mm(86.63") H-2502mm(98.5") Vent: W-1086mm(42.75") H-2426mm(95.5") DLO: W-822mm(32.38") H-2130mm(83.88")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05 ASTM E1996-12	Design Pressure: ±2394 Pa (±50 psf) Wind Zone 3 - Missile Level D

Product Tested By: Architectural Testing, Inc.
Report No: D8776.02-109-44
Expiration Date: November 30, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com