

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015902.02
DATE: 11/14/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33913	Series "279.043" Vinyl Horizontal Sliding Window (w/New Construct.-027/Flange-033/Equal Leg-032) Configuration: XX Glazing: IG-Ext.-1/8" Annealed Glass/Int.-1/8" Annealed Glass/0.090 PVB Saflex Interlayer/1/8" Annealed Glass Frame: W-1880mm(74") H-1600mm(63") Sash: W-905mm(35.63") H-1483mm(58.38") DLO: W-826mm(32.50") H-1340mm(52.75")

SPECIFICATION	PRODUCT RATING
AAMA 506-16 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-13a/ASTM E1996-14a	Design Pressure: ±2400 Pa (±50 psf) Class LC-PG50 1880 x 1600 (74 x 63)-HS Water Penetration Resistance Test: 400 Pa (8.36 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: Q1007.02-109-47/Q1008.02-1090-47
Expiration Date: May 31, 2027

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023