

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015936  
DATE: 12/12/2023  
CERTIFICATION PROGRAM: Fire  
COMPANY: Harbin Lumber  
CODE: 2341-1  
EXPIRATION DATE: 12/31/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Harbin Lumber Company</b>  <b>660 Smith Road</b>  <b>Lavonia, GA 30553</b>	<b>"Madison/Monroe/Craftsman/Birkdale"</b>  <b>Molded Panel Composite Fire Doors</b>  Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations  1/2" Minimum Latch Throw Single Swing Only  <b>Maximum Size: 3'0" x 8'0"</b> <b>(Must refer to listing for size/rating limitations)</b> <b>Minimum Thickness: 1-11/16"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2012/2017)</b> <b>UL 10C (2009/2015/2016)</b> <b>UL 10B (2009/2015)</b> <b>CAN/ULC S104 (2015)</b>	<b>20 Minute-Positive or Neutral Pressure</b> <b>With Hose Stream</b> <b>Category B - Additional Edge-Sealing</b> <b>System Required</b>

TEST REPORT
<b>Intertek Test Report No: 2192291COQ-005, 101070204COQ-001B</b> <b>Intertek EEV No: 100921055COQ-001, 103667744MID-001, 104106427MID-001, 1029627719MID-001</b> <b>NAMI Waiver of Retest: W-1998/W-2028/W-2063/W-2090</b>

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023