

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015607.26  
DATE: 01/23/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: Steves and Sons  
CODE: 1846-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS   | PRODUCT DESCRIPTION  |
|--|--|
| <b>Steves and Sons Corporation</b><br><b>203 Humble Avenue</b><br><b>San Antonio, TX 78225</b> | <b>Series "Regency"</b><br><b>Glazed Outswing Fiberglass</b><br><b>Side-Hinged Doors</b><br><br>Configuration: XX<br>Glazing: Insulating Glass (Tempered)<br>Frame: W-1880mm(74") H-2051mm(80.75")<br>Panel: W-908mm(35.75") H-2007mm(79")<br>DLO: W-533mm(21") H-1597mm(62.88") |

| SPECIFICATION   | PRODUCT RATING   |
|---|--|
| <b>ASTM E283-04</b><br><b>ASTM E330-14</b><br><b>ASTM E331-00</b> | <b>Design Pressure: ±2640 Pa (±55 psf)</b><br><b>Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf)</b> |

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 01523781 (Specimen 3)  
Expiration Date: **December 31, 2027**

Administrator's Signature: 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)