

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015949.01
DATE: 01/02/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Ptek Windows
CODE: 2251-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ptek Windows SA de CV Calle campo 2-B, #76, Campo Número 2-B Cd. Cuauhtémoc, Chih. C.P. 31604	Series "96XO" Vinyl Horizontal Sliding Window Configuration: XO Glazing: Insulating Glass (Annealed) Frame: W-1600mm(63") H-1118mm(44") Sash: W-792mm(31.19") H-1062mm(41.81") DLO: W-721mm(28.38") H-1045mm(41.13")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG30 1600 x 1118* (63 x 44*)-HS Design Pressure: 1440 Pa (30 psf) Positive Design Pressure: 3360 Pa (70 psf) Negative Design Pressure: 5040 Pa (105 psf) Water Penetration Resistance Pressure: 220 Pa (4.60 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: Intertek, PLC
Report No: L4679.03-501-44
Expiration Date: **January 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com