

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015964  
**DATE:** 01/22/2024  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** MAISON JAN  
**CODE:** 2883-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Maison Janneau, LLC</b> <b>5555 N Lamar Blvd., Suite L125</b> <b>Austin, Texas 78751</b>	<b>Series "MGL - VERSAILLES"</b> <b>Wood Dual Inswing Casement Windows</b> <b>(w/Fixed Window)</b>  Configuration: XXO Glazing: Insulating Glass (Annealed) Frame: W-3105mm(122.25") H-1505mm(59.25") Vent: W-756mm(29.75") H-1424mm(56.06") DLO: W-622mm(24.50") H-1270mm(50")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class R-PG40 3105 x 1505 (122 x 59)-C</b> <b>Design Pressure: ±1920 Pa (±40 psf)</b> Water Penetration Resistance Test Pressure: 290 Pa (6.06 psf)

Product Tested By: Molimo, LLC  
Report No: 27533.01-106-11  
Expiration Date: **October 31, 2027**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)