

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015965.01  
**DATE:** 01/24/2024  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Wood On  
**CODE:** 1332-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Wood On LLC dba MW Millworks</b> <b>7225 Peppermill Parkway</b> <b>North Charleston, SC 29418</b>	<b>Series "Impact Rated Glazed Wood Doors"</b> <b>Inswing Glazed Wood Door</b> <b>(w/Sidelites)</b>  Configuration: OXO Glazing: IG:Ext.-1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Sentryglas Interlayer/3/16" Heat Strengthened Glass  Frame: W-2480mm(97.63") H-2819mm(111") Panel: W-1067mm(42") H-2743mm(108") DLO: W-826mm(32.50") H-1715mm(67.50")

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04</b> <b>ASTM E330-14</b> <b>ASTM E331-00</b> <b>ASTM E1886-13a</b> <b>ASTM E1996-14a</b>	<b>Design Pressure: 2880 Pa (60 psf)</b> <b>Positive Design Pressure: 2880 Pa (60 psf)</b> <b>Negative Design Pressure: 3120 Pa (65 psf)</b> Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf) <b>Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 06113559  
Expiration Date: August 31, 2027

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023