

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO:	<u>NI015966.01</u>
DATE:	<u>01/24/2024</u>
CERTIFICATION PROGRAM:	<u>Structural</u>
COMPANY:	<u>Wood On</u>
CODE:	<u>1332-1</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Wood On LLC dba MW Millworks</p> <p>7225 Peppermill Parkway</p> <p>North Charleston, SC 29418</p>	<p style="text-align: center;">Series "Impact Rated Opaque Wood Doors"</p> <p style="text-align: center;">Inswing Opaque Wood Door</p> <p style="text-align: center;">(w/Sidelites & Transom)</p> <p style="text-align: center;">Configuration: O/OXO</p> <p style="text-align: center;">Glazing: IG:Ext.-1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Sentryglas Interlayer/3/16" Heat Strengthened Glass</p> <p>Frame: W-3512mm(138.25") H-4166mm(164")</p> <p>Panel: W-1067mm(42") H-3048mm(120")</p> <p>Sidelites DLO: W-914mm(36") H-2007mm(79")</p>

SPECIFICATION	PRODUCT RATING
<p>ASTM E283-04</p> <p>ASTM E330-14</p> <p>ASTM E331-00</p> <p>ASTM E1886-13a</p> <p>ASTM E1996-14a</p>	<p>Design Pressure: ±2400 Pa (±50 psf)</p> <p>Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf)</p> <p>Missile Level D</p> <p>Large Missile Impact Rated</p>

Product Tested By: Testing Evaluation Laboratories, Inc.
 Report No: TEL 06113750
 Expiration Date: May 31, 2027

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
 Email: nami@namiinc.com