## NOTICE OF PRODUCT CERTIFICATION •



**CERTIFICATION NO: NI016001** 

**DATE:** 11/16/2023

**CERTIFICATION PROGRAM:** Structural

**COMPANY:** <u>JELD-WEN</u>

CODE: <u>1822-1</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <a href="www.namicertification.com">www.namicertification.com</a>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN	Series "EpicVue Clad"
3737 Lakeport Boulevard	Aluminum Clad Wood Awning Window
Klamath Falls, OR 97601	
	Configuration: X Glazing: Insulating Glass (Annealed)
	Frame: W-1526mm(60.08") H-1220mm(48.03")
	Vent: W-1475mm(58.07") H-1171mm(46.10")
	DLO: W-1396mm(54.96") H-1080mm(42.52")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A440S1-09	Class LC-PG35 1526 x 1220 (60 x 48)-AP  Design Pressure: ±1680 Pa (±35 psf)  Water Penetration Resistance Test Pressure: 540 Pa (11.28 psf)  Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: National Certified Testing Laboratories

Report No: SJW2015-083
Expiration Date: **December 31, 2027** 

Administrator's Signature:

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com