

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016014  
DATE: 11/28/2023  
CERTIFICATION PROGRAM: Structural  
COMPANY: JELD-WEN  
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b> <b>3737 Lakeport Boulevard</b> <b>Klamath Falls, OR 97601</b>	<b>Series "Custom Clad - IG Impact"</b> <b>Aluminum Clad Wood Casement Window</b> <b>(w/Dual Arm &amp; Concealed Hinge)</b>  Configuration: X Glazing: IG-Ext.-1/8" Annealed Glass/Int.-1/8" Annealed Glass/0.090" PVB Interlayer/1/8" Annealed Glass Frame: W-916mm(36.06") H-1828mm(71.97") Sash: W-876mm(34.49") H-1780mm(70.08") DLO: W-790mm(31.10") H-1685mm(66.34")

SPECIFICATION	PRODUCT RATING
<b>ASTM E1886-05/13a</b> <b>ASTM E1996-09/12a/14a</b>	<b>Design Pressure: 2880 Pa (60 psf)</b> <b>Positive Design Pressure: 2880 Pa (60 psf)</b> <b>Negative Design Pressure: 3120 Pa (65 psf)</b> <b>Wind Zone 3 - Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-310-18-082  
Expiration Date: December 31, 2027

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)