
NOTICE OF PRODUCT CERTIFICATION '



CERTIFICATION NO: NI016015.02

DATE: 11/28/2023

CERTIFICATION PROGRAM: Structural

COMPANY: <u>JELD-WEN</u>

CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS		PRODUCT DES	CRIPTION
JELD-WEN	Series "Custom Wood"		
3737 Lakeport Boulevard	Wood Rotary Operated Casement Window		
Klamath Falls, OR 97601			
	Configuration: X Glazing: Insulating Glass (Annealed)		
	Frame:	W-914mm(36")	H-1829mm(72")
	Sash:	W-865mm(34.06")	H-1779mm(70.06")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A440S1-09	Class LC-PG65 914 x 1829 (36 x 72)-C Design Pressure: ±3120 Pa (±65 psf) Water Penetration Resistance Test: 470 Pa (9.82 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: National Certified Testing Laboratories

Report No: SJW2013-187/SJW2013-186

Expiration Date: <u>December 31, 2027</u>

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023