

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016022
DATE: 12/12/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Custom Clad Wide Stile" Aluminum Clad Wood Sliding Door (w/Nail Fin, Thru-Frame, Masonry Strap) Configuration: XO Glazing: IG-Ext.-5/32" Tempered Glass/1/8" Annealed Glass/0.090" PVB by Dupont Interlayer/1/8" Annealed Glass OR Glazing: IG-Ext.-5/32" Tempered Glass/1/8" Annealed Glass/0.090" SGP by Kuraray Interlayer/1/8" Annealed Glass Frame: W-2511mm(98.88") H-2505mm(98.63") Panel: W-1283mm(50.50") H-2418mm(95.19") DLO: W-1046mm(41.19") H-2130mm(83.88")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-13a ASTM E1996-14a	Class LC -PG50 2511 x 2505 (99 x 99)-SD Design Pressure: 2400 Pa (50 psf) Positive Design Pressure: 2400 Pa (50 psf) Negative Design Pressure: 2640 Pa (55 psf) Water Penetration Resistance Test: 360 Pa (7.52 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: I6780.01-301-47/I8358.01-301-47
Expiration Date: December 31, 2027

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023