

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016025.01
DATE: 12/12/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Custom Clad Direct Set Fixed Impact" Aluminum Clad Wood Fixed Window (w/Nail Fin, Thru-Frame, Masonry Strap) Configuration: O Glazing: IG-Ext.-3/16" Annealed Glass/Int.-3/16" Annealed Glass/ 0.090" PVB by Dupont Interlayer/3/16" Annealed Glass Frame: W-1524mm(60") H-1829mm(72") DLO: W-1429mm(56.25") H-1733mm(68.25")

SPECIFICATION	PRODUCT RATING
ASTM E1886-13a ASTM E1996-14a/17	Design Pressure: 2880 Pa (60 psf) Positive Design Pressure: 2880 Pa (60 psf) Negative Design Pressure: 3120 Pa (65 psf) Water Penetration Resistance Test: 440 Pa (9.19 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: J4360.01-301-47/NCTL-310-18-028
Expiration Date: December 31, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023