

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016025.03
DATE: 12/13/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Custom Clad Direct Set Fixed Impact" Aluminum Clad Wood Fixed Window (w/Nail Fin, Thru-Frame, Masonry Strap) Configuration: O Glazing: IG-Ext.-1/4" Annealed Glass/Int.-1/4" Annealed Glass/ 0.090" SGP by Kuraray Interlayer/1/4" Annealed Glass Frame: W-1534mm(60.04") H-2440mm(96.06") DLO: W-1430mm(56.30") H-2345mm(92.32")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/13a ASTM E1996-09/12a14a	Design Pressure: 2880 Pa (60 psf) Positive Design Pressure: 2880 Pa (60 psf) Negative Design Pressure: 3120 Pa (65 psf) Wind Zone 3 - Missile Level D

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-310-18-033
Expiration Date: December 31, 2027

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023