

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016032.02
DATE: 12/13/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601 | Series "Custom Clad" Wood Double Hung Window Configuration: X/X Glazing: Monolithic (Annealed) Frame: W-1254mm(49.38") H-2438mm(96") Sash: W-1180mm(46.46") H-1190mm(46.85") DLO: W-1103mm(43.43") H-1103mm(43.43") |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-11 | Class LC-PG25 1254 x 2438 (49 x 96)-H Design Pressure: 1200 Pa (25 psf) Positive Design Pressure: 1200 Pa (25 psf) Negative Design Pressure: 1440 Pa (30 psf) Water Penetration Resistance Test: 260 Pa (5.43 psf) |

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-17-068
Expiration Date: **December 31, 2027**

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023