

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016032.10
DATE: 12/14/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Custom Wood" Wood Tilt Double Hung Window Configuration: X/X Glazing: Monolithic Glass (Annealed) Frame: W-949mm(37.36") H-2433mm(95.79") Sash: W-875mm(34.45") H-1210mm(47.64") DLO: W-800mm(31.50") H-1105mm(43.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class LC-PG35 949 x 2433* (37 x 96*)-H Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test: 260 Pa (5.43 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-17-079/NCTL-110-17-068/NCTL-110-17-066
Expiration Date: **December 31, 2027**

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023