

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016032.20  
DATE: 12/14/2023  
CERTIFICATION PROGRAM: Structural  
COMPANY: JELD-WEN  
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b> <b>3737 Lakeport Boulevard</b> <b>Klamath Falls, OR 97601</b>	<b>Series "Custom Wood"</b> <b>Wood Tilt Double Hung Window</b>  Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-1152mm(45.35") H-1520mm(59.84") Sash: W-1073mm(42.24") H-752mm(29.61") DLO: W-1002mm(39.45") H-645mm(25.39")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class LC-PG50 1152 x 1520* (45 x 60*)-H</b> <b>Design Pressure: 2400 Pa (50 psf)</b> <b>Positive Design Pressure: 2400 Pa (50 psf)</b> <b>Negative Design Pressure: 2640 Pa (55 psf)</b> <b>Water Penetration Resistance Test: 360 Pa (7.52 psf)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-17-077/NCTL-110-17-067/NCTL-110-17-68/  
NCTL-110-17-66  
Expiration Date: **December 31, 2027**

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023