

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016036.01
DATE: 12/18/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Custom Clad Double Hung Transom - IG Impact" Wood Fixed Window (w/Nail Fin, Thru-Frame, Masonry Straps) Configuration: O Glazing: IG-Ext.-1/8" Annealed Glass/Int.-1/8" Annealed Glass/0.090" PVB by Dupont Interlayer/1/8" Annealed Glass Frame: W-1254mm(49.38") H-1222mm(48.13") DLO: W-1219mm(48") H-1172mm(46.13")

SPECIFICATION	PRODUCT RATING
ASTM E1886-13a ASTM E1996-17	Design Pressure: 2400 Pa (50 psf) Water Penetration Resistance Test: 360 Pa (7.52 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: M4097.01-301-47
Expiration Date: **December 31, 2027**

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023