

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016050.01
DATE: 01/10/2024
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Custom Clad Single Hung" Aluminum Clad Wood Single Hung Window Configuration: O/X Glazing: IG:Ext.-1/8" Annealed Glass/Int.-3/32" Annealed Glass/0.090" PVB by Dupont Interlayer/3/32" Annealed Glass OR IG:Ext.-1/8" Tempered Glass/Int.-3/32" Annealed Glass/0.090" PVB by Dupont Interlayer/3/32" Annealed Glass Frame: W-1051mm(41.38") H-1930mm(76") Sash: W-975mm(38.38") H-975mm(37.69") DLO: W-902mm(35.50") H-841mm(33.13")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 ASTM E1886-05 ASTM E1996-12	Class R-PG50 1051 x 1930 (41 x 76)-H Design Pressure: 2400 Pa (50 psf) Positive Design Pressure: 2400 Pa (50 psf) Negative Design Pressure: 3120 Pa (65 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) Wind Zone 3 - Missile Level D

Product Tested By: Architectural Testing, Inc.
Report No: C9773.01-301-44/C9773.02-301-44/C9772.01-301-44
Expiration Date: **January 31, 2028**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023