NOTICE OF PRODUCT CERTIFICATION •



CERTIFICATION NO: NI015970

DATE:

CODE:

01/07/2024

CERTIFICATION PROGRAM:

Structural

COMPANY:

United 2779-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION		
United Window & Door Manufacturing		Series "4500"	
24-36 Fadem Road		Vinyl Sliding Glass Door	
Springfield, New Jersey 07081			
		Configuration: XO Glazing: Insulated Glass (Tempered)	
	Frame:	W-2426mm(95.50")	H-2426mm(95.50")
	Panel:	W-1226mm(48.25")	H-2356mm(92.75")
	DLO:	W-870mm(34.25")	H-2229mm(87.75")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class LC-PG20 2426 x 2426 (96 x 96)-SD Design Pressure: ±960 Pa (±20 psf) Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)

Product Tested By: Molimo, LLC Report No: 27259.03-106-12 Expiration Date: October 31, 2027

Administrator's Signature:

She

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

> Tel: (804) 684-5124 Email: nami@namiinc.com

NOPC-03/30/2023