

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015980  
DATE: 02/12/2024  
CERTIFICATION PROGRAM: Structural  
COMPANY: EnergyWall  
CODE: 2233-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>EnergyWall Windows and Doors</b> <b>500 Victoria Road</b> <b>Austintown, Ohio 44515</b>	<b>Series "8620"</b> <b>Vinyl Double Hung Window</b>  Configuration: X/X Glazing: Insulating Glass (Annealed)  Frame: W-1372mm(54") H-2032mm(80") Sash: W-1295mm(51") H-1013mm(39.88") DLO: W-1226mm(48.25") H-943mm(37.13")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class R-PG20 1372 x 2032 (54 x 80)-H</b> <b>Design Pressure: <math>\pm 960</math> Pa (<math>\pm 20</math> psf)</b> <b>Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)</b>

Product Tested By: Molimo, LLC  
Report No: 28095.02-109-12  
Expiration Date: January 31, 2028

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Molimo".

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023