NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015998

DATE: 02/12/2024

CERTIFICATION PROGRAM: Fire

COMPANY: Treasure Valley

CODE: 2517-1

EXPIRATION DATE: 05/31/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Treasure Valley Door & Trim, LLC	Steve's & Sons/Crest Doors	
1150 West Taylor Avenue	Flush or 6-Panel Steel Skin	
Meridian, ID 83642	Side-Hinged Door Assembly	
	Manufacturer Specific Fire Doors for Single & Double Swing Installation in 20 Minute Locations	
	1/2" Minimum Latch Throw Single Swing Only	
	Single Maximum Size: 3'0" x 6'8" Minimum Thickness: 1-3/4"	

SPECIFICATION	PRODUCT RATING
UL 10C (2021)	20 Minute-Positive Pressure w/o Hose Stream Category B Door-Additional Edge Seal Required For Use in Category C Frame (or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)

TEST REPORT	
Intertek Test Report No: 105287053MID-004R1	

Sh

Administrator's Signature: -

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 nami@namiinc.com

NOPC 03/30/2023