NOTICE OF PRODUCT CERTIFICATION '



CERTIFICATION NO: NI016062

DATE: 02/26/2024

CERTIFICATION PROGRAM: Structural

COMPANY: <u>JELD-WEN</u>

CODE: <u>1822-1</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN	Series "Siteline Clad French Door"
3737 Lakeport Boulevard	Aluminum Clad Wood
Klamath Falls, OR 97601	Outswing French Door
	Configuration: XX Glazing: Insulating Glass (Tempered)
	Frame: W-1911mm(75.25") H-3035mm(119.50")
	Panel: W-914mm(36") H-2972mm(117")
	DLO: W-692mm(27.25") H-2615mm(102.94")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A440S1-09	Class R-PG15 1911 x 3035 (75 x 120)-SHD Design Pressure: ±720 Pa (±15 psf) Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Element Materials Technology

Report No: ESP025820P-2185.14 Expiration Date: February 28, 2028

Administrator's Signature: ____

Shi

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 Email: <u>nami@namiinc.com</u>