

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016072
DATE: 02/28/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Comfort View
CODE: 2111-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Comfort View Products, LLC 320 Coweta Industrial Park Building 7, Suite C-1 Newnan, GA 30265	Series "1000 HP" Vinyl Sliding Glass Door Configuration: OX Glazing: Insulating Glass (Tempered) Frame: W-2426mm(95.50") H-2019mm(79.50") Panel: W-1219mm(48") H-1949mm(76.75") DLO W-1108mm(43.63") H-1832mm(72.13")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class R-PG40 2426 x 2019 (96 x 80)-SD SD-R40 2426 x 2019 (96 x 80) Design Pressure: ±1920 Pa (±40 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Intertek, PLC
Report No: C6316.03-501-47
Expiration Date: **February 28, 2026**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com