

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014779.08
DATE: 03/12/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Intus
CODE: 1817-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Intus Windows, LLC 2720 Prosperity Avenue, 400-1 Fairfax, VA 22031	Series "Supera" Polymer Fixed Windows Configuration: OOO/OO Glazing: IG-Ext. 5/32" Annealed Glass/0.06" Saflex DG41 PVB Interlayer/5/32" Annealed Glass/Int. 1/4" Tempered Glass Frame: W-4890mm(192.50") H-3048mm(120") Lite #3: W-2489mm(98") H-1500mm(59.06") DLO #3: W-2330mm(91.75") H-1383mm(54.44")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 ASTM E1886-19 ASTM E1996 -20 TAS-201/202/203-94	Class CW-PG55 4890 x 3048 (193 x 120)-FW Design Pressure: ±2640 Pa (±55 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf) Missile Level A Small Missile Impact Rated

Product Tested By: Molimo Architectural Product Testing
Report No: 12199.01-106-13/12199.02-106-13/12199.03-106-11
Expiration Date: **December 31, 2027**

Administrator's Signature:  _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com