

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI016073  
**DATE:** 03/04/2024  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Comfort View  
**CODE:** 2111-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Comfort View Products, LLC</b> <b>320 Coweta Industrial Park</b> <b>Building 7, Suite C-1</b> <b>Newnan, GA 30265</b>	<b>Series "1920 Horizontal Slider"</b> <b>Vinyl Horizontal Sliding Window</b>  Configuration: OX Glazing: Insulating Glass (Annealed) Frame: W-1816mm(71.50") H-1207mm(47.50") Sash: W-886mm(34.88") H-1130mm(44.50") DLO: W-819mm(32.25") H-1086mm(42.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>Class R-PG50 1816 x 1207 (72 x 48)-HS</b> <b>HS-R50 1816 x 1207 (72 x 48)</b> <b>Design Pressure: 2400 Pa (50 psf)</b> <b>Positive Design Pressure: 2640 Pa (55 psf)</b> <b>Negative Design Pressure: 2640 Pa (55 psf)</b> <b>Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: 93154.01-602-44  
Expiration Date: **February 28, 2026**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)